

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Number 0346910201 Part Weight 8.703G

Part Name STAC64 RA HDR 20 CKT GRY POL B TRAY

Product Composition

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)	
STAC64 RA HDR 20 CKT GRY POL B TRAY	Assembly		100	8.703	
STAC64 RA HDR HOUSING 20 CKT GRY POL B	Component		73.1127	6.363	
PS-ST GF30	Material		73.1127	6.363	
PS-ST	Substance		42.908	3.734286	
GF-Fibre	Substance		21.8424	1.900946	
Pigment portion, not to declare	Substance	system	0.8956	0.077947	
Benzene, ethenyl-, polymer with 1,3-butadiene, hydrogenated	Substance	66070-58-4	4.9763	0.433085	
Further Additives, not to declare	Substance	system	2.4904	0.216737	
0.64 X 34.93 SQ PIN BRASS REFLOW SN	Component		14.3629	1.25	
SQ WIRE C26000 PL 0.625 X 0.625	Material		14.3629	1.25	
Cartridge Brass 70% Unplated	Material		14.0679	1.224325	
Copper	Substance	7440-50-8	9.8475	0.857028	
Zinc (metal)	Substance	7440-66-6	4.2204	0.367298	

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Copper Plating	Material		0.0282	0.002453
Copper	Substance	7440-50-8	0.0282	0.002453
Tin Plating	Material		0.1541	0.013411
Tin	Substance	7440-31-5	0.1541	0.013411
Nickel Plating	Material		0.1127	0.009811
Nickel	Substance	7440-02-0	0.1127	0.00981
Further Additives, not to declare	Substance	system	1E-05	1E-06
0.64 X 29.86 SQ PIN BRASS REFLOW SN	Component		11.3754	0.99
SQ WIRE C26000 PL 0.625 X 0.625	Material		11.3754	0.99
Cartridge Brass 70% Unplated	Material		11.1417	0.969665
Copper	Substance	7440-50-8	7.7992	0.678766
Zinc (metal)	Substance	7440-66-6	3.3425	0.2909
Copper Plating	Material		0.0223	0.001942
Copper	Substance	7440-50-8	0.0223	0.001942
Tin Plating	Material		0.122	0.010622
Tin	Substance	7440-31-5	0.122	0.010622
Nickel Plating	Material		0.0893	0.007771
Nickel	Substance	7440-02-0	0.0893	0.00777
Further Additives, not to declare	Substance	system	9E-06	8E-07
PIN ALIGNMENT PLATE-20CKT STAC64	Component		1.149	0.1
PET ST MYLAR 0.25 X 31.94	Material		1.149	0.1
Polyethylene terephthalate	Substance	25038-59-9	1.118	0.0973
Further Additives, not to declare	Substance	system	0.031	0.0027

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added	
copper	e-plate Cu (electrodeposited Copper Coatings)	*Note	999,625	Yes	
lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	150	Yes	
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes	
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes	
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes	
glass, oxide, chemicals	PS-ST GF30	*Note	320,000	Yes	

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Part Name	Exemption

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Exemptions

Part Name	Exemption
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

China ROHS Declaration Information

Part Number	0346910201							
Part Name	STAC64 RA HDR 20 CKT GRY POL B TRAY	(e)						
Part Informatio	n			Haz	zardous S	Substance	s	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
STAC64 RA	HDR 20 CKT GRY POL B TRAY		0	0	0	0	0	0
STAC64 RA I	HDR HOUSING 20 CKT GRY POL B		0	0	0	0	0	0
0.64 X 34.93	SQ PIN BRASS REFLOW SN		0	0	0	0	0	0
0.64 X 29.86	SQ PIN BRASS REFLOW SN		0	0	0	0	0	0
PIN ALIGNM	ENT PLATE-20CKT STAC64		0	0	0	0	0	0

Process Information

Component Plating / Surface Finish	MSn-RNi
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Maximum Exposure Time (seconds)	040
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	003
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021