

# **Product Compliance Declaration**

Please see <u>www.molex.com</u> for the most up-to-date information.

Contact Information					
Name	Molex Product Compliance	E-Mail	Product.Compliance@molex.com		
Part Inform	ation				
Part Number	0314033700	Part Weight	4.745G		
Part Name	MX64 FEM 1X3 MXMETAL WOCPA BLK POLD/3				

## **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
MX64 FEM 1X3 MXMETAL WOCPA BLK POLD/3	Assembly		100	4.745
MX FEM MATTE SEAL X LIGHT BLUE	Component		4.0042	0.19
VMQ	Material		4.0042	0.19
VMQ	Substance		3.808	0.18069
Cobalt-aluminate-blue-spinel	Substance	1345-16-0	0.008	0.00038
Titanium-dioxide	Substance	13463-67-7	0.036	0.00171
Siloxanes and Silicones, di-Me, Me vinyl, vinyl group- terminated	Substance	68083-18-1	0.032	0.00152
Siloxanes and silicones, di-Me, Me Ph	Substance	63148-52-7	0.0801	0.0038
Silicon dioxide	Substance	7631-86-9	0.04	0.0019
MX64 FEM CONN HSNG 1X3 POLD MXMETAL BLK	Component		64.5311	3.062
PBT GF BLACK	Material		64.5311	3.062
PBT	Substance		53.5608	2.54146
GF-Fibre	Substance		9.6797	0.4593

Form Rev - F

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Further Additives, not to declare	Substance	system	1.2906	0.06124
MX PERIPHERAL SEAL X RUSTRED	Component		4.6997	0.223
VMQ	Material		4.6997	0.223
VMQ	Substance		4.6292	0.219655
Synthetic iron oxide (Fe2O3)	Substance	1332-37-2	0.0517	0.002453
Siloxanes and Silicones, di-Me, Me vinyl, vinyl group- terminated	Substance	68083-18-1	0.0188	0.000892
MX64 FEM TPA 1X3 NAT	Component		6.1117	0.29
PA66+PS-GF20 NATURAL	Material		6.1117	0.29
PS	Substance		1.2739	0.060445
PA66	Substance		3.456	0.163986
GF-Fibre	Substance		1.2043	0.057144
Further Additives, not to declare	Substance	system	0.1775	0.008424
MX64 FEM TERM HSNG 1X3 GETMETAL BLK	Component		20.6533	0.98
PA66+PS GF BLACK	Material		20.6533	0.98
PS	Substance		5.8862	0.2793
PA66	Substance		6.1547	0.29204
GF-Fibre	Substance		6.6091	0.3136
Carbon black	Substance	1333-86-4	0.0413	0.00196
Further Additives, not to declare	Substance	system	1.9621	0.0931

# **ROHS** Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

Exemptions

None

Form Rev - F

# **REACH-SVHC** Declaration Information

Regulatory Revision D(2020)4578-DC (25 June 2020)

#### **Contained Substances Exceeding Threshold**

None

## **GADSL** Declaration Information

Regulatory Revision GADSL imported from IMDS

#### **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added	
glass, oxide, chemicals	PA66+PS-GF20 NATURAL	*Note	210,000	Yes	
glass, oxide, chemicals	PBT GF BLACK	*Note	150,000	Yes	
Cobalt-aluminate-blue-spinel	VMQ	*Note	2,000	Yes	

\*Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

#### Exemptions

None

# **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

#### **Contained Substances Exceeding Threshold**

None

Form Rev - F

# **China ROHS Declaration Information**

Part Number Part Name	0314033700 MX64 FEM 1X3 MXMETAL WOCPA BLK POLD/3							
Part Informatio	n			Ha	zardous S	Substance	es	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
MX64 FEM 1	X3 MXMETAL WOCPA BLK POLD/3		0	0	0	0	0	0
MX FEM MA	TTE SEAL X LIGHT BLUE		0	0	0	0	0	0
MX64 FEM C	CONN HSNG 1X3 POLD MXMETAL BLK		0	0	0	0	0	0
MX PERIPHE	ERAL SEAL X RUSTRED		0	0	0	0	0	0
MX64 FEM T	PA 1X3 NAT		0	0	0	0	0	0
MX64 FEM TERM HSNG 1X3 GETMETAL BLK		0	0	0	0	0	0	

# **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Jan 14, 2021

Form Rev - F