

# **Product Compliance Declaration**

Please see <a href="https://www.molex.com">www.molex.com</a> for the most up-to-date information.

### **Contact Information**

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

## **Part Information**

Part Number 0346910080 Part Weight 5.172G

Part Name STAC64 RA HDR 8 CKT BLK POL A TRAY

# **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
STAC64 RA HDR 8 CKT BLK POL A TRAY	Assembly		100	5.172
STAC64 RA HDR HOUSING 8 CKT BLK POL A	Component		81.5545	4.218
PS-ST GF30 Black	Material		81.5545	4.218
PS-ST	Substance		47.6608	2.465016
GF-Fibre	Substance		24.6101	1.272832
Pigment portion, not to declare	Substance	system	0.5409	0.027974
Further Additives, not to declare	Substance	system	2.5185	0.130256
Benzene, ethenyl-, polymer with 1,3-butadiene, hydrogenated	Substance	66070-58-4	6.2243	0.321922
0.64 X 34.93 SQ PIN BRASS REFLOW SN	Component		9.6674	0.5
SQ WIRE C26000 PL 0.625 X 0.625	Material		9.6674	0.5
Cartridge Brass 70% Unplated	Material		9.4689	0.48973
Copper	Substance	7440-50-8	6.6282	0.342811
Zinc (metal)	Substance	7440-66-6	2.8407	0.146919

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Copper Plating	Material		0.019	0.000981
Copper	Substance	7440-50-8	0.019	0.000981
Tin Plating	Material		0.1037	0.005365
Tin	Substance	7440-31-5	0.1037	0.005365
Nickel Plating	Material		0.0759	0.003925
Nickel	Substance	7440-02-0	0.0759	0.003924
Further Additives, not to declare	Substance	system	8E-06	4E-07
0.64 X 29.86 SQ PIN BRASS REFLOW SN	Component		7.6566	0.396
SQ WIRE C26000 PL 0.625 X 0.625	Material		7.6566	0.396
Cartridge Brass 70% Unplated	Material		7.4993	0.387866
Copper	Substance	7440-50-8	5.2495	0.271506
Zinc (metal)	Substance	7440-66-6	2.2498	0.11636
Copper Plating	Material		0.015	0.000777
Copper	Substance	7440-50-8	0.015	0.000777
Tin Plating	Material		0.0821	0.004249
Tin	Substance	7440-31-5	0.0821	0.004249
Nickel Plating	Material		0.0601	0.003108
Nickel	Substance	7440-02-0	0.0601	0.003108
Further Additives, not to declare	Substance	system	6E-06	3E-07
PIN ALIGNMENT PLATE-8CKT STAC64	Component		1.1214	0.058
ST MYLAR 0.25 X 16.70 PET NATURAL	Material		1.1214	0.058
PET	Material		1.1214	0.058
Polyethylene terephthalate	Substance	25038-59-9	1.0911	0.056434
Further Additives, not to declare	Substance	system	0.0303	0.001566

# **ROHS Declaration Information**

Regulatory Revision EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

## **REACH-SVHC Declaration Information**

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

**Contained Substances Exceeding Threshold** 

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

# **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added	
lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	150	Yes	
copper	e-plate Cu (electrodeposited Copper Coatings)	*Note	999,625	Yes	
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes	
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes	
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes	
glass, oxide, chemicals	PS-ST GF30 Black	*Note	320,000	Yes	

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Part Name	Exemption

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

## **Exemptions**

Part Name	Exemption
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

### **HFLH** Declaration Information

Regulatory Revision IEC 61249-2-21

### **Contained Substances Exceeding Threshold**

None

## **China ROHS Declaration Information**

Part Number	0346910080							
Part Name	STAC64 RA HDR 8 CKT BLK POL A TRAY	<b>(e)</b>						
Part Information	on			Haz	zardous S	Substance	s	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
STAC64 RA	HDR 8 CKT BLK POL A TRAY		0	0	0	0	0	0
STAC64 RA	HDR HOUSING 8 CKT BLK POL A		0	0	0	0	0	0
0.64 X 34.93	SQ PIN BRASS REFLOW SN		0	0	0	0	0	0
0.64 X 29.86	SQ PIN BRASS REFLOW SN		0	0	0	0	0	0
PIN ALIGNM	IENT PLATE-8CKT STAC64		0	0	0	0	0	0

## **Process Information**

Component Plating / Surface Finish	MSn-RNi
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Maximum Exposure Time (seconds)	040
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	003
J-STD-020 Moisture Sensitivity Level	N/A

Mar 5, 2021