

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Number 0334710401 Part Weight 8.822G

Part Name MX150 ASSY 1.5 RCPT 1X4 BLK A/4

Product Composition

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)	
MX150 ASSY 1.5 RCPT 1X4 BLK A/4	Assembly		100	8.822	
MX150 1.5 RCPT HSNG 4CKT 1X4 BLK A	Component		66.9916	5.91	
PA66+PS-GF20 BLACK	Material		66.9916	5.91	
PS	Substance		14.7382	1.3002	
PA66	Substance		36.1755	3.1914	
GF-Fibre	Substance		13.3983	1.182	
Pigment portion, not to declare	Substance	system	0.201	0.01773	
Further Additives, not to declare	Substance	system	2.4787	0.21867	
MX150 RCPT GROM CAP 1X4 BLK ALL OPEN	Component		9.6123	0.848	
PA66+PS-GF20 BLACK	Material		9.6123	0.848	
PS	Substance		2.1147	0.18656	
PA66	Substance		5.1907	0.45792	
GF-Fibre	Substance		1.9225	0.1696	

Form Rev - F

Name	Туре	CAS Number	Proportion (% Total)		
Pigment portion, not to declare	Substance	system	0.0288	0.002544	
Further Additives, not to declare	Substance	system	0.3557	0.031376	
MX PERIPHERAL SEAL CKT X	Component		3.4006	0.3	
VMQ	Material		3.4006	0.3	
Siloxanes and Silicones, di-Me, Me vinyl, vinyl groupterminated	Substance	68083-18-1	0.9182	0.081	
Silicon dioxide	Substance	7631-86-9	0.0544	0.0048	
Siloxanes and silicones, di-Me, Me Ph	Substance	63148-52-7	0.0612	0.0054	
Dimethylsilicone	Substance	63148-62-9	0.0068	0.0006	
VMQ	Substance		2.1679	0.19125	
Cerium-tetrahydroxide	Substance	12014-56-1	0.0136	0.0012	
Nepheline syenite	Substance	37244-96-5	0.153	0.0135	
Synthetic iron oxide (Fe2O3)	Substance	1332-37-2	0.0255	0.00225	
MX MATTE SEAL RCPT CKT X	Component		5.543	0.489	
VMQ	Material		5.543	0.489	
VMQ	Substance		3.2315	0.285087	
Siloxanes and Silicones, di-Me, Me vinyl, vinyl groupterminated	Substance	68083-18-1	2.1618	0.19071	
Silicon dioxide	Substance	7631-86-9	0.0277	0.002445	
Siloxanes and silicones, di-Me, Me Ph	Substance	63148-52-7	0.0721	0.006357	
Dimethylsilicone	Substance	63148-62-9	0.0139	0.001223	
Cobalt-aluminate-blue-spinel	Substance	1345-16-0	0.0139	0.001223	
Titanium-dioxide	Substance	13463-67-7	0.0222	0.001956	
MX150 1.5 RCPT TPA 4CKT 1X4 NAT	Component		14.4525	1.275	
PA66+PS-GF20 NATURAL	Material		14.4525	1.275	
PS	Substance		3.0123	0.265748	
PA66	Substance		8.1725	0.720974	
GF-Fibre	Substance		2.8479	0.251239	
Further Additives, not to declare	Substance	system	0.4198	0.037039	
	l	1		I	

Form Rev - F

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
glass, oxide, chemicals	PA66+PS-GF20 NATURAL	*Note	210,000	Yes
Cobalt-aluminate-blue-spinel	VMQ	*Note	2,500	Yes

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

None

Form Rev - F

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

Part Information

China ROHS Declaration Information

Part Number 0334710401

Part Name MX150 ASSY 1.5 RCPT 1X4 BLK A/4



Hazardous Substances

	nazaruous Substances					
Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
MX150 ASSY 1.5 RCPT 1X4 BLK A/4	0	0	0	0	0	0
MX150 1.5 RCPT HSNG 4CKT 1X4 BLK A	0	0	0	0	0	0
MX150 RCPT GROM CAP 1X4 BLK ALL OPEN	0	0	0	0	0	0
MX PERIPHERAL SEAL CKT X	0	0	0	0	0	0
MX MATTE SEAL RCPT CKT X	0	0	0	0	0	0
MX150 1.5 RCPT TPA 4CKT 1X4 NAT	0	0	0	0	0	0

Process Information

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Feb 22, 2021

Form Rev - F