

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance **E-Mail** Product.Compliance@molex.com

Part Information

Part Number 0346900120 **Part Weight** 5.443G

Part Name STAC64 VERT HDR 12 CKT BLK POL A TRAY

Product Composition

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
STAC64 VERT HDR 12 CKT BLK POL A TRAY	Assembly		100	5.443
STAC64 VERT HDR HOUSING 12 CKT BLK POL A	Component		85.4492	4.651
PS-ST GF30 Black	Material		85.4492	4.651
PS-ST	Substance		49.9369	2.718063
GF-Fibre	Substance		25.7853	1.403495
Pigment portion, not to declare	Substance	system	0.5667	0.030845
Further Additives, not to declare	Substance	system	2.6388	0.143628
Benzene, ethenyl-, polymer with 1,3-butadiene, hydrogenated	Substance	66070-58-4	6.5216	0.354969
0.64 X 19.87 SQ PIN BRASS REFLOW SN	Component		14.5508	0.792
SQ WIRE C26000 PL 0.625 X 0.625	Material		14.5508	0.792
Cartridge Brass 70% Unplated	Material		14.2519	0.775732
Copper	Substance	7440-50-8	9.9763	0.543013
Zinc (metal)	Substance	7440-66-6	4.2756	0.23272

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
Copper Plating	Material		0.0285	0.001554
Copper	Substance	7440-50-8	0.0285	0.001554
Tin Plating	Material		0.1561	0.008497
Tin	Substance	7440-31-5	0.1561	0.008497
Nickel Plating	Material		0.1142	0.006216
Nickel	Substance	7440-02-0	0.1142	0.006216
Further Additives, not to declare	Substance	system	1E-05	6E-07

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
-----------------	--------------------	--------------------	------------------------	------------------------

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes
lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes
copper	e-plate Cu (electrodeposited Copper Coatings)	*Note	999,625	Yes
glass, oxide, chemicals	PS-ST GF30 Black	*Note	320,000	Yes

***Note:** For GADSL substance declarable/prohibited threshold values, please reference <http://www.gadsl.org/>

Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)


HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

China ROHS Declaration Information

Part Number	0346900120							
Part Name	STAC64 VERT HDR 12 CKT BLK POL A TRAY							
Part Information								
			Hazardous Substances					
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
STAC64 VERT HDR 12 CKT BLK POL A TRAY			O	O	O	O	O	O
STAC64 VERT HDR HOUSING 12 CKT BLK POL A			O	O	O	O	O	O
0.64 X 19.87 SQ PIN BRASS REFLOW SN			O	O	O	O	O	O

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Process Information

Component Plating / Surface Finish	MSn-RNi
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	040
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	003
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.