

# **Product Compliance Declaration**

Please see <u>www.molex.com</u> for the most up-to-date information.

**Contact Information** 

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

**Part Information** 

Part Number 0334810204 Part Weight 6.285G

Part Name MX150 ASSY 1.5 BLD 1X2 STGY D/2

# **Product Composition**

Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Assembly		100	6.285
Component		69.9125	4.394
Material		69.9125	4.394
Substance		16.779	1.05456
Substance		29.7128	1.86745
Substance		15.3807	0.96668
Substance	1314-98-3	1.3982	0.08788
Substance	system	6.6417	0.41743
Component		6.078	0.382
Material		6.078	0.382
Substance		1.2668	0.07962
Substance		3.4369	0.21601
Substance		1.1977	0.075273
	Assembly Component Material Substance Substance Substance Substance Component Material Substance Substance	Assembly Component Material Substance	Assembly 100  Component 69.9125  Material 69.9125  Substance 16.779  Substance 29.7128  Substance 1314-98-3 1.3982  Substance system 6.6417  Component 6.078  Material 6.078  Substance 1.2668  Substance 3.4369

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Further Additives, not to declare	Substance	system	0.1766	0.011097
MX150 1.5 BLD GROM CAP 2CKT 1X2 BLK	Component		16.6428	1.046
PA66+PS-GF20 BLACK	Material		16.6428	1.046
PS	Substance		3.6614	0.23012
PA66	Substance		8.9871	0.56484
GF-Fibre	Substance		3.3286	0.2092
Pigment portion, not to declare	Substance	system	0.0499	0.003138
Further Additives, not to declare	Substance	system	0.6158	0.038702
MX MATTE SEAL BLD CKT X	Component		7.3667	0.463
VMQ	Material		7.3667	0.463
VMQ	Substance		4.4421	0.279189
Siloxanes and silicones, di-Me, vinyl group-terminated	Substance	68083-19-2	1.989	0.12501
Silicon dioxide	Substance	7631-86-9	0.3241	0.020372
Wollastonite (Ca(SiO3))	Substance	13983-17-0	0.3241	0.020372
Siloxanes and silicones, di-Me, Me Ph	Substance	63148-52-7	0.221	0.01389
Siloxanes and Silicones, di-Me, Me vinyl, vinyl group-terminated	Substance	68083-18-1	0.0147	0.000926
Synthetic iron oxide (Fe2O3)	Substance	1332-37-2	0.0516	0.003241

# **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

# **Contained Substances Exceeding Threshold**

Not reviewed

# **ROHS Declaration Information**

Regulatory Revision EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

### **REACH-SVHC Declaration Information**

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

**Contained Substances Exceeding Threshold** 

None

### **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

# **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
zinc sulphide	PA66+PS GF GRAY (STONE)	*Note	20,000	Yes
glass, oxide, chemicals	PA66+PS-GF20 NATURAL	*Note	210,000	Yes
glass, oxide, chemicals	PA66+PS GF GRAY (STONE)	*Note	220,000	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

#### **Exemptions**

None

# **Process Information**

Component Plating / Surface Finish	N/A

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021