

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Number 0346900201 Part Weight 7.555G

Part Name STAC64 VERT HDR 20 CKT GRY POL B TRAY

Product Composition

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)	
STAC64 VERT HDR 20 CKT GRY POL B TRAY	Assembly		100	7.555	
STAC64 VERT HDR HOUSING 20 CKT GRY POL B	Component		82.5281	6.235	
PS-ST GF30	Material		82.5281	6.235	
PS-ST	Substance		48.4337	3.659166	
GF-Fibre	Substance		24.6553	1.862706	
Pigment portion, not to declare	Substance	system	1.011	0.076379	
Benzene, ethenyl-, polymer with 1,3-butadiene, hydrogenated	Substance	66070-58-4	5.6171	0.424373	
Further Additives, not to declare	Substance	system	2.8111	0.212377	
0.64 X 19.87 SQ PIN BRASS REFLOW SN	Component		17.4719	1.32	
SQ WIRE C26000 PL 0.625 X 0.625	Material		17.4719	1.32	
Cartridge Brass 70% Unplated	Material		17.113	1.292887	
Copper	Substance	7440-50-8	11.9791	0.905021	
Zinc (metal)	Substance	7440-66-6	5.1339	0.387866	

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	Type CAS Number		Mass (Grams)
Copper Plating	Material		0.0343	0.00259
Copper	Substance	7440-50-8	0.0343	0.00259
Tin Plating	Material		0.1875	0.014162
Tin	Substance	7440-31-5	0.1875	0.014162
Nickel Plating	Material		0.1371	0.010361
Nickel	Substance	7440-02-0	0.1371	0.01036
Further Additives, not to declare	Substance	system	1E-05	0.000001

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
-----------------	--------------------	-----------------	---------------------	------------------------

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added	
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes	
lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes	
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes	
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes	
copper	e-plate Cu (electrodeposited Copper Coatings)	*Note	999,625	Yes	
glass, oxide, chemicals	PS-ST GF30	*Note	320,000	Yes	

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5μg/cm2/week)

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

China ROHS Declaration Information

Part Number	0346900201							
Part Name	STAC64 VERT HDR 20 CKT GRY POL B TRAY	(e)						
Part Information	on			Haz	zardous S	Substance	s	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
STAC64 VEF	RT HDR 20 CKT GRY POL B TRAY		0	0	0	0	0	0
STAC64 VEF	RT HDR HOUSING 20 CKT GRY POL B		0	0	0	0	0	0
0.64 X 19.87	SQ PIN BRASS REFLOW SN		0	0	0	0	0	0

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Process Information

Component Plating / Surface Finish	MSn-RNi
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	040
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	003
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021