

# **Product Compliance Declaration**

Please see <u>www.molex.com</u> for the most up-to-date information.

Contact Information					
Name	Molex Product Compliance	E-Mail	Product.Compliance@molex.com		
Part Information					
Part Number	0346900081	Part Weight	4.528G		
Part Name	STAC64 VERT HDR 8 CKT GRY POL B TRAY				

## **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
STAC64 VERT HDR 8 CKT GRY POL B TRAY	Assembly		100	4.528
STAC64 VERT HDR HOUSING 8 CKT GRY POL B	Component		88.3392	4
PS-ST GF30	Material		88.3392	4
PS-ST	Substance		51.8441	2.3475
GF-Fibre	Substance		26.3913	1.195
Pigment portion, not to declare	Substance	system	1.0822	0.049
Benzene, ethenyl-, polymer with 1,3-butadiene, hydrogenated	Substance	66070-58-4	6.0126	0.272252
Further Additives, not to declare	Substance	system	3.009	0.136248
0.64 X 19.87 SQ PIN BRASS REFLOW SN	Component		11.6608	0.528
SQ WIRE C26000 PL 0.625 X 0.625	Material		11.6608	0.528
Cartridge Brass 70% Unplated	Material		11.4213	0.517155
Copper	Substance	7440-50-8	7.9949	0.362008
Zinc (metal)	Substance	7440-66-6	3.4264	0.155146

Form Rev - F

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Copper Plating	Material		0.0229	0.001036
Copper	Substance	7440-50-8	0.0229	0.001036
Tin Plating	Material		0.1251	0.005665
Tin	Substance	7440-31-5	0.1251	0.005665
Nickel Plating	Material		0.0915	0.004144
Nickel	Substance	7440-02-0	0.0915	0.004144
Further Additives, not to declare	Substance	system	9E-06	4E-07

## **ROHS** Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

#### **Contained Substances Exceeding Threshold**

None

#### Exemptions

None

## **REACH-SVHC** Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

#### **Contained Substances Exceeding Threshold**

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

#### **Contained Substances Exceeding Threshold**

Substance Croup	Substance Location	Threshold	Concentration	Intentionally
Substance Group	Substance Location	(PPM)	(PPM)	Added

Form Rev - F

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
lead	Cartridge Brass 70% (CA260)	*Note	350	Yes
lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes
copper	e-plate Cu (electrodeposited Copper Coatings)	*Note	999,625	Yes
glass, oxide, chemicals	PS-ST GF30	*Note	320,000	Yes

\*Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

#### Exemptions

Part Name	Exemption			
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits			
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits			
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/ cm2/week)			

## **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

## **Contained Substances Exceeding Threshold**

None

## **China ROHS Declaration Information**

Part Number	0346900081						
Part Name	STAC64 VERT HDR 8 CKT GRY POL B TRAY						
Part Informatio	on		Ha	zardous S	Substance	s	
Components		Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
STAC64 VERT HDR 8 CKT GRY POL B TRAY		0	0	0	0	0	0
STAC64 VERT HDR HOUSING 8 CKT GRY POL B		0	0	0	0	0	0
0.64 X 19.87 SQ PIN BRASS REFLOW SN		0	0	0	0	0	0

Form Rev - F

## **Process Information**

Component Plating / Surface Finish	MSn-RNi
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	040
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	003
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021

Form Rev - F