

Product Compliance Declaration

Please see <u>www.molex.com</u> for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Name MX123 HRN CONN ASSY 73 CKT OPT0 KEY C/73

Product Composition

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
MX123 HRN CONN ASSY 73 CKT OPT0 KEY C/73	Assembly		100	52.189
MX RING SEAL / CKT	Component		2.6941	1.406
VMQ	Material		2.6941	1.406
Diiron-trioxide	Substance	1309-37-1	0.0135	0.00703
Siloxanes and silicones, di-Me, vinyl group-terminated	Substance	68083-19-2	0.0269	0.01406
VMQ	Substance		2.6536	1.38491
MX123 TPA 73 CKT OPT0 BLUE KEY C	Component		9.1169	4.758
PA66+PS GF BLUE	Material		9.1169	4.758
PS	Substance		1.9145	0.99918
PA66	Substance		3.4188	1.78425
GF-Fibre	Substance		2.9174	1.52256
Further Additives, not to declare	Substance	system	0.8661	0.45201
MX GROMMET SEAL CKT RUST RED	Component		6.9612	3.633

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Siloxanes and Silicones, di-Me, Me vinyl, vinyl group- terminated Substance 68083-18-1 2.6453 1.3805/ Silicon dioxide Substance 7631-86-9 0.0348 0.01816	Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Siloxanes and Silicones, di-Me, Me vinyl, vinyl group- terminated Substance 68083-18-1 2.6453 1.3805/ Silicon dioxide Substance 7631-86-9 0.0348 0.01816	VMQ	Material		6.9612	3.633
terminated Substance 60053*16-1 2.9433 1.3609* Silicon dioxide Substance 7631-86-9 0.0348 0.01816 Siloxanes and silicones, di-Me, Me Ph Substance 63148-52-7 0.2158 0.11262 Synthetic iron oxide (Fe2O3) Substance 1332-37-2 0.0494 0.02579 MX123 GROMMET CAP 73 CKT OPT0 NO OPEN Component 9.7415 5.084 PA66+PS GF BLACK Material 9.7415 5.084 PS Substance 2.0457 1.06764 PA66 Substance 3.2634 1.70314 GF-Fibre Substance 3.4095 1.77794 Carbon black Substance 1333-86-4 0.0974 0.0504 Further Additives, not to declare Substance system 0.9254 0.48296 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance	VMQ	Substance		4.0159	2.095878
Siloxanes and silicones, di-Me, Me Ph Substance 63148-52-7 0.2158 0.11262 Synthetic iron oxide (Fe2O3) Substance 1332-37-2 0.0494 0.02579 MX123 GROMMET CAP 73 CKT OPTO NO OPEN Component 9.7415 5.084 PA66+PS GF BLACK Material 9.7415 5.084 PS Substance 2.0457 1.06764 PA66 Substance 3.2634 1.70314 GF-Fibre Substance 3.4095 1.7794 Carbon black Substance 1333-86-4 0.0974 0.05084 Further Additives, not to declare Substance system 0.9254 0.48296 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1.333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824		Substance	68083-18-1	2.6453	1.38054
Synthetic iron oxide (Fe2O3) Substance 1332-37-2 0.0494 0.02579 MX123 GROMMET CAP 73 CKT OPT0 NO OPEN Component 9.7415 5.084 PA66+PS GF BLACK Material 9.7415 5.084 PS Substance 2.0457 1.06764 PA66 Substance 3.2634 1.70314 GF-Fibre Substance 3.4095 1.7794 Carbon black Substance 1333-86-4 0.0974 0.05084 Further Additives, not to declare Substance system 0.9254 0.48296 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre<	Silicon dioxide	Substance	7631-86-9	0.0348	0.018165
MX123 GROMMET CAP 73 CKT OPTO NO OPEN Component 9,7415 5,084 PA66+PS GF BLACK Material 9,7415 5,084 PS Substance 2,0457 1,06764 PA66 Substance 3,2634 1,70314 GF-Fibre Substance 3,4095 1,7794 Carbon black Substance 1333-86-4 0,0974 0,05084 Further Additives, not to declare Substance system 0,9254 0,48298 MX123 SLIDE L 73/80 CKT BLK Component 3,7824 1,974 PBT Substance 1,9586 1,02218 GF-Fibre Substance 1,2054 0,62910 PTFE Substance 0,5641 0,29438 Carbon black Substance 1333-86-4 0,0543 0,02832 MX123 SLIDE R 73/80 CKT BLK Component 3,7824 1,974 PBT Substance 1,9586 1,02248 GF-Fibre Substance 1,9586 1,02248 GF-Fibre Substance 1,9	Siloxanes and silicones, di-Me, Me Ph	Substance	63148-52-7	0.2158	0.112623
PA66+PS GF BLACK Material 9.7415 5.084 PS Substance 2.0457 1.06764 PA66 Substance 3.2634 1.70314 GF-Fibre Substance 3.4095 1.7794 Carbon black Substance 1333-86-4 0.0974 0.05084 Further Additives, not to declare Substance system 0.9254 0.48296 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.9586 1.02228 GF-Fibre Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.6291	Synthetic iron oxide (Fe2O3)	Substance	1332-37-2	0.0494	0.025794
PS Substance 2.0457 1.06764 PA66 Substance 3.2634 1.70314 GF-Fibre Substance 3.4095 1.7794 Carbon black Substance 1333-86-4 0.0974 0.05084 Further Additives, not to declare Substance system 0.9254 0.48298 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 1.333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.9586 1.02218 GF-Fibre Substance 1.9586 1.02218 GF-Fibre Substance 0.5641 0.	MX123 GROMMET CAP 73 CKT OPT0 NO OPEN	Component		9.7415	5.084
PA66 Substance 3.2634 1.70314 GF-Fibre Substance 3.4095 1.7794 Carbon black Substance 1333-86-4 0.0974 0.05084 Further Additives, not to declare Substance system 0.9254 0.48296 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT PFFF GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.9586 1.02218 GF-Fibre Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.2	PA66+PS GF BLACK	Material		9.7415	5.084
GF-Fibre Substance 3.4095 1.7794 Carbon black Substance 1333-86-4 0.0974 0.05084 Further Additives, not to declare Substance system 0.9254 0.48298 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.9586 1.02218 GF-Fibre Substance 0.5641 0.29438 Carbon black Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 0.5641 0.29438 Carbon black Substance 1333-86-4	PS	Substance		2.0457	1.06764
Carbon black Substance 1333-86-4 0.0974 0.05084 Further Additives, not to declare Substance system 0.9254 0.48296 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT PFFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 1.2054 0.62910 PTFE Substance 1.333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material	PA66	Substance		3.2634	1.70314
Further Additives, not to declare Substance system 0.9254 0.48296 MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	GF-Fibre	Substance		3.4095	1.7794
MX123 SLIDE L 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	Carbon black	Substance	1333-86-4	0.0974	0.05084
PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	Further Additives, not to declare	Substance	system	0.9254	0.48298
PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	MX123 SLIDE L 73/80 CKT BLK	Component		3.7824	1.974
GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	PBT+PTFE GF BLACK	Material		3.7824	1.974
PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	PBT	Substance		1.9586	1.022189
Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	GF-Fibre	Substance		1.2054	0.629106
MX123 SLIDE R 73/80 CKT BLK Component 3.7824 1.974 PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	PTFE	Substance		0.5641	0.294383
PBT+PTFE GF BLACK Material 3.7824 1.974 PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	Carbon black	Substance	1333-86-4	0.0543	0.028323
PBT Substance 1.9586 1.02218 GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	MX123 SLIDE R 73/80 CKT BLK	Component		3.7824	1.974
GF-Fibre Substance 1.2054 0.62910 PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	PBT+PTFE GF BLACK	Material		3.7824	1.974
PTFE Substance 0.5641 0.29438 Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	PBT	Substance		1.9586	1.022189
Carbon black Substance 1333-86-4 0.0543 0.02832 MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	GF-Fibre	Substance		1.2054	0.629106
MX123 CPA Component 0.4963 0.259 PA66+PPE GF RED Material 0.4963 0.259	PTFE	Substance		0.5641	0.294383
PA66+PPE GF RED Material 0.4963 0.259	Carbon black	Substance	1333-86-4	0.0543	0.028323
	MX123 CPA	Component		0.4963	0.259
DDE (DAGG) 0.4225 0.22047	PA66+PPE GF RED	Material		0.4963	0.259
FFE+FA00-1 Substance 0.4225 0.22047	PPE+PA66-I	Substance		0.4225	0.220474

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
GF-Fibre	Substance		0.0525	0.027389
Titanium-dioxide	Substance	13463-67-7	0.0047	0.002437
Further Additives, not to declare	Substance	system	0.0122	0.006369
Pigment portion, not to declare	Substance	system	0.0045	0.002331
MX123 MATE ASSIST LEVER 73/80 CKT BLK	Component		14.1811	7.401
PA66+PS GF BLACK	Material		14.1811	7.401
PS	Substance		2.978	1.55421
PA66	Substance		4.7507	2.479335
GF-Fibre	Substance		4.9634	2.59035
Carbon black	Substance	1333-86-4	0.1418	0.07401
Further Additives, not to declare	Substance	system	1.3472	0.703095
MX123 HSG 73 CKT OPT0 KEY C	Component		49.2441	25.7
PA66+PS GF BLACK	Material		49.2441	25.7
PS	Substance		10.3413	5.397
PA66	Substance		16.4968	8.6095
GF-Fibre	Substance		17.2354	8.995
Carbon black	Substance	1333-86-4	0.4924	0.257
Further Additives, not to declare	Substance	system	4.6782	2.4415

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

Not reviewed

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
glass, oxide, chemicals	PA66+PS GF BLACK	*Note	350,000	Yes
glass, oxide, chemicals	PA66+PS GF BLUE	*Note	320,000	Yes
glass, oxide, chemicals	PBT+PTFE GF BLACK	*Note	350,000	Yes
glass, oxide, chemicals	PA66+PPE GF RED	*Note	105,750	Yes

^{*}Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

None

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Process Information

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021