

# **Product Compliance Declaration**

Please see <a href="https://www.molex.com">www.molex.com</a> for the most up-to-date information.

### **Contact Information**

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

### **Part Information**

Part Number 0334710206 Part Weight 6.6852G

Part Name MX150 ASSY 1.5 RCPT 1X2 CPA BLK A/2

# **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)	
MX150 ASSY 1.5 RCPT 1X2 CPA BLK A/2	Assembly		100	6.6852	
MX150 1.5 RCPT HSNG 2CKT 1X2 BLK A	Component		67.4026	4.506	
PA66+PS-GF20 BLACK	Material		67.4026	4.506	
PS	Substance		14.8286	0.99132	
PA66	Substance		36.3974	2.43324	
GF-Fibre	Substance		13.4805	0.9012	
Pigment portion, not to declare	Substance	system	0.2022	0.013518	
Further Additives, not to declare	Substance	system	2.4939	0.166722	
MX150 RCPT GROM CAP 1X2 BLK ALL OPEN	Component		7.2249	0.483	
PA66+PS-GF20 BLACK	Material		7.2249	0.483	
PS	Substance		1.5895	0.10626	
PA66	Substance		3.9015	0.26082	
GF-Fibre	Substance		1.445	0.0966	

### Form Rev - F

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)	
Pigment portion, not to declare	Substance	system	0.0217	0.001449	
Further Additives, not to declare	Substance	system	0.2673	0.017871	
MX150 1.5 RCPT TPA 2CKT 1X2 NAT	Component		11.7424	0.785	
PA66+PS-GF20 NATURAL	Material		11.7424	0.785	
PS	Substance		2.4475	0.163618	
PA66	Substance		6.64	0.443894	
GF-Fibre	Substance		2.3138		
Further Additives, not to declare	Substance	system	0.022804		
MX PERIPHERAL SEAL CKT X	Component		3.7127	0.2482	
VMQ	Material		3.7127	0.2482	
VMQ	Substance		3.657	0.244477	
Siloxanes and silicones, di-Me, vinyl group-terminated	Substance	68083-19-2	0.0371	0.002482	
Pigment Blue 29 (C.I.)	Substance	57455-37-5	0.0074	0.000496	
Titanium-dioxide	Substance	13463-67-7	0.0111	0.000745	
MX MATTE SEAL RCPT CKT X	Component		4.2332	0.283	
VMQ	Material		4.2332	0.283	
VMQ	Substance		2.4849	0.166121	
Siloxanes and Silicones, di-Me, Me vinyl, vinyl groupterminated	Substance	68083-18-1	1.651	0.11037	
Silicon dioxide	Substance	7631-86-9	0.0212	0.001415	
Siloxanes and silicones, di-Me, Me Ph	Substance	63148-52-7	0.055	0.003679	
Dimethylsilicone	Substance	63148-62-9	0.0085 0.0008		
Pigment Blue 29 (C.I.)	Substance	57455-37-5	0.0127	0.000849	
MX150 CPA	Component		5.6842	0.38	
PBT GF Red	Material		5.6842	0.38	
PBT	Substance		3.9335	0.26296	
GF-Fibre	Substance		1.7053	0.114	
Further Additives, not to declare	Substance	system	0.0171	0.00114	
Pigment portion, not to declare	Substance	system	0.0284	0.0019	

### Form Rev - F

### **ROHS Declaration Information**

Regulatory Revision EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

### **REACH-SVHC Declaration Information**

**Regulatory Revision** D(2020)4578-DC (25 June 2020)

**Contained Substances Exceeding Threshold** 

None

## **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

# **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
glass, oxide, chemicals	PBT GF Red	*Note	300,000	Yes
glass, oxide, chemicals	PA66+PS-GF20 NATURAL	*Note	210,000	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

### **Exemptions**

None

Form Rev - F

# **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

# **Contained Substances Exceeding Threshold**

None

# **China ROHS Declaration Information**

Part Number 0334710206

Part Name MX150 ASSY 1.5 RCPT 1X2 CPA BLK

A/2

Part Information




### Hazardous Substances

	riazaruous Substances					
Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
MX150 ASSY 1.5 RCPT 1X2 CPA BLK A/2	0	0	0	0	0	0
MX150 1.5 RCPT HSNG 2CKT 1X2 BLK A	0	0	0	0	0	0
MX150 RCPT GROM CAP 1X2 BLK ALL OPEN	0	0	0	0	0	0
MX150 1.5 RCPT TPA 2CKT 1X2 NAT	0	0	0	0	0	0
MX PERIPHERAL SEAL CKT X	0	0	0	0	0	0
MX MATTE SEAL RCPT CKT X	0	0	0	0	0	0
MX150 CPA	0	0	0	0	0	0

### **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

### Form Rev - F



### Form Rev - F