

## Product Compliance Statement

September 03, 2021

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Director, Global Product Stewardship

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low- Halogen Status</b>
0355070201	2.00mm Pitch Sherlock Wire-to- Board Housing, Black, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070202	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070203	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070204	2.00mm Pitch Sherlock Wire-to- Board Housing, Blue, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070300	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 3 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070302	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 3 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070304	2.00mm Pitch Sherlock Wire-to- Board Housing, Blue, 3 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070400	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070500	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 5 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070501	2.00mm Pitch Sherlock Wire-to- Board Housing, Black, 5 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070502	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 5 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070600	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070601	2.00mm Pitch Sherlock Wire-to- Board Housing, Black, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070602	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070603	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070604	2.00mm Pitch Sherlock Wire-to- Board Housing, Blue, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070700	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 7 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070703	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 7 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070800	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low- Halogen Status</b>
0355070802	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355070900	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 9 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071000	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071100	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 11 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071200	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071300	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 13 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071400	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 14 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071500	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 15 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071502	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 15 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071503	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 15 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071600	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071700	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 17 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071800	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 18 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355071900	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 19 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355072000	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 20 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355080700	3.00mm Pitch 1.00mm Diameter Wire-to-Board Receptacle Housing Single Row	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0355090800	3.00mm Pitch 1.00mm Diameter Wire-to-Board Receptacle Housing Dual Row, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Relevant
0355191600	2.29/6.35mm Tab Hybrid Wire-to- Wire Housing, Female, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Reviewed
0355240920	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0355240924	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Blue	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355240929	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355244929	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355250200	1.78mm Tab Multiple Female Housing, 2 Circuits, Vertical	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355460700	6.35mm Tab Multiple Wire-to-Wire Female Housing, 7 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355470300	6.35mm Tab Multiple Wire-to-Wire Male Housing, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355470400	6.35mm Tab Multiple Wire-to-Wire Male Housing, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355480300	3.18mm Diameter Pin MagKrimp Cluster Block Connector Housing, Glass-filled, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0355601810	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 18 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355601811	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 18 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355602410	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 24 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355602411	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 24 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355603010	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 30 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355603011	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 30 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355631615	1.02mm Tab Wire-to-Board Housing, Female, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0355642015	1.02mm Tab Wire-to-Board Housing, Female, 20 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0355720300	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 3 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355720400	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355720402	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 4 Circuits, Red	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low- Halogen Status</b>
0355720500	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 5 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355720600	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 6 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355720602	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 6 Circuits, Red	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355720700	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 7 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355720800	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 8 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355720900	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 9 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355721000	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 10 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355721002	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 10 Circuits, Red	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355721100	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 11 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355721200	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 12 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355721300	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 13 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355730300	5.83mm Pitch Cluster Block Terminal Housing, for 2.29mm Diameter Pin, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0355850300	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 3 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355850400	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355850500	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 5 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355850600	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355850700	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 7 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355850900	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 9 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355851100	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 11 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low- Halogen Status</b>
0355851200	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355851300	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 13 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355851400	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 14 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0355851500	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 15 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0357030260	4.75mm Tab Slip-On Terminal, Female, 16-20 AWG, for 0.51mm Tab Thickness, Post-Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110200	2.79mm Slip-In Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110210	2.79mm Slip-In Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110400	2.79mm Slip-On Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110410	2.79mm Slip-On Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110600	2.79mm Slip-In Receptacle, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110611	2.79mm Slip-In Receptacle, Quick Disconnect, 0.45mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110700	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110710	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110711	.110 SLIP-ON Rec' Ter'(Low Tensiosn)	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357110800	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0357110810	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357111100	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357111110	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357160111	2.36mm Diameter Pin Wire-to- Board Terminal, Female, Phosphor Bronze, Wire Range 20-24 AWG (0.52-0.20mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357160190	2.36mm Diameter Pin Wire-to-Board Terminal, Female, Brass, Wire Range 20-24 AWG (0.52-0.20mm <sup>2</sup> ), Pre-Ni Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357160193	2.36mm Diameter Pin Wire-to-Board Terminal, Female, Brass, Wire Range 20-24 AWG (0.52-0.20mm <sup>2</sup> ), Pre-Ni Plated, Low Tension	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357180810	4.75mm Tab Slip-On Receptacle Terminal, Quick Disconnect, Female, 1.00mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357180900	4.75mm Tab Slip-On Terminal, Female, 0.51mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357181110	4.75mm Tab Slip-On Terminal, Quick Disconnect, Female, 1.20mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357181210	Quick Disconnect Flag Terminal for 1.31-0.52mm <sup>2</sup> 18-20 AWG Wire, Accepts 4.75 x 0.81mm Tab, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357181510	4.75mm Tab Slip-On Terminal, Quick Disconnect, Female, 0.50mm Tab Thickness, Wire Range 10-14 AWG (5.26-2.08mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357181710	4.75mm Safe Lock Terminal, Quick Disconnect, Female, 0.30mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357181810	4.75mm Safe Lock Terminal, Quick Disconnect, Female, 0.30mm Tab Thickness, Wire Range 18-20 AWG (0.80-0.52mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357182100	4.75mm Tab Safe Lock Terminal, Quick Disconnect, Female, 0.81mm Tab Thickness, Wire Range 16-20 AWG (1.30-0.50mm <sup>2</sup> ), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low- Halogen Status</b>
0357182110	4.75mm Tab Safe Lock Terminal, Quick Disconnect, Female, 0.81mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357190110	5.00mm Pitch Wire-to-Board Crimp Terminal	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357201210	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357201240	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post Tin-Lead Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357201610	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357201640	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Post Tin-Lead Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357251400	6.35mm Tab Slip-In Wire-to-Wire Terminal, Male, 14-18 AWG, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357251410	6.35mm Tab Slip-In Wire-to-Wire Terminal, Male, 14-18 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357251500	6.35mm Tab Slip-In Wire-to-Wire Terminal, Male, 10-14 AWG, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357251800	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 14-18 AWG, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357251810	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 14-18 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357251900	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 12-14 AWG, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357251910	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 12-14 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357252010	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 18x2 AWG, Post-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357252400	Quick Disconnect, Female, for 14-18 AWG (2.00-0.80mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen



Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0357252410	Quick Disconnect, Female, for 14-18 AWG (2.00 - 0.80mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Post Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357252411	Quick Disconnect, Female, for 14-18 AWG (2.00 - 0.80mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Post Tin Plating, High Tension Type	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357252600	Flag Quick Disconnect, Female, for 14-18 AWG (2.00-0.80mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm, Open Barrel Flag, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357252610	Flag Quick Disconnect, Female, for 12-18 AWG (3.30-0.80mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm, Open Barrel Flag, Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357252710	Quick Disconnect, Female, for 10-14 AWG (5.26-2.08mm <sup>2</sup> ), Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Post Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253000	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 20-22 AWG, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253010	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 20-22 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253401	6.35mm Tab Slip-In Wire-to-Wire Terminal, Female, 14-18 AWG, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253410	6.35mm Tab Slip-In Wire-to-Wire Terminal, Female, 14-18 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253610	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 12-14 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253700	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 14-18 AWG, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253701	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 14-18 AWG, Unplated, Low Tension	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253800	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 20-22 AWG, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253810	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 20-22 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357253910	Quick Disconnect, Female, Piggyback Type, for 14-18 AWG (2.00-0.80mm <sup>2</sup> ), Metal Strip, Tab 6.35 x 0.81mm, Post Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357254210	6.35mm Tab Slip-On Wire-to-Board Terminal, Female, 18-20 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357254910	Quick Disconnect, Female, Piggyback Type, for 14-18 AWG (2.00-0.80mm <sup>2</sup> ), Metal Strip, Tab 6.35 x 0.81mm, Post Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0357255110	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 18-14 AWG, Tin- Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357255210	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 14-12 AWG, Tin- Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357255510	Flag Quick Disconnect, Female, for 14-16 AWG (2.08-1.31mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm, Left Angle Open Barrel, Post Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357270201	2.00mm Diameter Pin Terminal, Brass, 0.25mm Thickness, Wire Range 14-20 AWG (2.00-0.52mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357280201	2.00mm Diameter Socket Terminal, Brass, 0.25mm Thickness, Wire Range 14-20 AWG (2.00-0.52mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357306810	1.30mm Diameter Pin Terminal, Brass, 0.25mm Thickness, Wire Range 20-26 AWG (0.52-0.13mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357307110	1.30mm Diameter Socket Terminal, Brass, 0.25mm Thickness, Wire Range 16-20 AWG (1.31-0.52mm <sup>2</sup> ), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357400110	Board-in Crimp Terminal, Male, Multi-Type, 16-22 AWG,	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357450110	VersaBlade Male Crimp Terminal, 20-22 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357450210	VersaBlade Male Crimp Terminal, 14-18 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357450310	VersaBlade Male Crimp Terminal, 18+18, 20+20 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357450410	VersaBlade Male Crimp Terminal, 24 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357460110	VersaBlade Female Crimp Terminal, 20-22 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357460210	VersaBlade Female Crimp Terminal, 14-18 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357460310	VersaBlade Female Crimp Terminal, 18+18, 20+20 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357460410	VersaBlade Female Crimp Terminal, 24 AWG, Type A	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357470110	VersaBlade Male Crimp Terminal, 20-22 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357470210	VersaBlade Male Crimp Terminal, 14-18 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357470310	VersaBlade Male Crimp Terminal, 18+18, 20+20 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0357470410	VersaBlade Male Crimp Terminal, 24 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357480110	VersaBlade Female Crimp Terminal, 20-22 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357480210	VersaBlade Female Crimp Terminal, 14-18 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357480310	VersaBlade Female Crimp Terminal, 18+18, 20+20 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357480410	VersaBlade Female Crimp Terminal, 24 AWG, Type B	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357490810	Spade Tongue Terminal for 18-22 AWG (0.30~0.80mm <sup>2</sup> ), Stud Size 8 (M4), Post Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357500310	Ring Tongue Terminal for 24-28 AWG (0.08~0.20mm <sup>2</sup> ), Stud Size 1-2 M1.7-2.2, Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357500510	Ring Tongue Terminal for 16-20 AWG (0.50~1.38mm <sup>2</sup> ), Stud Size 5-6 (M3-3.5), Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357500710	Ring Tongue Terminal for 16-20 AWG (0.53~1.38mm <sup>2</sup> ), Stud Size 8 (M4), Post-Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Reviewed
0357501010	Ring Tongue Terminal for 14-18 AWG (0.75~2.08mm <sup>2</sup> ), Stud Size 8 (M4), Tin Plating	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357501900	Ring Tongue Terminal for 10-16 AWG (1.38~5.4mm <sup>2</sup> ), Stud Size 1/4" (M6), Un-plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357502100	Ring Tongue Terminal for 20-22 AWG (0.30~0.50mm <sup>2</sup> ), Stud Size 1/4" (M6) M6, Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357607100	Wire Splice, 16-20 AWG, Un-Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357607200	Wire Splice, 12-16 AWG, Un-Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357660110	.118mm Tab Slip-On Wire-to-Wire Terminal, Female, 18-20 AWG, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357680110	.090 SLIP ON	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357680120	.090mm Slip-on Receptacle Terminal	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0357990490	1.78mm Tab Wire-to-Board Housing, Female, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358020489	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0358021089	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358021229	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358021289	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358021389	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 13 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358021589	FFC/FPC Connector, Vertical, Non- ZIF, Kinked PC Tails, 15 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358021619	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358021889	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 18 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358022089	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 20 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358022289	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 22 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358170274	14.50mm Pitch MP-Lock Housing, 2 Circuits, for 4.75mm Tab, PBT Polyester, Blue	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358179290	14.50mm Pitch MP-Lock Housing, 2 Circuits, for 4.75mm Tab, PP Polypropylene, White	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0358250211	5.00mm Pitch Automotive Horn Female Housing, Vertical, 2 Circuits for 2.28mm Tab	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0358972210	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Male, 22 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0359030022	Silicone Rubber Wire Seal for Automotive Horn Connector, Use with 35825 Housing	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0359030023	Silicone Rubber Wire Seal for Automotive Horn Connector, Use with 35825 Housing	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0359229002	3.96mm Pitch Wire-to-Board Terminal	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0359550150	6.35mm Tab Wire-to-Wire Plug Housing, 1 Circuit, Locking Window	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0359550160	6.35mm Tab Wire-to-Wire Receptacle Housing, Locking Latch, 1 Circuit	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0359650200	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low- Halogen Status</b>
0359650204	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Blue	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0359650210	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0359650214	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Blue	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0359650220	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0359650224	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Blue	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0359659200	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen