

Product Compliance Statement

September 03, 2021

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0192210459	Compression Style Ring Tongue Terminal for 4 AWG Wire, Stud Size 3/8" (M9), Unplated, Extra Wide Pad	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210481	Compression Style Ring Tongue Terminal for 8 AWG Wire, Stud Size 3/8" (M9), Unplated, Extra Wide Pad	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210482	Compression Style Ring Tongue Terminal for 8 AWG Wire, Stud Size 5/16" (M8), Unplated, Wide Pad	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210484	Compression Style Ring Tongue Terminal for 8 AWG Wire, Stud Size 3/8" (M9), Plated, Extra Wide Pad	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210492	Compression Style Ring Tongue Terminal for 6 AWG Wire, Stud Size 5/16" (M8), Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210493	Compression Style Ring Tongue Terminal for 6 AWG Wire, Stud Size 5/16" (M8), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210494	Compression Style Ring Tongue Terminal for 6 AWG Wire, Stud Size 1/4" (M6), Unplated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210495	Compression Style Ring Tongue Terminal for 6 AWG Wire, Stud Size 1/4" (M6), Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210562	Compression Style Ring Tongue Terminal for 8 AWG Wire, Stud Size Style 1/4", Unplated, Wide Pad	Not Relevant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Relevant
0192210563	Compression Style Ring Tongue Terminal for 8 AWG Wire, Stud Size 1/4" (M6), Plated, Wide Pad	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210580	Compression Style Ring Tongue Terminal for 1 AWG Wire, Stud Size 3/8" (M9), Unplated, Wide Pad	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210581	Compression Style Ring Tongue Terminal for 1 AWG Wire, Stud Size 3/8" (M9), Tin Plated, Wide Pad	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192210595	Compression Style Ring Tongue Terminal for 1 AWG Wire, Stud Size 10 (M5), Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192730007	Quixon Quick Disconnect, Krimptite Style, Female, Un-insulated, 18-20 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192730008	Quixon Quick Disconnect, Krimptite Style, Female, Un-insulated, 14-16 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192740002	Quixon Quick Disconnect, InsulKrimp Style, Female, Partially Insulated Red, 18-22 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0192740005	Quixon Quick Disconnect, InsulKrimp Style, Female, Partially Insulated Blue, 14-16 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0192750005	Quixon Quick Disconnect, Avikrimp Style, Female, Partially Insulated Blue, 14-16 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192760002	Quixon Quick Disconnect, InsulKrimp Style, Female, Fully Insulated Red, 18-22 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0192760004	Quixon Quick Disconnect, InsulKrimp Style, Female, Fully Insulated Blue, 14-16 AWG, Continuous Strip	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192760005	Quixon Quick Disconnect, InsulKrimp Style, Female, Fully Insulated Blue, 14-16 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192760006	Quixon Quick Disconnect, InsulKrimp Style, Female, Fully Insulated Blue, 14-16 AWG, Mylar Tap	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192760007	Quixon Quick Disconnect, InsulKrimp Style, Female, Fully Insulated Yellow, 10-12 AWG, Continuous Strip	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192760008	Quixon Quick Disconnect, InsulKrimp Style, Female, Fully Insulated Yellow, 10-12 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192770002	Quixon Quick Disconnect, Avikrimp Style, Female, Fully Insulated Red, 18-22 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192770003	Quixon Quick Disconnect, Avikrimp Style, Female, Fully Insulated Red, 18-22 AWG, Mylar Tap	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192770008	Quixon Quick Disconnect, Avikrimp Style, Female, Fully Insulated Yellow, 10-12 AWG, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0192860370	Imperium Cable Assembly Inspection Gage for Receptacle Harness Assembly Kits for 1/0 and 1 AWG cables, 171466 series.	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Relevant
0193230001	VersaKrimp Metric Ring Terminal for M2.5 Stud Size (#4), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230002	VersaKrimp Metric Ring Terminal for M3 Stud Size (#5), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230003	VersaKrimp Metric Ring Terminal for M3-3.5 Stud Size (#5-#6), Un- insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230004	VersaKrimp Metric Ring Terminal for M4 Stud Size (#8), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230005	VersaKrimp Metric Ring Terminal for M5 Stud Size (#10), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230006	VersaKrimp Metric Ring Terminal for M3 Stud Size (#5), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230007	VersaKrimp Metric Ring Terminal for M3-3.5 Stud Size (#5-#6), Un- insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230008	VersaKrimp Metric Ring Terminal for M4 Stud Size (#8), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230009	VersaKrimp Metric Ring Terminal for M5 Stud Size (#10), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230010	VersaKrimp Metric Ring Terminal for M6 Stud Size (1/4"), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0193230011	VersaKrimp Metric Ring Terminal for M8 Stud Size (5/16"), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230012	VersaKrimp Metric Ring Terminal for M4 Stud Size (#8), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230013	VersaKrimp Metric Ring Terminal for M3 Stud Size (#5), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230014	VersaKrimp Metric Ring Terminal for M6 Stud Size (1/4"), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230015	VersaKrimp Metric Ring Terminal for M8 Stud Size (5/16"), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193230016	VersaKrimp Metric Ring Terminal for M10 Stud Size (7/16"), Un-insulated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193240001	Avikrimp Metric Ring Terminal for Stud Size 4 (M2.6), Insulated Barrel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193240002	Avikrimp Metric Ring Terminal for Stud Size 5 (M3), Insulated Barrel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193240003	Avikrimp Metric Ring Terminal for Stud Size 5-6 (M3-3.5), Insulated Barrel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193240004	Avikrimp Metric Ring Terminal for Stud Size 8 (M4), Insulated Barrel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0193240005	Avikrimp Metric Ring Terminal for Stud Size 10 (M5), Insulated Barrel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194030008	Weather Tight Male Boot for Self- Contained Power Connectors, Marine Stranded Cable, 10 AWG	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194030009	Weather Tight Female Boot for Self-Contained Power Connectors, Marine Stranded Cable, 10 AWG	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170011	MX150L Male Terminal for 14-16 AWG Wire, Metal Strip Carrier, Length 25.40mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170024	MX150L Male Terminal for 18-22 AWG Wire, Metal Strip Carrier, Length 25.40mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170025	MX150L Male Terminal for 14-16 AWG Wire, Metal Strip Carrier, Length 25.40mm , Gold Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170026	MX150L Male Terminal for 18-22 AWG Wire, Metal Strip Carrier, Length 25.40mm , Gold Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170027	MX150L Male Terminal for 14-16 AWG Wire, Metal Strip Carrier, Length 26.16mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170028	MX150L Male Terminal for 18-22 AWG Wire, Metal Strip Carrier, Length 26.16mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0194170030	MX150L Male Terminal for 18-22 AWG Wire, Length 26.16mm , Metal Strip Carrier, Gold Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170047	MX150L Male Terminal for 14-16 AWG Wire, Length 25.40mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170048	MX150L Male Terminal for 18-22 AWG Wire, Length 25.40mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170051	MX150L Male Terminal for 14-16 AWG Wire, Length 26.16mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170052	MX150L Male Terminal for 18-22 AWG Wire, Length 26.16mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194170119	MX150L Circuit Voiding Key for 14 – 22 AWG Housings	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180001	MX150L 8 Circuit Receptacle for 18-22 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180004	MX150L 4 Circuit Receptacle for 14-16 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194180005	MX150L 4 Circuit Receptacle for 18-22 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180008	MX150L 2 Circuit Receptacle for 18-22 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180010	MX150L 6 Circuit Receptacle for 14-16 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180011	MX150L 6 Circuit Receptacle for 18-22 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180013	MX150L 10 Circuit Receptacle for 14-16 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180014	MX150L 10 Circuit Receptacle for 18-22 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180016	MX150L 2 Circuit Receptacle for 18-22 AWG Wire, without CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194180017	MX150L 2 Circuit Receptacle for 14-16 AWG Wire, without CPA	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180018	MX150L 4 Circuit Receptacle for 18-22 AWG Wire, without CPA	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180019	MX150L 4 Circuit Receptacle for 14-16 AWG Wire, without CPA	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180021	MX150L 6 Circuit Receptacle for 14-16 AWG Wire, without CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0194180023	MX150L 8 Circuit Receptacle for 14-16 AWG Wire, without CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180025	MX150L 10 Circuit Receptacle for 14-16 AWG Wire, without CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180026	MX150L 12 Circuit Receptacle for 18-22 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180027	MX150L 12 Circuit Receptacle for 14-16 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180030	MX150L 16 Circuit Receptacle for 14-16 AWG Wire, with CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194180037	MX150L 12 Circuit Receptacle for 14-16 AWG Wire, without CPA, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190001	MX150L 8 Circuit Plug for 18-22 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190002	MX150L 8 Circuit Plug for 14-16 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190004	MX150L 4 Circuit Plug for 14-16 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190005	MX150L 4 Circuit Plug for 18-22 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190011	MX150L 6 Circuit Plug for 14-16 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190017	MX150L 12 Circuit Plug for 18-22 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190018	MX150L 12 Circuit Plug for 14-16 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194190020	MX150L 16 Circuit Plug for 18-22 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194200001	MX150L Female Terminal for 14-16 AWG Wire, Tin Plated, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194200002	MX150L Female Terminal for 18-22 AWG Wire, Tin Plated, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194200003	MX150L Female Terminal for 14-16 AWG Wire, Gold Plated, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194200004	MX150L Female Terminal for 18-22 AWG Wire, Gold Plated, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194200009	MX150L Female Terminal for 14-16 AWG Wire, Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0194200010	MX150L Female Terminal for 18-22 AWG Wire, Tin Plated	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270012	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270017	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270018	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270031	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270032	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270049	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270096	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, with PCB Flange, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270097	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, with PCB Flange, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270098	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, with PCB Flange, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270099	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, with PCB Flange, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270100	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, with PCB Flange, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270101	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, with PCB Flange, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270104	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, Gold (Au) Plated, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270105	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, Gold (Au) Plated, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194270107	5.84mm Pitch MX150L Right-Angle PCB Header, Dual Row, without PCB Flange, Gold (Au) Plated, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280001	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280003	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0194280004	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280005	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280006	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280007	5.84mm Pitch MX150L Vertical PCB Header, Single Row, Standard Profile, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280009	5.84mm Pitch MX150L Vertical PCB Header, Single Row, Low Profile, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280011	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280012	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280013	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280014	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280015	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280016	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280017	5.84mm Pitch MX150L Vertical PCB Header, Single Row, Standard Profile, Gold (Au) Plated, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280019	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, Gold (Au) Plated, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280020	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, Gold (Au) Plated, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280021	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, Gold (Au) Plated, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280022	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, Gold (Au) Plated, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280023	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, Gold (Au) Plated, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280024	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Standard Profile, Gold (Au) Plated, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280027	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0194280029	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280030	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280031	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194280032	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 16 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290009	MX150L 4 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290016	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194290028	MX150L 6 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290029	MX150L 8 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290031	MX150L 12 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194290032	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290033	MX150L 2 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290035	MX150L 4 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290037	MX150L 8 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194290040	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194290048	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194310001	MX150L Male Terminal for 10-12 AWG Wire, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194310013	MX150L Circuit Plug to be Used with 8, 10 and 12 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194310016	MX150L Male Terminal for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194310017	MX150L Male Terminal for 8 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0194320001	MX150L 4 Circuit Female Receptacle for 10-12 AWG Wire, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194320002	MX150L 4 Circuit Female Receptacle for 8 AWG Wire, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194320013	MX150L 2 Circuit Female Sealed Receptacle for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194320014	MX150L 2 Circuit Female Sealed Receptacle for 8 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194330001	MX150L 4 Circuit Plug for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194330002	MX150L 4 Circuit Plug for 8 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194330014	MX150L 2 Circuit Plug for 8 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194340001	MX150L Female Terminal for 10-12 AWG Wire, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194340002	MX150L Female Terminal for 8 AWG Wire, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194340003	MX150L Female Terminal for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194340004	MX150L Female Terminal for 8 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194350614	MX150L 6 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0194350811	MX150L 8 Circuit Rear Mounted Flange Plugs for 14-16 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194350814	MX150L 8 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194351212	MX150L 12 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194351214	MX150L 12 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194360411	MX150L 4 Circuit Rear Mount Flange Sealed Panel Mount Plug for 10-12 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194360412	MX150L 4 Circuit Rear Mount Flange Sealed Panel Mount Plug for 8 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0194360413	MX150L 4 Circuit Rear Mount Flange Sealed Panel Mount Plug for 10-12 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0194370029	MX150L 4 Circuit Right-Angle Header with Panel Gasket 8 to 12 AWG Wire	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196001306	Avikrimp Fully Insulated Female Quick Disconnect	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196020004	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 18-22 AWG, Red Insulator, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196020005	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 14-16 AWG, Blue Insulator, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196020010	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 18-22 AWG, Red Insulator, Tape	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196020011	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 14-16 AWG, Blue Insulator, Tape	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196060002	InsulKrimp Quick Disconnect, Female, for 10-12 (5.26-3.30mm ²), Bag, Tab 6.35 x 0.81mm, Yellow	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196060003	InsulKrimp Quick Disconnect, Female, for 10-12 (5.26-3.30mm ²), Mylar Tape, Tab 6.35 x 0.81mm, Yellow	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196060004	Avikrimp Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196060005	Avikrimp Fully Insulated Quick Disconnect, Female, for 10-12 AWG Wire, Box	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0196060006	Avikrimp Fully Insulated Quick Disconnect, Female, for 10-12 AWG Wire, Mylar Tape	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197054001	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197054101	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 4.75 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197054103	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 4.75 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197054201	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197054203	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197054301	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197084001	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 4.75 x 0.51mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197084003	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 4.75 x 0.51mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0197084011	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 4.75 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197084013	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 4.75 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197114003	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197114005	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Relevant
0197114007	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197134001	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197134003	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197234100	VibraKrimp Open Barrel Strip Snap Plug Receptacle, with Strain Relief And Dimple	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197234101	VibraKrimp Open Barrel Strip Snap Plug Receptacle with Strain Relief	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197234102	VibraKrimp Open Barrel Strip Snap Plug Receptacle, with Strain Relief And Dimple	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0197234103	VibraKrimp Open Barrel Strip Snap Plug Receptacle with Strain Relief	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Relevant