

Product Compliance Statement

September 03, 2021

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039000212	Mini-Fit Female Crimp Terminal, Tin (Sn) over Nickel (Ni), 16 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000213	Mini-Fit Female Crimp Terminal, Tin (Sn) over Phosphor Bronze, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000214	Mini-Fit Female Crimp Terminal, Tin (Sn) over Phosphor Bronze, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000215	Mini-Fit Female Crimp Terminal, Tin (Sn) over Phosphor Bronze, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000216	Mini-Fit Female Crimp Terminal, Tin (Sn) over Phosphor Bronze, 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000217	Mini-Fit Female Crimp Terminal, Tin (Sn) over Phosphor Bronze, 16 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000219	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000220	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000221	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000222	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000223	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 16 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000224	Mini-Fit Male Crimp Terminal, Phosphor Bronze, Gold (Au), 16 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000280	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm Pitch, Male, Tin (Sn) Plated Brass Contact, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000281	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over Copper Plated Brass Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000283	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) over Copper Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000285	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over Copper Plated Brass Contact, 18-24 AWG, Reel, with Dimple	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039000286	KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.9µm Pre-Plated Tin (Sn)	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000288	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over Copper Plated Brass Contact, 14-20 AWG, Bag, with Dimple	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000289	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over Copper Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000295	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) over Nickel Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000297	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) over Copper Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000302	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) over Copper Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000307	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over Copper Plated Brass Contact, 18-24 AWG, Bag, with Dimple	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000318	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Tin (Sn) over Copper Plated Brass Contact, 24-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000322	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Gold (Au) over Nickel Plated Brass Contact, 24-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000324	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Tin (Sn) over Copper Plated Brass Contact, 24-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000325	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Gold (Au) over Nickel Plated Brass Contact, 24-28 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000326	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Gold (Au) over Nickel Plated Brass Contact, 24-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039000329	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) over Nickel Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000330	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) over Nickel Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000331	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, 3.68mm Pitch, Female, Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000333	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, 3.68mm Pitch, Female, Gold (Au) over Nickel (Ni) Plated Brass Contact, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000334	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, 3.68mm Pitch, Female, Gold (Au) over Nickel (Ni) Plated Brass Contact, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000335	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm Pitch, Male, Tin (Sn) Plated Brass Contact, 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000340	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, 3.68mm Pitch, Female, Gold (Au) Plated Brass Contact, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000341	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, 3.68mm Pitch, Female, Gold (Au) Plated Brass Contact, 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000342	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.90µm Pre- Plated Tin (Sn)	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000372	MINI KK CRIMP RECEPT 2759T	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000374	MINI.KK CRIMP RECEPTACLE	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000376	KK 254 Crimp Terminal, 22-28 AWG, 0.35µm Gold (Au), Nickel (Ni) Under- Plate, Brass, Chain	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000377	KK 254 Crimp Terminal, 22-28 AWG, 0.35µm Gold (Au), Nickel (Ni) Under- Plate, Brass, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000380	KK 254 Crimp Terminal, 22-28 AWG, 0.35µm Gold (Au), Nickel (Ni) Under- Plate, Phosphor Bronze, Chain	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000381	KK 254 Crimp Terminal, 22-28 AWG, 0.35µm Gold (Au), Nickel (Ni) Under- Plate, Phosphor Bronze, Loose	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039000428	Mini-Fit Female Crimp Terminal, Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000429	Mini-Fit Female Crimp Terminal, Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000430	Mini-Fit Male Crimp Terminal, Brass, Gold (Au) Contact Plating, Lead-free, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000431	Mini-Fit Male Crimp Terminal, Brass, Gold (Au) Contact Plating, Lead-free, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000432	Mini-Fit Male Crimp Terminal, Brass, Gold (Au) Contact Plating, Lead-free, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000434	Mini-Fit Female Crimp Terminal, Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039000435	Mini-Fit Female Crimp Terminal, Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039010023	2.50mm Pitch Wire-to-Board Receptacle Housing, Low Profile, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039010033	2.50mm Pitch Wire-to-Board Receptacle Housing, Low Profile, 3 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039010053	2.50mm Pitch Wire-to-Board Receptacle Housing, Low Profile, 5 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039010103	2.50mm Pitch Wire-to-Board Receptacle Housing, Low Profile, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039010123	2.50mm Pitch Wire-to-Board Receptacle Housing, Low Profile, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039010133	2.50mm Pitch Wire-to-Board Receptacle Housing, Low Profile, 13 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039010143	2.50mm Pitch Wire-to-Board Receptacle Housing, Low Profile, 14 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039012020	Mini-Fit Jr. Receptacle Housing, Dual Row, 2 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012021	Mini-Fit Jr. Plug Housing, Dual Row, 2 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012025	Mini-Fit Jr. Receptacle Housing, Dual Row, 2 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012026	Mini-Fit Jr. Plug Housing, Dual Row, 2 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039012040	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012041	Mini-Fit Jr. Plug Housing, Dual Row, 4 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012045	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012046	Mini-Fit Jr. Plug Housing, Dual Row, 4 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012060	Mini-Fit Jr. Receptacle Housing, Dual Row, 6 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012061	Mini-Fit Jr. Plug Housing, Dual Row, 6 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012065	Mini-Fit Jr. Receptacle Housing, Dual Row, 6 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012066	Mini-Fit Jr. Plug Housing, Dual Row, 6 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012080	Mini-Fit Jr. Receptacle Housing, Dual Row, 8 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012081	Mini-Fit Jr. Plug Housing, Dual Row, 8 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012085	Mini-Fit Jr. Receptacle Housing, Dual Row, 8 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012086	Mini-Fit Jr. Plug Housing, Dual Row, 8 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012100	Mini-Fit Jr. Receptacle Housing, Dual Row, 10 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012101	Mini-Fit Jr. Plug Housing, Dual Row, 10 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012105	Mini-Fit Jr. Receptacle Housing, Dual Row, 10 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012106	Mini-Fit Jr. Plug Housing, Dual Row, 10 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012120	Mini-Fit Jr. Receptacle Housing, Dual Row, 12 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012121	Mini-Fit Jr. Plug Housing, Dual Row, 12 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012125	Mini-Fit Jr. Receptacle Housing, Dual Row, 12 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039012126	Mini-Fit Jr. Plug Housing, Dual Row, 12 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012140	Mini-Fit Jr. Receptacle Housing, Dual Row, 14 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012141	Mini-Fit Jr. Plug Housing, Dual Row, 14 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012145	Mini-Fit Jr. Receptacle Housing, Dual Row, 14 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012146	Mini-Fit Jr. Plug Housing, Dual Row, 14 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012160	Mini-Fit Jr. Receptacle Housing, Dual Row, 16 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012161	Mini-Fit Jr. Plug Housing, Dual Row, 16 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012165	Mini-Fit Jr. Receptacle Housing, Dual Row, 16 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012166	Mini-Fit Jr. Plug Housing, Dual Row, 16 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012180	Mini-Fit Jr. Receptacle Housing, Dual Row, 18 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012181	Mini-Fit Jr. Plug Housing, Dual Row, 18 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012185	Mini-Fit Jr. Receptacle Housing, Dual Row, 18 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012186	Mini-Fit Jr. Plug Housing, Dual Row, 18 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012200	Mini-Fit Jr. Receptacle Housing, Dual Row, 20 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012201	Mini-Fit Jr. Plug Housing, Dual Row, 20 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012205	Mini-Fit Jr. Receptacle Housing, Dual Row, 20 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012206	Mini-Fit Jr. Plug Housing, Dual Row, 20 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012220	Mini-Fit Jr. Receptacle Housing, Dual Row, 22 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012221	Mini-Fit Jr. Plug Housing, Dual Row, 22 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039012225	Mini-Fit Jr. Receptacle Housing, Dual Row, 22 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012226	Mini-Fit Jr. Plug Housing, Dual Row, 22 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012240	Mini-Fit Jr. Receptacle Housing, Dual Row, 24 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012241	Mini-Fit Jr. Plug Housing, Dual Row, 24 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012245	Mini-Fit Jr. Receptacle Housing, Dual Row, 24 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039012246	Mini-Fit Jr. Plug Housing, Dual Row, 24 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013022	Mini-Fit Jr. Receptacle Housing, Dual Row, 2 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013023	Mini-Fit Jr. Plug Housing, Dual Row, 2 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013028	Mini-Fit Jr. Receptacle Housing, Dual Row, 2 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013029	Mini-Fit Jr. Plug Housing, Dual Row, 2 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013042	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013043	Mini-Fit Jr. Plug Housing, Dual Row, 4 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013048	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013049	Mini-Fit Jr. Plug Housing, Dual Row, 4 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013063	Mini-Fit Jr. Plug Housing, Dual Row, 6 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013069	Mini-Fit Jr. Plug Housing, Dual Row, 6 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013083	Mini-Fit Jr. Plug Housing, Dual Row, 8 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013089	Mini-Fit Jr. Plug Housing, Dual Row, 8 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013103	Mini-Fit Jr. Plug Housing, Dual Row, 10 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039013109	Mini-Fit Jr. Plug Housing, Dual Row, 10 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013123	Mini-Fit Jr. Plug Housing, Dual Row, 12 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013129	Mini-Fit Jr. Plug Housing, Dual Row, 12 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013143	Mini-Fit Jr. Plug Housing, Dual Row, 14 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013149	Mini-Fit Jr. Plug Housing, Dual Row, 14 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013169	Mini-Fit Jr. Plug Housing, Dual Row, 16 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013183	Mini-Fit Jr. Plug Housing, Dual Row, 18 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039013203	Mini-Fit Jr. Plug Housing, Dual Row, 20 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014020	Mini-Fit Jr. Receptacle Housing, Single Row, 2 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014021	Mini-Fit Jr. Receptacle Housing, Single Row, 2 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014030	Mini-Fit Jr. Receptacle Housing, Single Row, 3 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014031	Mini-Fit Jr. Receptacle Housing, Single Row, 3 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014032	Mini-Fit Jr. Plug Housing, Single Row, 3 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014033	Mini-Fit Jr. Plug Housing, Single Row, 3 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014036	Mini-Fit Jr. Plug Housing, Single Row, 3 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014037	Mini-Fit Jr. Plug Housing, Single Row, 3 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014040	Mini-Fit Jr. Receptacle Housing, Single Row, 4 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014041	Mini-Fit Jr. Receptacle Housing, Single Row, 4 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014042	Mini-Fit Jr. Plug Housing, Single Row, 4 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039014043	Mini-Fit Jr. Plug Housing, Single Row, 4 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014046	Mini-Fit Jr. Plug Housing, Single Row, 4 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014047	Mini-Fit Jr. Plug Housing, Single Row, 4 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014050	Mini-Fit Jr. Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014051	Mini-Fit Jr. Receptacle Housing, Single Row, 5 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014052	Mini-Fit Jr. Plug Housing, Single Row, 5 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014053	Mini-Fit Jr. Plug Housing, Single Row, 5 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014056	Mini-Fit Jr. Plug Housing, Single Row, 5 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014057	Mini-Fit Jr. Plug Housing, Single Row, 5 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014060	Mini-Fit Jr. Receptacle Housing, Single Row, 6 Circuits, UL 94V-2, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014061	Mini-Fit Jr. Receptacle Housing, Single Row, 6 Circuits, UL 94V-0, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014062	Mini-Fit Jr. Plug Housing, Single Row, 6 Circuits, UL 94V-2, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014063	Mini-Fit Jr. Plug Housing, Single Row, 6 Circuits, UL 94V-0, with Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014066	Mini-Fit Jr. Plug Housing, Single Row, 6 Circuits, UL 94V-2, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039014067	Mini-Fit Jr. Plug Housing, Single Row, 6 Circuits, UL 94V-0, without Panel Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039039042	Mini-Fit Jr. Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039039062	Mini-Fit Jr. Receptacle Housing, Dual Row, 6 Circuits, UL 94V-0, Black	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039274034	2.54mm Pitch Micro Shunt Header, Low Profile, Triple Row, Vertical, 3 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274042	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 4 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039274062	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274082	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 8 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274102	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 10 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274122	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 12 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274142	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 14 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274182	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 18 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274202	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 20 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274222	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 22 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274242	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 24 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274244	2.54mm Pitch Micro Shunt Header, Low Profile, Triple Row, Vertical, 24 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274262	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 26 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274282	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 28 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274302	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 30 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039274342	2.54mm Pitch Micro Shunt Header, Low Profile, Dual Row, Vertical, 34 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039276023	2.50mm Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 2 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039276064	2.50mm Pitch Wire-to-Board Header, Right-Angle, Shrouded, Friction Lock, with Kinked PC Tail, 6 Circuits	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Not Low- Halogen
0039281023	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 2 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281043	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 4 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281063	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 6 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039281083	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 8 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281123	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 12 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281143	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 14 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281163	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 16 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281183	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 18 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281223	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 22 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039281243	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 24 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288020	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 2 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288040	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 4 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288060	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 6 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288080	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 8 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288120	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 12 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288140	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 14 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288160	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 16 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288180	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 18 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288220	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 22 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039288240	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 24 Circuits, without Snap-in Plastic Peg PCB Lock, Tin, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039289028	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 2 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039289048	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 4 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low- Halogen Status
0039289068	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 6 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039289128	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 12 Circuits, with Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039290023	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 2 Circuits, without Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039290063	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 6 Circuits, without Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039290083	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 8 Circuits, without Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen
0039290103	Mini-Fit Jr. Vertical Header, 4.20mm Pitch, Dual Row, 10 Circuits, without Snap-in Plastic Peg PCB Lock, Gold, Natural	Compliant	Not Contained Per - D(2021)4569-DC (8 July 2021)	Low-Halogen