

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance **E-Mail** Product.Compliance@molex.com

Part Information

Part Number 0026481225 **Part Weight** 7.373G

Part Name KK 156 Header Assy FrLk Bkwy 22 ckt Tin

Product Composition

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
KK 156 Header Assy FrLk Bkwy 22 ckt Tin	Assembly		100	7.373
KK 156 Header Friction Lock Brwy 24 ckt	Component		43.605	3.215
PBT GF BLACK	Material		43.605	3.215
PBT	Substance		27.8693	2.054806
GF-Fibre	Substance		2.9576	0.218061
Flame Retardant, ISO 1043-4 FR(17)	Substance		9.5741	0.705901
Antimonytrioxide	Substance	1309-64-4	2.5215	0.185911
Pigment portion, not to declare	Substance	system	0.3413	0.025161
Further Additives, not to declare	Substance	system	0.3413	0.025161
KK.045 Sq Pin Bando .750 (197) Sn	Assembly		56.395	4.158
KK.045 Sq Pin Bando .750 (999) unplt	Component		55.2014	4.07
Cartridge Brass 70% Unplated	Material		55.2014	4.07
Copper	Substance	7440-50-8	38.641	2.849

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Type	CAS Number	Proportion (% Total)	Mass (Grams)
Zinc (metal)	Substance	7440-66-6	16.5604	1.221
Tin Plating	Material		0.5371	0.0396
Tin	Substance	7440-31-5	0.5371	0.0396
Nickel Plating	Material		0.6564	0.0484
Nickel	Substance	7440-02-0	0.6564	0.048395
Further Additives, not to declare	Substance	system	7E-05	0.000005

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2021)4569-DC (8 July 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	Cartridge Brass 70% (CA260)	*Note	350	Yes

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes
Antimonytrioxide	PBT GF BLACK	*Note	70,000	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes

***Note:** For GADSL substance declarable/prohibited threshold values, please reference <http://www.gadsl.org/>

Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)


HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PBT GF BLACK	900	250,000	Yes
Bromine and Chlorine combined	PBT GF BLACK	1,500	250,000	Yes

China ROHS Declaration Information

Part Number	0026481225		<div>Hazardous Substances</div>					
Part Name	KK 156 Header Assy FrLk Bkwy 22 ckt Tin							
Part Information								
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
KK 156 Header Assy FrLk Bkwy 22 ckt Tin			O	O	O	O	O	O
KK 156 Header Friction Lock Brwy 24 ckt			O	O	O	O	O	O

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
KK.045 Sq Pin Bando .750 (197) Sn	O	O	O	O	O	O
KK.045 Sq Pin Bando .750 (999) unplt	O	O	O	O	O	O

Additional Information

Annex XVII to REACH (76/769/EEC)	Compliant
Regulation (EU) 2019/1021 (POP)	Compliant

Process Information

Component Plating / Surface Finish	MSn-RNi
Termination Base Alloy	Brass
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	005
Maximum Process Temperature (C)	235
Maximum Cycles at Reflow Temperature	001
J-STD-020 Moisture Sensitivity Level	N/A

Dec 29, 2021

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.