

Product Compliance Declaration

Please see www.molex.com for the most up-to-date information.

Contact Information

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

Part Information

Part Number 0348404410 Part Weight 18.1721G

Part Name MX150 BULKHD TWISTLOCK ASSY 8CKT KEY A

Product Composition

| Name | Туре | CAS Number | Proportion (% Total) | Mass (Grams) |
|--|-----------|------------|-------------------------|-----------------|
| MX150 BULKHD TWISTLOCK ASSY 8CKT KEY A | Assembly | | 100 | 18.1721 |
| MX150 BULKHD TWISTLOCK HSG 8CKT BLK A | Component | | 88.5974 | 16.1 |
| PA66+PS-GF20 BLACK | Material | | 88.5974 | 16.1 |
| PS | Substance | | 19.4914 | 3.542 |
| PA66 | Substance | | 47.8426 | 8.694 |
| GF-Fibre | Substance | | 17.7195 | 3.22 |
| Pigment portion, not to declare | Substance | system | 0.2658 | 0.0483 |
| Further Additives, not to declare | Substance | system | 3.2781 | 0.5957 |
| MX150 BULKHD TWISTLOCK TPA/PLR 8CKT | Component | | 5.7781 | 1.05 |
| PA66+PS-GF20 NATURAL | Material | | 5.7781 | 1.05 |
| PS | Substance | | 1.2043 | 0.218852 |
| PA66 | Substance | | 3.2673 | 0.593743 |
| GF-Fibre | Substance | | 1.1386 | 0.206902 |

Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

| Name | Туре | CAS Number | Proportion (% Total) | Mass (Grams) |
|--|-----------|------------|-------------------------|-----------------|
| Further Additives, not to declare | Substance | system | 0.1679 | 0.030502 |
| MX BULKHD TWSTLK PERIMETER SEAL / | Component | | 5.6246 | 1.0221 |
| VMQ | Material | | 5.6246 | 1.0221 |
| VMQ | Substance | | 5.5402 | 1.006769 |
| Siloxanes and silicones, di-Me, vinyl group-terminated | Substance | 68083-19-2 | 0.0562 | 0.010221 |
| Pigment Blue 29 (C.I.) | Substance | 57455-37-5 | 0.0112 | 0.002044 |
| Titanium-dioxide | Substance | 13463-67-7 | 0.0169 | 0.003066 |

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2021)4569-DC (8 July 2021)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

None

*Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

None

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

None

China ROHS Declaration Information

| Part Number | 0348404410 | |
|-------------|------------|--|

Part Name MX150 BULKHD TWISTLOCK ASSY

8CKT KEY A

Part Information



Hazardous Substances

| Components | Lead | Mercury | Cadmium | Hex. Chromium | PBB | PBDE |
|--|------|---------|---------|------------------|-----|------|
| MX150 BULKHD TWISTLOCK ASSY 8CKT KEY A | 0 | 0 | 0 | 0 | 0 | 0 |
| MX150 BULKHD TWISTLOCK HSG 8CKT BLK A | 0 | 0 | 0 | 0 | 0 | 0 |
| MX150 BULKHD TWISTLOCK TPA/PLR 8CKT | 0 | 0 | 0 | 0 | 0 | 0 |
| MX BULKHD TWSTLK PERIMETER SEAL / | 0 | 0 | 0 | 0 | 0 | 0 |

Additional Information

| Annex XVII to REACH (76/769/EEC) | Compliant |
|----------------------------------|-----------|
| Regulation (EU) 2019/1021 (POP) | Compliant |

Process Information

| Component Plating / Surface Finish | N/A |
|--------------------------------------|-----|
| Termination Base Alloy | N/A |
| Solder Alloy | N/A |
| Process Capability | N/A |
| Maximum Exposure Time (seconds) | N/A |
| Maximum Process Temperature (C) | N/A |
| Maximum Cycles at Reflow Temperature | N/A |
| J-STD-020 Moisture Sensitivity Level | N/A |

Nov 13, 2021