

Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357201210	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357201240	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post Tin-Lead Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357201610	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357201640	5.21mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post Tin-Lead Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357251400	6.35mm Tab Slip-In Wire-to-Wire Terminal, Male, 14-18 AWG, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357251410	6.35mm Tab Slip-In Wire-to-Wire Terminal, Male, 14-18 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357251500	6.35mm Tab Slip-In Wire-to-Wire Terminal, Male, 10-14 AWG, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357251800	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 14-18 AWG, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357251810	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 14-18 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357251900	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 12-14 AWG, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357251910	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 12-14 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357252010	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 18x2 AWG, Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357252400	Quick Disconnect, Female, for 14-18 AWG (2.00-0.80mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357252410	Quick Disconnect, Female, for 14-18 AWG (2.00 - 0.80mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Post Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357252411	Quick Disconnect, Female, for 14-18 AWG (2.00 - 0.80mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Post Tin Plating, High Tension Type	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357252600	Flag Quick Disconnect, Female, for 14-18 AWG (2.00-0.80mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm, Open Barrel Flag, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357252610	Flag Quick Disconnect, Female, for 12-18 AWG (3.30-0.80mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm, Open Barrel Flag, Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357252710	Quick Disconnect, Female, for 10-14 AWG (5.26-2.08mm ²), Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Post Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253000	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 20-22 AWG, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253010	6.35mm Tab Slip-On Wire-to-Wire Terminal, Male, 20-22 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253401	6.35mm Tab Slip-In Wire-to-Wire Terminal, Female, 14-18 AWG, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253410	6.35mm Tab Slip-In Wire-to-Wire Terminal, Female, 14-18 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253610	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 12-14 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253700	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 14-18 AWG, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357253701	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 14-18 AWG, Unplated, Low Tension	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253800	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 20-22 AWG, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253810	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 20-22 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357253910	Quick Disconnect, Female, Piggyback Type, for 14-18 AWG (2.00-0.80mm ²), Metal Strip, Tab 6.35 x 0.81mm, Post Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357254110	6.35mm Tab Slip-On Wire-to-Board Terminal, Female, 18x2, 20x2 AWG, Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357254210	6.35mm Tab Slip-On Wire-to-Board Terminal, Female, 18-20 AWG, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357254310	Quick Disconnect, Female, for 20-22 AWG (0.52-0.33mm ²), Metal Strip, Tab 6.35 x 0.81mm, Slip-On Type with Slot, Post Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357254510	6.35mm Tab Wire-To-Board Terminal, Female, 22-18 AWG, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357254610	6.35mm Tab Safe Locking Wire-To-Board Terminal, Female, 18-14 AWG, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357254910	Quick Disconnect, Female, Piggyback Type, for 14-18 AWG (2.00-0.80mm ²), Metal Strip, Tab 6.35 x 0.81mm, Post Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357255110	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 18-14 AWG, Tin-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357255210	6.35mm Tab Slip-On Wire-to-Wire Terminal, Female, 14-12 AWG, Tin-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357255510	Flag Quick Disconnect, Female, for 14-16 AWG (2.08-1.31mm ²) Wire, Metal Strip, Tab 6.35 x 0.81mm, Left Angle Open Barrel, Post Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357255910	.250 PIGGY BACK	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357270201	2.00mm Diameter Pin Terminal, Brass, 0.25mm Thickness, Wire Range 14-20 AWG (2.00-0.52mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357280201	2.00mm Diameter Socket Terminal, Brass, 0.25mm Thickness, Wire Range 14-20 AWG (2.00-0.52mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357306810	1.30mm Diameter Pin Terminal, Brass, 0.25mm Thickness, Wire Range 20-26 AWG (0.52-0.13mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357307110	1.30mm Diameter Socket Terminal, Brass, 0.25mm Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357400110	Board-in Crimp Terminal, Male, Multi-Type, 16-22 AWG,	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357401410	2.20mm Diameter PC Board Crimp Terminal, Male, Tin Plated Brass Contact, 1.80mm PC Board Hole Size	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357408610	Board-in Crimp Terminal, Male, Multi-Type, 22-26 AWG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357450110	VersaBlade Male Crimp Terminal, 20-22 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357450210	VersaBlade Male Crimp Terminal, 14-18 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357450310	VersaBlade Male Crimp Terminal, 18+18, 20+20 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357450410	VersaBlade Male Crimp Terminal, 24 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357460110	VersaBlade Female Crimp Terminal, 20-22 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357460210	VersaBlade Female Crimp Terminal, 14-18 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357460310	VersaBlade Female Crimp Terminal, 18+18, 20+20 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357460410	VersaBlade Female Crimp Terminal, 24 AWG, Type A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357470110	VersaBlade Male Crimp Terminal, 20-22 AWG, Type B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357470210	VersaBlade Male Crimp Terminal, 14-18 AWG, Type B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357470410	VersaBlade Male Crimp Terminal, 24 AWG, Type B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357480110	VersaBlade Female Crimp Terminal, 20-22 AWG, Type B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357480210	VersaBlade Female Crimp Terminal, 14-18 AWG, Type B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357480310	VersaBlade Female Crimp Terminal, 18+18, 20+20 AWG, Type B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357480410	VersaBlade Female Crimp Terminal, 24 AWG, Type B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357490110	Spade Tongue Terminal for 22-26 AWG (0.13~0.33mm ²), Stud Size 5-6 (M3-3.5), Pre Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357490810	Spade Tongue Terminal for 18-22 AWG (0.30~0.80mm ²), Stud Size 8 (M4), Post Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357491310	Spade Tongue Terminal for 26-30 AWG (0.05~0.13mm ²), Stud Size 5-6 (M3-3.5), Pre Tin-Lead Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357500300	Ring Tongue Terminal for 24-28 AWG (0.08~0.20mm ²), Stud Size 1-2 M1.7-2.2, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357500310	Ring Tongue Terminal for 24-28 AWG (0.08~0.20mm ²), Stud Size 1-2 M1.7-2.2, Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357500510	Ring Tongue Terminal for 16-20 AWG (0.50~1.38mm ²), Stud Size 5-6 (M3-3.5), Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357500610	Ring Tongue Terminal for 16-20 AWG (0.50~1.4 mm ²), Stud Size 5-6 (M3-3.5), Post-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357500700	Ring Tongue Terminal for 16-20 AWG (0.53~1.38mm ²), Stud Size 8 (M4), Un-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357500710	Ring Tongue Terminal for 16-20 AWG (0.53~1.38mm ²), Stud Size 8 (M4), Post-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0357501010	Ring Tongue Terminal for 14-18 AWG (0.75~2.08mm ²), Stud Size 8 (M4), Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357501100	Ring Tongue Terminal for 14-18 AWG (0.75~2.08mm ²), Stud Size 3-4 (M2.6), Un-plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357501110	Ring Tongue Terminal for 14-18 AWG (0.75~2.08mm ²), Stud Size 3-4 (M2.6), Post-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357501410	Ring Tongue Terminal for 20-22 AWG (0.30~0.50mm ²), Stud Size 5-6 (M3-3.5), Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357501700	4.4 ring (La 204)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357501900	Ring Tongue Terminal for 10-16 AWG (1.38~5.4mm ²), Stud Size 1/4" (M6), Un-plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357502100	Ring Tongue Terminal for 20-22 AWG (0.30~0.50mm ²), Stud Size 1/4" (M6) M6, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357504810	Ring Tongue Terminal for 14-18 AWG (0.75~2.08mm ²), Stud Size 8 (M4), Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357607100	Wire Splice, 16-20 AWG, Un-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357607110	Wire Splice, 16-20 AWG, Post-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357607200	Wire Splice, 12-16 AWG, Un-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357607210	Wire Splice, 12-16 AWG, Post-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357607300	Wire Splice, 10-12 AWG, Un-plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357637212	R125-10	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357637312	R125-12	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357660110	.118mm Tab Slip-On Wire-to-Wire Terminal, Female, 18-20 AWG, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357660310	.118mm Tab Slip-On Wire-to-Wire Terminal, Female, 12-14 AWG, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357680110	.090 SLIP ON	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357680120	.090mm Slip-on Receptacle Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357990290	1.78mm Tab Wire-to-Board Housing, Female, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0357990392	1.78mm Tab Wire-to-Board Housing, Female, 3 Circuits, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0357990490	1.78mm Tab Wire-to-Board Housing, Female, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358020489	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358021089	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 10 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358021189	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 11 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358021229	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 12 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358021289	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 12 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0358021389	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 13 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358021589	FFC/FPC Connector, Vertical, Non- ZIF, Kinked PC Tails, 15 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358021619	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358021889	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 18 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358022089	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 20 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358022289	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 22 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358022489	FFC/FPC Connector, Vertical, Non- ZIF, Yes, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358114011	2.54mm Pitch IDT Receptacle, with Polarization, 40 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358170274	14.50mm Pitch MP-Lock Housing, 2 Circuits, for 4.75mm Tab, PBT Polyester, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358170280	12.30mm Pitch MP-Lock Housing, 2 Circuits, for 4.75mm Tab, PA Polyamide, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358170290	.187 MP-LOCK HOUSING -2P	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358179290	14.50mm Pitch MP-Lock Housing, 2 Circuits, for 4.75mm Tab, PP Polypropylene, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0358250211	5.00mm Pitch Automotive Horn Female Housing, Vertical, 2 Circuits for 2.28mm Tab	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358250221	5.00mm Pitch Automotive Horn Female Housing, Vertical, 2 Circuits for 2.28mm Tab	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358421301	PT Bulb Socket, Double Housing Assembly, Type A, Sealed, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358421305	PT Bulb Socket, Double Housing Assembly, Type A, Sealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358421306	PT Bulb Socket, Double Housing Assembly, Type A, Sealed, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358421307	PT Bulb Socket, Double Housing Assembly, Type A, P21/5W, Sealed, Brown	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358421315	PT Bulb Socket, Double Housing Assembly, Type B, Sealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358421316	PT Bulb Socket, Double Housing Assembly, Type B, P21/5W, Sealed, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358421317	PT Bulb Socket, Double Housing Assembly, Type B, Sealed, Brown	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358421335	PT Bulb Socket, Double Housing Assembly, Type EC, P21/5W, Sealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358422301	PT Bulb Socket, Double Housing Assembly, Type A, Sealed, Silicone Seal Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0358431205	PT Bulb Socket Single Housing Assembly, Type A, P21W, Sealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0358431206	PT Bulb Socket, Sealed, Single Housing Assembly, Type A, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431211	PT Bulb Socket, Sealed, Single Housing Assembly, Type B, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431215	PT Bulb Socket Single Housing Assembly, Type B, P21W, Sealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431216	PT Bulb Socket Single Housing Assembly, Type B, P21W, Sealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431217	PT Bulb Socket, Sealed, Single Housing Assembly, Type B, Brown	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0358431221	PT Bulb Socket, Sealed, Single Housing Assembly, Type C, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358431225	PT Bulb Socket, Sealed, Single Housing Assembly, Type C, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431226	PT Bulb Socket, Sealed, Single Housing Assembly, Type C, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358431227	PT Bulb Socket Single Housing Assembly, Type C, P21W, Sealed, Brown	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431230	PT Bulb Socket, Sealed, Single Housing Assembly, Type C, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431235	PT Bulb Socket, Sealed, Single Housing Assembly, Type EC, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431236	PT Bulb Socket Single Housing Assembly, Type EC, P21W, Sealed, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0358431237	PT Bulb Socket, Sealed, Single Housing Assembly, Type EC, Brown	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431240	PT Bulb Socket, Sealed, Single Housing Assembly, Type D, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431245	PT Bulb Socket Single Housing Assembly, Type D, P21W, Sealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431246	PT Bulb Socket, Sealed, Single Housing Assembly, Type D, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358431247	PT Bulb Socket, Sealed, Single Housing Assembly, Type D, Brown	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358542090		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0358841519	0.80mm Pitch Edge Card Connector, Single-Sided, Vertical, Surface Mount	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358841569	0.80mm Pitch Edge Card Connector, Single-Sided, Vertical, Surface Mount	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0358962010	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Female, 20 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358962210	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Female, 22 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358962410	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Female, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358962411	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Female, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0358962415	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Female, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358972010	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Male, 20 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358972210	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Male, 22 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358972215	040/090 W/W FEMALE HSG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358972410	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Male, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358972411	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Male, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0358972415	1.02/2.28mm Tab, Hybrid Wire-to- Wire Housing, Male, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358981410	1.02mm Tab, Wire-to-Wire Housing, Female, 14 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0358991410	1.02mm Tab, Wire-to-Wire Housing, Male, 14 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0359030022	Silicone Rubber Wire Seal for Automotive Horn Connector, Use with 35825 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359030023	Silicone Rubber Wire Seal for Automotive Horn Connector, Use with 35825 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359030096	Positive Silicone Rubber Wire Seal for Sealed PT Bulb Socket	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359030106	Earth Silicone Rubber Wire Seal for Sealed PT Bulb Socket	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359229002	3.96mm Pitch Wire-to-Board Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359410200	4.75mm Tab Housing, 15.20mm Pitch, Positive Latch, for Drain Motor, 2 Circuits, UL94V-2, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359410284	4.75mm Tab Housing, 15.20mm Pitch, Positive Latch, for Drain Motor, 2 Circuits, UL94V-2, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359410294	4.75mm Tab Housing, 15.20mm Pitch, Positive Latch, for Drain Motor, 2 Circuits, UL94V-0, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359410299	4.75mm Tab Housing, 15.20mm Pitch, Positive Latch, for Drain Motor, 2 Circuits, UL94V-0, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359550150	6.35mm Tab Wire-to-Wire Plug Housing, 1 Circuit, Locking Window	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359550151	250 W/W 1P PLUG-REC	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359550153	250 W/W REC(YEL)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359550160	6.35mm Tab Wire-to-Wire Receptacle Housing, Locking Latch, 1 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359550161	250 W/W 1P PLUG-REC	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359550163	250 W/W REC(YEL)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359550230	.250 W/W 2P PLUG HSG(PBT)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359550240	.250 W/W 2P PLUG HSG(PBT)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359590300	FEMALE MP-LOCK HOUSING 3PIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359610100	4.75mm Tab, MP-Lock Extended Housing, 1 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359610250	6.00mm Pitch MP-Lock Housing, 2 Circuits, for 4.75mm Tab, with Polarization, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359650200	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650203	070 WW Multi Plug HSG 2P AYel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650204	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650210	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650212	070 WW Multi Plug HSG 2P BRed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650213	070 WW Multi Plug HSG 2P BYel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650214	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359650220	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650224	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359650290	VersaBlade Terminal Position Assurance (TPA) Retainer, 8.00mm Pitch, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359650292	VersaBlade Terminal Position Assurance (TPA) Retainer, 8.00mm Pitch, 2 Circuits, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359650293	VersaBlade Terminal Position Assurance (TPA) Retainer, 8.00mm Pitch, 2 Circuits, Yellow	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359659200	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659203	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type A, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659204	070 WW Multi Plug HSG 2P AGWBlue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659210	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659212	070 WW Multi Plug HSG 2P BGWRed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659213	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659214	070 WW Multi Plug HSG 2P BGWBlue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359659220	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659222	070 WW Multi Plug HSG 2P CGWRed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659223	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359659224	VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770290	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 2 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770390	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 3 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770400	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 4 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359770490	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 4 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen