

## Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Director, Global Product Stewardship

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002051104	Claspcron Crimp Terminal, Series 2107, 18-24 AWG, Reel, Tin (Sn), Brass, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051105	Claspcron Crimp Terminal, Series 2107, 18-24 AWG, Bag, Tin (Sn), Brass, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051106	Claspcron Crimp Terminal, Series 2107, 18-24 AWG, Reel, Tin (Sn), Brass, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051107	Claspcron Crimp Terminal, Series 2107, 18-24 AWG, Bag, Tin (Sn), Brass, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051115	Claspcron Crimp Terminal, Series 2107, 24-30 AWG, Reel, Tin (Sn), Brass, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051116	Claspcron Crimp Terminal, Series 2107, 24-30 AWG, Reel, Tin (Sn), Brass, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051117	Claspcron Crimp Terminal, Series 2107, 24-30 AWG, Bag, Tin (Sn), Brass, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051119	Claspcron Crimp Terminal, Series 2107, 24-30 AWG, Bag, Tin (Sn), Brass, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051204	Claspcron Crimp Terminal, Series 2107, 18-24 AWG, Reel, Tin (Sn), Phosphor Bronze, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051205	Claspcron Crimp Terminal, Series 2107, 18-24 AWG, Bag, Tin (Sn), Phosphor Bronze, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051207	Claspcron Crimp Terminal, Series 2107, 18-24 AWG, Reel, Tin (Sn), Phosphor Bronze, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002051208	Claspcn Crimp Terminal, Series 2107, 18-24 AWG, Bag, Tin (Sn), Phosphor Bronze, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051216	Claspcn Crimp Terminal, Series 2107, 24-30 AWG, Reel, Tin (Sn), Phosphor Bronze, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002051217	Claspcn Crimp Terminal, Series 2107, 24-30 AWG, Bag, Tin (Sn), Phosphor Bronze, Round Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002055221	Claspcn Crimp Terminal, Series 2107, 18-24 AWG, Reel, Gold (Au), Phosphor Bronze, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002055223	Claspcn Crimp Terminal, Series 2107, 24-30 AWG, Reel, Gold (Au), Phosphor Bronze, Square Mating Pin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061101	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061104	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061131	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061132	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061201	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1787, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061202	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1787, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002062101	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002062103	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002062131	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002062132	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065100	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065101	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065102	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065103	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065108	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065138	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065139	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002065147	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065148	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002065201	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1787, Female, with Gold (Au) Plated Phosphor Bronze Contact, Low Engagement Force, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066100	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066105	062 Male Term Chain Brs 50Au 18-24	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066118	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066119	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066122	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066130	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066138	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002066143	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066144	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002067103	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002067104	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002072101	Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin Terminal Progression	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081001	MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081002	MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081003	MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081004	MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081005	MLX Crimp Terminal 42024, 14-20 AWG, Reel Selective Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081006	MLX Crimp Terminal 42024, 14-20 AWG, Bag Selective Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002081007	MLX Crimp Terminal 42024, 14-20 AWG, Reel Selective Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081101	Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081102	Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081103	Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081104	Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081201	Disk Drive Power Connection System, Female Crimp Terminal, Reel, Phosphor Bronze, AWG 14-20	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081202	Disk Drive Power Connection System, Female Crimp Terminal, Bag, Phosphor Bronze, 14-20 AWG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081334	5.08mm Pitch, Disk Drive Power Connection System, Male Crimp Terminal, Reel, AWG 14 - 20, 8980-6C, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081335	5.08mm Pitch, Disk Drive Power Connection System, Male Crimp Terminal, Bag, AWG 14 - 20, 8980-6L, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002081336	5.08mm Pitch, Disk Drive Power Connection System, Male Crimp Terminal, Reel, AWG 18 - 22, 8980-6C1, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002082003	MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Brass, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002082004	MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002082005	MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002082006	MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002085101	Claspcn Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091102	2.36mm Diameter, Standard .093" Pin and Socket Double Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091115	093FemaleTerm Chain/IntLeaf Brs Tin18-22	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091117	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091122	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091123	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091134	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091138	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2871, Female, with Tin (Sn) Plated Brass Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002091139	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2871, Female, with Tin (Sn) Plated Brass Contact, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091142	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091144	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1433, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091205	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091206	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091208	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 6271, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091212	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 6271, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091615	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092101	2.36mm Diameter, Standard .093" Pin and Socket Double Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092103	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092105	Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin (Sn) Plated Brass Contact, 16-18 AWG, 11.20mm Terminal Progression	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002092116	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092118	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092133	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092134	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092136	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2870, Male, with Tin (Sn) Plated Brass Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092137	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2870, Male, with Tin (Sn) Plated Brass Contact, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092141	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092143	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092166	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092167	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092170	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002092171	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092611	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095100	2.36mm Diameter, Standard .093" Pin and Socket Double Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095101	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Chain	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095102	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095106	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095111	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095142	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095143	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002095169	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002096101	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002096122	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002096123	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002096125	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002096126	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002098103	2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002098104	2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002098108	2.36mm Diameter, Standard .093" Pin and Socket Double Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003044052		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061011	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 1 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061022	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061023	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003061032	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061038	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Pre-bent Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061041	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, with Standard Mounting Ears	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061042	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061043	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, Dual row, with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061044	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061061	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, with Standard Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061062	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061091	062 Pwr Conn Receptacle Pnl Mnt 9Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061121	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061122	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003061152	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 15 Circuits, without Mounting Ears	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061241	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 24 Circuits, with Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061361	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 36 Circuits, 4 Rows, with Mounting Ears	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061362	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 36 Circuits, 4 Rows, Free- Hanging, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062011	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062023	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062024	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre-bent Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062031	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062032	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062033	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre-bent Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062043	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual row, with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003062044	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062062	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, with Standard Mounting Ears	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062122	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062151	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 15 Circuits, with Standard Mounting Ears	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062152	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 15 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062157	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 15 Circuits, with Standard Mounting Ears, Positive Lock	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062241	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 24 Circuits, with Standard Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062242	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 24 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003062361	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 36 Circuits, 4 Rows, with Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003066023	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003066043	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, Dual Row, with Standard Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003066062	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003066155	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 15 Circuits, with Pre-bent Mounting Ears	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003067023	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003067044	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003067061	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091011	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091022	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091027	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091028	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, Single Row, Positive Latch, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091041	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091042	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003091049	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091054	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 5 Circuits, Single Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091057	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 5 Circuits, Single Row, with Positive Locking Ramp, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091061	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091062	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091063	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091081	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091091	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091092	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel Mount Ears, without Passive Lock Ramp	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091093	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091094	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003091121	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091122	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091125	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091152	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091153	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091154	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091157	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092011	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092021	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092022	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092028	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, Single Row, Positive Latch, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003092031	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092032	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092041	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092042	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092061	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092062	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092122	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092151	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092158	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092159	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Pull Tabs, with Lock Windows	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003096021	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003096061	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Panel Mount, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003097022	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003097032	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen