

## Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Director, Global Product Stewardship

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0643183011	.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Right Wire Output, Black Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643183018	.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Right Wire Output, Gray Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643183019	.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Right Wire Output, Brown Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643191201	CMC Wire Cap for 32 Circuits, CMC Receptacle Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643191211	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Left Wire Output, Black Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643191216	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Left Wire Output, Blue Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643191218	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Left Wire Output, Gray Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643191219	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Left Wire Output, Brown Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643192211	.635mm, 1.50mm, CMC Receptacle, 24 Circuits, Left Wire Output, Black Coding, Mat Sealed, Row 1 Closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643192218	.635mm, 1.50mm, CMC Receptacle, 24 Circuits, Left Wire Output, Gray Coding, Mat Sealed, Row 4 Closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643193211	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Right Wire Output, Black Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643193216	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Right Wire Output, Blue Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0643193218	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Right Wire Output, Gray Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643193219	.635mm, 1.50mm, CMC Receptacle, 32 Circuits, Right Wire Output, Brown Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643194211	.635mm, 1.50mm, CMC Receptacle, 24 Circuits, Right Wire Output, Black Coding, Mat Sealed, Row 1 Closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643194218	.635mm, 1.50mm, CMC Receptacle, 24 Circuits, Right Wire Output, Gray Coding, Mat Sealed, Row 4 Closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643201301	CMC Wire Cap for 48 Circuits and 28 Circuits, CMC Receptacle Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643201311	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Left Wire Output, Black Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643201315	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Left Wire Output, Green Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643201318	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Left Wire Output, Gray Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643201319	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Left Wire Output, Brown Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643202311	.635mm, 1.50mm, CMC Receptacle, 36 Circuits, Left Wire Output, Black Coding, Mat Sealed, Row 1 Closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643202319	.635mm, 1.50mm, CMC Receptacle, 36 Circuits, Left Wire Output, Brown Coding, Mat Sealed, Row 1 Closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643203311	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Right Wire Output, Black Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0643203315	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Right Wire Output, Green Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643203318	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Right Wire Output, Gray Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643203319	.635mm, 1.50mm, CMC Receptacle, 48 Circuits, Right Wire Output, Brown Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643204311	.635mm, 1.50mm, CMC Receptacle, 36 Circuits, Right Wire Output, Black Coding, Mat Sealed, Row 1 closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643204319	.635mm, 1.50mm, CMC Receptacle, 36 Circuits, Right Wire Output, Brown Coding, Mat Sealed, Row 1 closed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643211011	.635mm, 1.50mm, 2.80mm, CMC Receptacle, 53 Circuits, Left Wire Output, Black Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643211015	Pwr CMC Rcpt 53Ckt L grn mat seal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643211018	.635mm, 1.50mm, 2.80mm, CMC Receptacle, 53 Circuits, Left Wire Output, Gray Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643211019	.635mm, 1.50mm, 2.80mm, CMC Receptacle, 53 Circuits, Left Wire Output, Brown Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643211101	CMC Wire Cap for 53 Circuits, CMC Receptacle Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643212011	.635mm, 1.50mm, 2.80mm, CMC Receptacle, 53 Circuits, Right Wire Output, Black Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643212015	Pwr CMC Rcpt 53Ckt R grn mat seal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0643212018	.635mm, 1.50mm, 2.80mm, CMC Receptacle, 53 Circuits, Right Wire Output, Gray Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643212019	.635mm, 1.50mm, 2.80mm, CMC Receptacle, 53 Circuits, Right Wire Output, Brown Coding, Mat Sealed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643221019	0.635mm CMC CP Female Terminal, Tin Plated, for Square 0.6mm x 0.6mm Pins, Wire Size 0.35mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643221029	0.635mm CMC CP Female Terminal, Tin Plated, for Square 0.6mm x 0.6mm Pins, Wire Size 0.75mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643221039	0.635mm CMC CP Female Terminal, Tin Plated, for Square 0.6mm x 0.6mm Pins, Wire Size 0.5mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643221219	0.635mm CMC CP Female Terminal, Tin Plated, Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.75mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643221229	0.635mm CMC CP Female Terminal, Tin Plated, Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.35mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643221239	0.635mm CMC CP Female Terminal, Tin Plated, Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.5mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643221339	0.635mm CMC CP Female Terminal, HP Version, Tin Plated, Selective 1.27µm Gold in Contact Area, for Square 0.60mm x 0.60mm Pins, Wire Size 0.75mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643221359	0.635mm CMC CP Female Terminal, HP VERSION, Tin Plated, Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.5mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643231029	1.50mm CMC CP Female Terminal, Tin Plated, for Tab Dimensions 1.50mm x 0.80mm, Wire Size 0.50mm <sup>2</sup> - 1.0mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643231039	1.50mm CMC CP Female Terminal, Tin plated, for Tab Dimensions 1.50mm x 0.80mm, Wire Size > 1.0mm <sup>2</sup> - 2.0mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0643231219	1.50mm CMC CP Female Terminal, Tin plated; Selective 1.27µm Gold in Contact Area, for Tab Dimensions 1.5mm x 0.8mm, Wire Size > 1.0mm <sup>2</sup> -2.0mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643231319	1.50mm CMC CP Female Terminal, Tin plated; Selective 1.27µm Gold in Contact Area, for Tab Dimensions 1.5mm x 0.8mm, Wire Size 0.5mm <sup>2</sup> -1.0mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643241019	2.80mm, CMC CP Female Terminal, Tin plated, for Tab Dimensions 2.80mm by 0.80mm, Wire Size > 3.00-5.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643241029	2.80mm, CMC CP Female Terminal, Tin plated, for Tab Dimensions 2.80mm by 0.80mm, Wire Size > 2.00-3.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643241039	2.80mm, CMC CP Female Terminal, Tin plated, for Tab Dimensions 2.80mm by 0.80mm, Wire Size > 1.00-2.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643241049	2.80mm, CMC CP Female Terminal, Tin plated, for Tab Dimensions 2.80mm by 0.80mm, Wire Size 0.50-1.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643241119	2.80mm, CMC CP Female Terminal, Tin plated; Selective 1.27µm Gold in Contact Area, for Tab Dimensions 2.80mm by 0.80mm, Wire Size > 3.00-5.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643241129	2.80mm, CMC CP Female Terminal, Tin plated; Selective 1.27µm Gold in Contact Area, for Tab Dimensions 2.80mm by 0.80mm, Wire Size > 2.00-3.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643241139	2.80mm, CMC CP Female Terminal, Tin plated; Selective 1.27µm Gold in Contact Area, for Tab Dimensions 2.80mm by 0.80mm, Wire Size > 1.00-2.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643241149	2.80mm, CMC CP Female Terminal, Tin plated, Selective 1.27µm Gold in Contact Area, for Tab Dimensions 2.80mm by 0.80mm, Wire Size 0.50-1.00mm <sup>2</sup>	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643251010	CMC Blind Plug for cavity 0.635mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643251023	CMC Blind Plug cavity 1.50mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0643251091	CMC Blind Plug Cavity 2.80mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643251332	Single Wire Seals for CP 2.80 Terminals, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643251345	Single Wire Seals for CP 2.80 Terminals, Green	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643251358	Single Wire Seals for CP 2.80 Terminals, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0643251366	Single Wire Seals for CP 2.80 Terminals, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643261001		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643261002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643261005		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643261006		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643261009		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643261010		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0643330100	CMC Header 112-circuit, 3-pocket, Solder Tail	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0643340100	2.50mm, 3.70mm CMC Header, Right-Angle, 32 Circuits, 1 Port, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643340300	2.50mm, 3.70mm CMC Header, Right-Angle, 32 Circuits, 1 Port, Brown	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0643341001	2.50mm, 3.70mm CMC Header, Sealed, Right-Angle, 32 Circuits, 1 Port, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670460001	CompactFlash Card Kit Metal Cover with Mylar	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0670687041	Universal Serial Bus (USB) Shielded I/O Type B Receptacle, Right-Angle with Kinked Solder Tabs, Color Black, 0.76µm Gold (Au) Plating, Tray Pack, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670688000	Universal Serial Bus (USB) Shielded I/O Type B Receptacle, Right-Angle, with Kinked Solder Tabs, Color Black, Gold (Au) Flash Plating, Tray Pack, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670688001	Universal Serial Bus (USB) Shielded I/O Type B Receptacle, Right-Angle, with Kinked Solder Tabs, Color Black, 0.76µm Gold (Au) Plating, Tray Pack, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670688010	Universal Serial Bus (USB), Shielded I/O, Type B Receptacle, Right-Angle with Straight Tabs, Color Black, Gold (Au) Flash Plating, Tray Pack, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670688011	Universal Serial Bus (USB), Shielded I/O, Type B Receptacle, Right-Angle with Straight Tabs, Color Black, 0.76µm Gold (Au) Plating, Tray Pack, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670688110	Universal Serial Bus (USB), Shielded I/O, Type B Receptacle, Right-Angle with Straight Tabs, Color Black, Gold (Au) Flash Plating, Tube Pack, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670689000	Universal Serial Bus (USB) Shielded I/O Type B Receptacle, Right-Angle, with Kinked Solder Tabs, Color White, Gold (Au) Flash Plating, Tray Pack, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0670689001	Universal Serial Bus (USB) Shielded I/O Type B Receptacle, Right-Angle, with Kinked Solder Tabs, Color White, 0.76µm Gold (Au)Plating, Tray Pack, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0670689011	Universal Serial Bus (USB), Shielded I/O, Type B Receptacle, Right-Angle with Straight Tabs, Color White, 0.76µm Gold (Au) Plating, Tray Pack, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0672308000	Universal Serial Bus (USB), Shielded I/O, Type A Receptacle, Upright, Gold (Au) Flash, without Back Cover, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0672308001	Universal Serial Bus (USB), Shielded I/O, Type A Receptacle, Upright, without Back Cover, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0672590200		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0672982090	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Dual Stacked, Type A, Gold (Au) Flash, Black Housing, with 2 Beveled Metal Pins, Tray Package, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0672983090	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Dual Stacked, Type A, Gold (Au) Flash, Black Housing, with 4 Beveled Metal Pins, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0672983091	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Dual Stacked, Type A, 0.76µm Gold (Au) Plating, Black Housing, with 4 Beveled Metal Pins, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0672984090	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Dual Stacked, Type A, Gold (Au) Flash, White Housing, with 4 Beveled Metal Pins, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0672984091	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Dual Stacked, Type A, 0.76µm Gold (Au) Plating, White Housing, with 4 Beveled Metal Pins, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0673298000	Universal Serial Bus (USB) Shielded I/O Receptacle, Type A, Single Upright Right-Angle, Solder Tail Length 2.00mm, Kinked Pins, PCB Thickness 1.20mm and 1.60mm, Gold (Au) Flash, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0673298001	Universal Serial Bus (USB) Shielded I/O Receptacle, Type A Single Upright Right-Angle, Solder Tail Length 2.00mm, Kinked Pins, PCB Thickness 1.20mm and 1.60mm, 0.76µm Gold (Au) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0673298020	Universal Serial Bus (USB) Shielded I/O Receptacle, Type A, Single Upright Right-Angle, Solder Tail Length 2.00mm, 3.65mm Beveled Metal Pins, PCB Thickness 1.60mm, Gold (Au) Flash, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0673298021	Universal Serial Bus (USB) Shielded I/O Receptacle, Type A Single Upright Right-Angle, Solder Tail Length 2.00mm, 3.65mm Beveled Metal Pins, PCB Thickness 1.60mm, 0.76µm Gold (Au) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0673298040	Universal Serial Bus (USB) Shielded I/O Receptacle, Type A, Single Upright Right-Angle, 2.00mm Tail Length , 2.10mm Straight Solder Tabs, 1.60mm PCB Thickness, Gold (Au) Flash Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560200	101A002A8 WAFER ASSEMBLY 2P GRAY	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560201	101A002A2 WAFER ASSEMBLY 2P RED	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560202	101A002A4 WAFER ASSEMBLY 2P YELLOW	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560203	101A002A1 WAFER ASSEMBLY 2P BROWN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560204	101A002A WAFER ASSEMBLY 2P NATURAL	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560205	101A002A5 WAFER ASSEMBLY 2P GREEN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560206	101A002A0 WAFER ASSEMBLY 2P BLACK	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674560207	101A002A7 WAFER ASSEMBLY 2P VIOLET	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0674890002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674890005	1.27mm Pitch Serial ATA Signal Connector, Right-Angle, 0.38µm Gold Plating, 7 Circuits, with Latch	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674898002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674899001		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674899002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674899005	1.27mm Pitch Serial ATA Signal Connector, Vertical, 0.38µm Gold Plating, 7 Circuits, with Latch	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674901220	1.27mm Pitch Serial ATA Header, Standard Type, Surface Mount, Right Angle, 7 Circuits, without Mylar, Gold (Au) Flash, Tray Package, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674901230	1.27mm Pitch Serial ATA Header, Standard Type, Surface Mount, Right Angle, 7 Circuits, with Mylar, Gold (Au) Flash, Embossed Tape on Reel Package, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674901235	1.27mm Pitch Serial ATA Header, Standard Type, Surface Mount, Right Angle, 7 Circuits, with Mylar, 0.38µm Gold (Au) Plating, Embossed Tape on Reel Package, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674901240	1.27mm Pitch Serial ATA Header, Standard Type, Surface Mount, Right Angle, 7 Circuits, with Mylar, Gold (Au) Flash, Tube Package, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674903225	1.27mm Pitch Serial ATA Header, Reverse Type, Surface Mount, Right Angle, 7 Circuits, without Mylar, 0.38µm Gold (Au) Plating, Tray Package, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674903235	1.27mm Pitch Serial ATA Header, Reverse Type, Surface Mount, Right Angle, 7 Circuits, without Mylar, 0.38µm Gold (Au) Plating, Tape and Reel Package, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0674910020		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674910021	1.27mm Pitch Serial ATA High Speed Header, Through Hole, Vertical, 7 Circuits, 0.76µm Gold (Au) Selective Plating, with 2.05mm PC Tail Length, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674910026	1.27mm Pitch Serial ATA High Speed Header, Through Hole, Vertical, 7 Circuits, 0.76µm Gold (Au) Selective Plating, with 2.35mm PC Tail Length, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674911035	1.27mm Pitch Serial ATA High Speed Header, Through Hole, Vertical, 7 Circuits, Gold (Au) Flash, with 2.35mm PC Tail Length, for 2.00mm PCB, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674911036	1.27mm Pitch Serial ATA High Speed Header, Through Hole, Vertical, 7 Circuits, 0.76µm Gold (Au) Selective Plating, with 2.35mm PC Tail Length, for 2.00mm PCB, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674911037	1.27mm Pitch Serial ATA High Speed Header, Through Hole, Vertical, 7 Circuits, 0.38µm Gold (Au) Selective Plating, with 2.35mm PC Tail Length, for 2.00mm PCB, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674911038	1.27mm Pitch Serial ATA High Speed Header, Through Hole, Vertical, 7 Circuits, Gold (Au) Flash, for 2.40mm PCB, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674911039	1.27mm Pitch Serial ATA High Speed Header, Through Hole, Vertical, 7 Circuits, 0.76µm Gold (Au) Selective Plating, with 3.00mm PC Tail Length, for 2.40mm PCB, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0674921224	1.27mm Pitch Serial ATA Host Receptacle, Right-Angle, Surface Mount, Mating Height 6.74mm, Gold (Au) Flash, Tape on Reel Packaging, 22 Circuits, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674921327	1.27mm Pitch Serial ATA Host Receptacle, Right-Angle, Surface Mount, Mating Height 5.25mm, 0.38µm Gold (Au) Plating, 22 Circuits, with Cap, Embossed Tape on Reel Packaging, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674921632		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0674921732	1.27mm Pitch Serial ATA Host Receptacle, Surface Mount, Right- Angle, Mating Height 3.70mm, 0.38µm Gold (Au) Plating, White Housing, with Cap, Embossed Tape on Reel Packaging, 22 Circuits, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674921930		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674929221		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0674929222	1.27mm Pitch Serial ATA Host Receptacle, Right-Angle, Surface Mount, Mating Height 6.74mm, 0.38µm Gold (Au) Plating, Tray Packaging, 22 Circuits, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675031020	Mini USB, B-Receptacle, Surface Mount, Right-Angle, Solder Tabs with Back Cover and PCB Locator Plastic Pegs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675031230	Mini USB, B-Receptacle, Surface Mount, Right-Angle, Solder Tabs without Back Cover and PCB Locator Pegs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0675032020	USB On-The-Go (OTG) Mini-B Receptacle, Surface Mount, Right- Angle, Solder Tabs with Back Cover and PCB Locator Plastic 1.00mm Pegs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0675380001	SATA signal cable stra. receptacle 30u	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675790900	USB U/R CONN REV TYPE L/F PCB 1.6 BLACK	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0675790901	USB Up-Right conn Rev L/F PCB 1.6 BLACK	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0675790902	USB Up-Right conn Rev L/F PCB 2.0 BLACK	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0675791902	USB Up-Right conn Rev L/F PCB 2.0 WHITE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0675791903	USB Up-Right conn Rev L/F PCB 2.0 WHITE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0675810000	1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, Gold (Au) Flash Plating, with Reel Direction - Type 1, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675810001	1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, 0.76µm Gold (Au) Plating, with Reel Direction - Type 1, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675810009		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675810010	1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, Gold (Au) Flash Plating, with Reel Direction - Type 2, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675810011	1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, 0.76µm Gold (Au) Plating, with Reel Direction - Type 2, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675810019		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0675820000	1.27mm Pitch Crimp Housing for Serial ATA Power Cable Receptacle, 15 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676008001	2.50mm Pitch, SD Memory Card Connector, Standard-Mount, Ultra Low Profile, with PCB Locator, without Mylar, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0676008005	2.50mm Pitch, SD Memory Card Connector, Standard-Mount, Ultra Low Profile, with PCB Locator, without Card Locking Pin, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0676008006	SD-CARD CONN. ASS'Y NORMAL TYPE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0676430910	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, Black Polyester, Gold (Au) Flash, PCB Thickness 1.60mm, without Upper Flange, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676430931	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, High-Temperature Black Nylon, 0.76µm Gold (Au) Plating, PCB Thickness 1.20mm, without Upper Flange, for IR Reflow Process, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676430991	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, Black Polyester, 0.76µm Gold (Au) Plating, PCB Thickness 1.60mm, with Upper Flange, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676431910	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, White Polyester, Gold (Au) Flash Plating, PCB Thickness 1.60mm, without Upper Flange, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676431911	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, White Polyester, 0.76µm Gold (Au) Plating, PCB Thickness 1.60mm, without Upper Flange, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676432910	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, High-Temperature Black Nylon, Gold (Au) Flash, PCB Thickness 1.60mm, without Upper Flange, for IR Reflow Process, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676432911	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, High-Temperature Black Nylon, 0.76µm Gold (Au) Plating, PCB Thickness 1.60mm, without Upper Flange, for IR Reflow Process, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676433910	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, High-Temperature White Nylon, Gold (Au) Flash, PCB Thickness 1.60mm, without Upper Flange, for IR Reflow Process, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676433911	Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, High-Temperature White Nylon, 0.76µm Gold (Au) Plating, PCB Thickness 1.60mm, without Upper Flange, for IR Reflow Process, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0676871850	1.80MM HEIGHT SIM CARD CONN.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0676872050	2.54mm Pitch SIM Card Connector, Surface Mount, Block Style, 6 Circuit, 2.00mm Housing Height, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0676872550	2.54mm Pitch SIM Card Connector, Surface Mount, Block Style, 6 Circuit, 2.50mm Housing Height, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0676872950	2.54mm Pitch SIM Card Connector, Surface Mount, Block Style, 6 Circuit, 2.90mm Housing Height, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0676873550	2.54mm Pitch SIM Card Connector, Surface Mount, Block Style, 6 Circuit, 3.50mm Housing Height, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0677790002	AV RCA Jack Connector, Dual Row, Side by Side, 6 Ports, Color and SV Position from Front View (Left column: Green, Blue, Red; Right Column: White, Red, Yellow)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678005001		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678005002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678005003		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678005005		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678005011	1.27mm Pitch Serial ATA High Speed Header, Vertical, Surface Mount, with Locking Latch, 7 Circuits, Gold (Au) Flash Plating, for 1.60mm PCB, with PCB Locator Pegs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678005021	1.27mm Pitch Serial ATA High Speed Header, Vertical, Surface Mount, with Locking Latch, 7 Circuits, Gold (Au) Flash, for 2.40mm PCB, with PCB Locator Pegs, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0678005022		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678005025		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678007001	1.27mm Pitch Serial ATA High Speed Header, Vertical, Through Hole, with Locking Latch, 7 Circuits, Gold (Au) Flash, for 1.60mm PCB, Black, Footprint B, with PCB Locator Tabs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678007105	1.27mm Pitch Serial ATA High Speed Header, Vertical, Through Hole, with Locking Latch, 7 Circuits, 0.38µm Gold (Au) Plating, for 1.60mm PCB, High Temperature, Black, Footprint B, with PCB Locator Tabs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678008005		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678008025		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678008035	1.27mm Pitch Serial ATA High Speed Header, Vertical, Through Hole, with Locking Latch, 7 Circuits, 0.38µm Gold (Au) Selective Plating, for 1.60mm PCB, Blue, Footprint A, with PCB Locator Tabs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678008041	1.27mm Pitch Serial ATA High Speed Header, Vertical, Through Hole, with Locking Latch, 7 Circuits, Gold (Au) Flash, for 1.60mm PCB, White, Footprint A, with PCB Locator Tabs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678008142	1.27mm Pitch Serial ATA High Speed Header, Vertical, Through Hole, with Locking Latch, 7 Circuits, 0.76µm Gold (Au) Plating, for 1.60mm PCB, High Temperature, White, Footprint A, with PCB Locator Tabs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678008205	1.27mm Pitch Serial ATA High Speed Header, Vertical, Through Hole, with Locking Latch, 7 Circuits, 0.38µm Gold (Au) Plating, for 1.60mm PCB, High Temperature, Black, Footprint A, with PCB Locator Tabs, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0678038020	Mini USB, AB-Receptacle, Right- Angle, Surface Mount, with Shell Tabs, Plastic Pegs and Cover Tape, Color Gray, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678110312	1.27mm Pitch High Speed Header, Surface Mount, Dual Row, Right Angle, 14 Circuits, 0.76µm Gold (Au) Selective Plating, with 0.15mm Stand-off Height	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678570009	USB 4 STACKS L/F	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0678570011	USB 4 Stacks L/F	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0678731001	LEAD-FREE 4 PIN BATTERY	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0679101002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0679105201	0.80mm Pitch, 5.25mm Height, PCI Express Card, 52 Circuit, Right- Angle, Surface Mount, Gold (Au) Flash, Tape on Reel, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0679105700		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0679110001	2.50mm Pitch Battery Connector, Surface Mount, Width 11.70mm, Unmated Height 2.03mm, 4 Circuits, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0679130002	2.50mm Pitch, SDIO Memory Card Connector, Reverse Mount, Ultra Low Profile, Push Push Type, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0679138011	2.50mm Pitch, SDIO Memory Card Connector, Reverse Mount, Ultra Low Profile, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0679260001	3.81mm Pitch Serial ATA IDT Power Receptacle, Gold (Au) Flash, 18AWG, with Latch, without Bump, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0679260002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0679260005	3.81mm Pitch Serial ATA IDT Power Receptacle, 0.38µm (0.38µm) Gold (Au) Plating, 18AWG, with Latch, without Bump, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0679260011	3.81mm Pitch Serial ATA IDT Power Receptacle, Gold (Au) Flash, 18 AWG, without Latch, with Bump, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0679260015	3.81mm Pitch Serial ATA IDT Power Receptacle, 0.38µm (0.38µm) Gold (Au) Plating, 18AWG, without Latch, with Bump, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0679260021	3.81mm Pitch Serial ATA IDT Power Receptacle, Gold (Au) Flash, 18AWG, with Latch, with Bump, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen