

## Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Director, Global Product Stewardship

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1704320006	zQSFP+ SMT 38CKT 0.76Au w/ Solder Ring	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704658002	CXP Extended Snout Assy Rt Key w Cover	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704658101	CXP Extended Snout Assy Lt Key	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704691108	Impact 4x10 100-Ohm Open RAM 5.5/.39	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704691138	Impact 4x10 100Ohm RightWall RAM 5.5/.39	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704691607		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704695108	Impact 4x10 100-Ohm GD-Right RAM 5.5/.39	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704695607		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704751107	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704751108	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704751127	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704751128	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1704751207	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Open Endwalls, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704751608	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704751628	Impact 5x16 Unguided BP Dual End 5.5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704753107	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Left Guide, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704753607	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Left Guide, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704755107	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Right Guide, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704755207	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Right Guide, Open Endwall, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704757207	Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Left Guide with Endwall, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1704803020	Impact 85 Ohm Plus 5 Pair Right- Angle Daughtercard, Left Guided, 10 Columns, 150 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705010001	CXP EF-Short Body without Cover, 84 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705011001	CXP EF-Short Body with Cover, 84 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1705020001	CXP EF-Long Body without Cover, 84 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705021001	CXP EF-Long Body with Cover, 84 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705101107	Impact 85 Ohm Plus 3 Pair, RAM Signal Module, Unguided, Open Endwalls, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705101127	Impact 85 Ohm Plus 3 Pair, RAM Signal Module, Unguided, Dual Endwalls, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705103107	Impact 3x10 Lft GD 85-Ohm 4.9 .39 Stampd	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705103807	Impact 85 Ohm Plus 3 Pair, RAM Signal Module, Left Guided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705103808	Impact 3x8 85-Ohm GL Open RAM TTM .39	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705105808	Impact 3x8 85-Ohm GR RAM TTM .39 PTH	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705109107	Impact 85 Ohm Plus 3 Pair RAM Signal Module, Right Guided, Open Endwalls, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705109807	Impact 85 Ohm Plus 3 Pair, RAM Signal Module, Right Guided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705191127	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251105	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 90 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1705251107	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251108	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 90 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251118	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Left Endwall, 10 Columns, 90 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251125	Impact 3x10 85 Ohm Dual Wall BP 5.5 .46	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251127	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251618	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Left Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251628	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251805	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251807	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251814	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251816	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251818	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Left Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1705251824	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Dual Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251825	Impact 3x8 85 Ohm Dual Wall BP 5.5 .46	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251827	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705251837	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Right Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705253107	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705253605	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705253618	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705253807	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705253817	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Left Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705255117	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705255177	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position G, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1705255207	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 12 Columns, 108 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705255607	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 16 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705255608	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705257807	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Left Guide with Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705259608	Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide with Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705301020	Impact 85 Ohm Plus 3 Pair Right- Angle Daughtercard, Unguided, 10 Columns, 90 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705301022	Impact 85 Ohm Plus 3 Pair Right- Angle Daughtercard, Unguided, 12 Columns, 108 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705301026	Impact 85 Ohm Plus 3 Pair Right- Angle Daughtercard, Unguided, 16 Columns, 144 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705303038	Impact 85 Ohm Plus 3 Pair Right- Angle Daughtercard, Left Guide, 8 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705303138	Impact 85 Ohm Plus 3 Pair, Right- Angle Daughtercard, Left Guide, 8 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705305022	Impact 85 Ohm Plus 3 Pair Right- Angle Daughtercard, Right Guide, 12 Columns, 108 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1705305026	Impact 85 Ohm Plus 3 Pair Right- Angle Daughtercard, Right Guide, 16 Columns, 144 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705351103		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705351104		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351105		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351107	Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705351113		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351114	Impact 85ohm 6x10 Left Wall BP 4.9 .46	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351115		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351116		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351117		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351118		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351124		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
1705351125	Impact 85ohm 6x10 Dual Wall BP 5.5 .46	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705351126		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351127	Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
1705351133		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351134		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351135		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351136	Impact 85ohm 6x10 Right Wall BP 4.5 .39	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351137	Impact 85ohm 6x10 Right Wall BP 4.9 .39	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351138		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351403		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351413		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351414		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
1705351415		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351416		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351417		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351418		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351423		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351425		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351426		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351428		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351436		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351437		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351603		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
1705351604		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002061105	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061106	062 Female Term ReW Brz Tin 18-24	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061109	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4559, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 24-30 AWG, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061139	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 7291, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, High Mating Force, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061141	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Without Locking Tabs, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002061231	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 2189, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002062134	062 Male Term Chain Tin 24-30	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002062201	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1786, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002062202	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1786, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002066128	062 Crp Term W/O Lock Tin Chn 18-24	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091101	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel, with Dimple	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0002091103	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag, with Dimple	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091116	2.36mm Diameter Standard .093" Crimp Terminal, Dimpled Female, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091145	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 2605, Female, with Tin (Sn) Plated Contact, For 3191 Series Housings Only, Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091153	Crimp Terminal 41483, 14-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002091651	2.36mm Diameter Socket, Without Insulation Crimp for 16-20 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092117	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, without Dents, 18-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092138	093 Male TermChain/IntLead Brs Tin 22-24	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0002092149	093 MaleTerm Chain/IntLeaf Brs Tin24-30	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003044031	093 Wafercon PCB Conn MixTerm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003044051	093 Wafercon PCB Conn MixTerm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003044061	.093 PCB Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003044121	093 Wafercon PCB Conn MixTerm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003061001	062 Cust 378 Receptacle 2Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061031	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Standard Mounting Ears	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061157	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 15 Circuits, with Standard Mounting Ears, Positive Lock	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003061171	062 Housing Receptacle Ears +Lk 15 2	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003066157	062 Pwr Conn Receptacle +Lk Blk 15Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091014	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091030	2.36mm Diameter Standard Receptacle Housing, 3 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091043		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091047	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Positive Latch, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003091161	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092014	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 1 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092037		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0003092048	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row, Positive Latch	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092057	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 5 Circuits, Single Row	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092160	093 Housing Plug PrBntEar 2Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092161	2.36mm Diameter Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003092171	093 Housing Plug /O Ears 3Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003093161	093 Housing Rcpt Red +Lock 2Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003094161	093 Housing Plug Red 2Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003097024	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003126014	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 1 Circuit, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0003127044	125 Hcs 125 Power Plug	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0004752025	2CKT 3.96/7.92 WAFER ASSY 527802A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0004752035	3CKT 3.96/7.92 WAFER ASSY 527803A	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0005020047	Commoning Connector Crimp Terminal Series 1457, 18-22 AWG, 1.55mm Min. to 2.59mm Max. Insulation Diameter, Tin (Sn) Plated Brass Contact, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005020048	Commoning Connector Crimp Terminal Series 1457, 18-22 AWG, 1.55mm Min. to 2.59mm Max. Insulation Diameter, Tin (Sn) Plated Brass Contact, Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005020049	Commoning Connector Crimp Terminal Series 1457, 14-16 AWG, 3.56mm Max. Insulation Diameter, Tin (Sn) Plated Brass Contact, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005040011	KK 093 TERMINAL CRIMP 22-24 AWG TIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005040013	KK 093 TERMINAL CRIMP 22-24 AWG TIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005060302	Flat Blade Crimp Terminal, Series 2176, Female, With Tin (Sn) Plated Brass Contact, With Detent, 14-22 AWG (or 18 AWG Double Crimp), Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005060305	Flat Blade Crimp Terminal, Series 2576, Female without, with Tin (Sn) Plated Brass Contact, 14-22 AWG (or 18 AWG Double Crimp), Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005060306	Flat Blade Crimp Terminal, Series 2576, Female, without Tin (Sn) Plated Brass Contact, 14-22 AWG (or 18 AWG Double Crimp), Bag Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0005121100	Crimp Terminal 6482, 14-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006011012	Plug & Rcpt Assy 5Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006021186	Flat Blade Appliance Timer Connector, 18 Circuit, Right Hand, Black Color	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006021245	Flat Blade Appliance Timer Crimp Housing, 24 Circuit, Left Hand, Natural (White Translucent) Color	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0006021246	Flat Blade Appliance Timer Connector, 24 Circuit, Right Hand, Black Color	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006022030	Flat Blade Appliance Water Valve Crimp Housing, 3 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006023031	Flat Blade Micro Switch Crimp Housing, 3 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006023111	Flat Blade Appliance Relay Crimp Housing, 11 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006023141	Relay & Swi Connectors W/MntEar 14Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0006023143	Relay & Swi Connectors W/MntEar 14Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0007017051	Commoning Crimp Housing Receptacle Housing, 5 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0007017101	Commoning Crimp Housing Receptacle Housing, 10 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0007017151	Commoning Crimp Housing Receptacle Housing, 15 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0007017201	Commoning Crimp Housing Receptacle Housing, 20 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0008010105	KK Crimp Terminal 1797, 22-30 AWG, Bag Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008010116	KK 156 Term Crp Edge Card 16Awg Tin	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0008030101	KK Crimp Terminal 1797, 18-20 AWG, Reel, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008030102	KK Crimp Terminal 1797, 18-20 AWG, Bag, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008050103	KK Crimp Terminal 1797, 18-20 AWG, Bag Selective Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008050105	KK Crimp Terminal 1797, 22-30 AWG, Bag Selective Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008050303	KK Crimp Terminal, Series 4573, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008050304	KK Crimp Terminal, Series 4573, Female, with Selective Gold (Au) Plated Brass Contact, 22-26 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008060101	KK Crimp Terminal 1797, 18-20 AWG, Bag Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008060102	KK Crimp Terminal 1797, 18-20 AWG, Bag, Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008060105	Crimp Terminal 1797, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008060106	Crimp Terminal 1797, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008300109	KK Crimp Terminal, Series 1799, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Chain on Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500018	KK 156 TERMINAL CRIMP 22-26 AWG TIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0008500055	KK CRIMP TERMINAL 2478ID913	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500063	KK CRIMP TERM. POST PLT 24781141	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500073	KK 156 TERMINAL CRIMP 18-24 AWG TIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500110	KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500111	KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 7.6µm Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500115	3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Brass, Tin (Sn), Bifurcated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500120	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 3.8µm Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500146	KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 7.6µm Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500148	KK 100 TERMINAL CRIMP 22-30 AWG TIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500164	Trifurcon Crimp Terminal 6438, 18-20 AWG, Reel, Brass Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500183	KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Brass Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0008500251	KK 156 TERM CRP 18-20 AWG TRIFURCON TIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen