

Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015916160	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 16 Circuits, Tin (Sn) Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916162	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 16 Circuits, 0.38µm Gold (Au) Selective Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916165	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 16 Circuits, 0.38µm Gold (Au) Selective Plating, with 3.30mm PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916167	CGrid SMT Hdr wSPeg 30 SAu 16Ckt TR	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015916169	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 16 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916179	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 17 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916189	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 18 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916199	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 19 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916200	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 20 Circuits, Tin (Sn) Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916202	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 20 Circuits, 0.38µm Gold (Au) Selective Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015916203	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 20 Circuits, 0.76µm Gold (Au) Selective Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015916207	CGrid SMT Hdr wSPeg 30 SAu 20Ckt TR	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015916209	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 20 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916219	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 21 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916229	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 22 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916239	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 23 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916249	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 24 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916259	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 25 Circuits, Tin (Sn) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916260	CGrid SMT Bkwy Hdr Tin 26Ckt TR	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015916262	CGrid SMT Bkwy Hdr 15 SAu 26Ckt TR	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015916400	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 40 Circuits, Tin (Sn) Plating, without PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916506	2.54mm Pitch C-Grid Breakaway Header, Surface Mount, Dual Row, Vertical, 50 Circuits, 0.76µm Gold (Au) Selective Plating, with 3.30mm PCB Locator Pegs, Tape and Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015916507	CGrid SMT Hdr wSPeg 30 SAu 50Ckt TR	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015917020	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 2 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917021	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 2 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917030	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 3 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917031	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 3 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917040	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 4 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917041	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 4 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917050	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 5 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917051	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 5 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015917060	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 6 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917061	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 6 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917070	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 7 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917080	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 8 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917081	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 8 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917090	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 9 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917100	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 10 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917101	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 10 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015917110	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 11 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917120	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 12 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917121	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 12 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917130	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 13 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917140	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 14 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917150	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 15 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917160	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 16 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917161	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 16 Circuits, 0.76µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015917170	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 17 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917180	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 18 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917190	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 19 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917200	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 20 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917210	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 21 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917220	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 22 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917230	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 23 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015917240	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 24 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015917250	2.54mm Pitch SL Wire-to-Board Header, Low Profile, Surface Mount, Single Row, Right-Angle, 3.05mm Pocket, Shrouded, with Press-fit Plastic Peg, 25 Circuits, 0.38µm Gold (Au) Plating, Embossed Tape Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015921030	1.27mm Pitch EBBI 50D Receptacle, Vertical, 30 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921050	1.27mm Pitch EBBI 50D Receptacle, Vertical, 50 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921060	1.27mm Pitch EBBI 50D Receptacle, Vertical, 60 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921068	1.27mm Pitch EBBI 50D Receptacle, Vertical, 68 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921080	1.27mm Pitch EBBI 50D Receptacle, Vertical, 80 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921100	1.27mm Pitch EBBI 50D Receptacle, Vertical, 100 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921120	1.27mm Pitch EBBI 50D Receptacle, Vertical, 120 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921130	1.27mm Pitch EBBI 50D Receptacle, Vertical, 130 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921430	1.27mm Pitch EBBI 50D Receptacle, Vertical, 30 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921440	1.27mm Pitch EBBI 50D Receptacle, Vertical, 40 Circuits, 2.79mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015921450	1.27mm Pitch EBBI 50D Receptacle, Vertical, 50 Circuits, 2.79mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921460	1.27mm Pitch EBBI 50D Receptacle, Vertical, 60 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921468	1.27mm Pitch EBBI 50D Receptacle, Vertical, 68 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921480	1.27mm Pitch EBBI 50D Receptacle, Vertical, 80 Circuits, 2.79mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921500	1.27mm Pitch EBBI 50D Receptacle, Vertical, 100 Circuits, 2.79mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921501	EBBI 50D Vt Rcpt Hdr 110 TI 100Ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921520	1.27mm Pitch EBBI 50D Receptacle, Vertical, 120 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921530	1.27mm Pitch EBBI 50D Receptacle, Vertical, 130 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015921550	1.27mm Pitch EBBI 50D Receptacle, Vertical, 50 Circuits, Advanced Terminals for First-Mate, Last-Break Mating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922030	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 30 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922040	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 40 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922050	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 50 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015922060	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 60 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922068	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 68 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922080	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 80 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922130	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 130 Circuits, 3.40mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922250	1.27mm Pitch LFH Matrix 50 Shielded Plug, 60 Circuits, Right- Angle, 2.34mm Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922253	1.27mm Pitch LFH Matrix 50 Shielded Plug, 60 Circuits, Right- Angle, 2.64mm Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922440	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 40 Circuits, 2.79mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922460	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 60 Circuits, 2.79mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015922468	1.27mm Pitch EBBI 50D Plug, Vertical, without Latch, 68 Circuits, 2.79mm PC Tail Length	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015923030	30CKT EBBI VT IDT RECPT MS716603030	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015923050	50 CKT .025 RC EBBI RECEP MS716603050	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015923060	60CKT EBBI VT IDT RECPT MS716603060	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015923068	EBBI 50D VT RCPT IDT 68CKT	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015923080	EBBI 50D VT RCPT IDT 80CKT	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015970071	Mini-Fit Connector Position Assurance Key	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015975021	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row, 2 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015975041	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 4 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015975043	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 4 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015975061	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 6 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015975081	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 8 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015975101	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 10 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015975121	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 12 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015975161	Mini-Fit TPA Receptacle Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 16 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015976021	Mini-Fit TPA Plug Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 2 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015976041	Mini-Fit TPA Plug Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 4 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015976061	Mini-Fit TPA Plug Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 6 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015976081	Mini-Fit TPA Plug Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 8 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015976101	Mini-Fit TPA Plug Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 10 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015976161	Mini-Fit TPA Plug Housing, 4.20mm Pitch, Dual Row with Secondary Terminal Retention, 16 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977022	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 2 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977023	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 2 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977024	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 2 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977043	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 4 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977044	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 4 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977062	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 6 Circuits, Tin (Sn) Plating without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977063	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 6 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015977064	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 6 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977065	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 6 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977082	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 8 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977083	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 8 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977085	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 8 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977103	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 10 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977104	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 10 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977122	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 12 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977123	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 12 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977124	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 12 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977125	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 12 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015977162	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 16 Circuits, Tin (Sn) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015977164	Mini-Fit TPA Header, 4.20mm Pitch, Dual Row, Vertical, with PCB Mounting Flange, 16 Circuits, Gold (Au) Plating, without Drain Holes	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978022	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with PCB Mounting Flange, 2 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978028	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with Snap-in PCB Plastic Peg Lock, 2 Circuits, Gold (Au) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978043	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with Snap-in PCB Plastic Peg Lock, 4 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978048	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with Snap-in PCB Plastic Peg Lock, 4 Circuits, Gold (Au) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978062	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with PCB Mounting Flange, 6 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978102	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with PCB Mounting Flange, 10 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978122	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with PCB Mounting Flange, 12 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978162	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with PCB Mounting Flange, 16 Circuits, Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015978167	4.20mm Pitch, Mini-Fit TPA Header, Dual Row, Right-Angle, with PCB Mounting Flange, 16 Circuits, Gold (Au) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0015979041	Mini-Fit TPA Key for 2 and 4 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015979061	Mini-Fit TPA Key for 6 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0015979081	Mini-Fit TPA Key for 8 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015979101	Mini-Fit TPA Key for 10 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0015979121	Mini-Fit TPA Key for 12 Circuit	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020034	Board-in Crimp Terminal , Series 4811, Male, with Tin max. Insulation Diameter, 9.70mm Terminal Progression, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020037	Board-in Crimp Terminal, Series 4811, Male, with Tin max. Insulation Diameter, 9.70mm Terminal Progression, Reel Packaged	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020069	SL Crimp Terminal, Series 70058, Female, 24-30 AWG, with Tin (Sn) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020074	SL Crimp Terminal, Series 70058, Female, 32-36 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020077	SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020078	SL Crimp Terminal, Series 70021, Male, with 0.76µm Selective Gold (Au) Plated Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020079	SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 32-36 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020080	SL Crimp Terminal, Series 70021, Male, with 0.76µm Selective Gold (Au) Plated Contact, 32-36 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020081	SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0016020082	SL Crimp Terminal, Series 70058, Female, 24-30 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020083	SL Crimp Terminal, Series 70058, Female, 24-30 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020085	SL Crimp Terminal, Series 70058, Female, 32-36 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020086	SL Crimp Terminal, Series 70058, Female, 22-24 AWG, with Tin (Sn) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020087	SL Crimp Terminal, Series 70058, Female, 22-24 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020088	SL Crimp Terminal, Series 70058, Female, 22-24 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020091	SL Male Crp Term 24-30awg Unplt Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020096	SL Crimp Terminal, Series 70058, Female, 24-30 AWG, with Tin (Sn) Plated Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020097	SL Crimp Terminal, Series 70058, Female, 24-30 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020100	SL Crimp Terminal, Series 70058, Female, 32-36 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020101	SL Crimp Terminal, Series 70058, Female, 32-36 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020103	SL Crimp Terminal, Series 70058, Female, 22-24 AWG, with 0.38µm Selective Gold (Au) Plated Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0016020104	SL Crimp Terminal, Series 70058, Female, 22-24 AWG, with 0.76µm Selective Gold (Au) Plated Contact, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020105	SL Crimp Terminal, Series 70021, Male, with Tin (Sn) Plated Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020106	SL Crimp Terminal, Series 70021, Male, with Tin (Sn) Plated Contact, 32-36 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020107	SL Crimp Terminal, Series 70021, Male, with Tin (Sn) Plated Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020108	SL Crimp Terminal, Series 70021, Male, with Tin (Sn) Plated Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020111	SL Crimp Terminal, Series 70021, Male, with Tin (Sn) Plated Contact, 32-36 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020114	SL Crimp Terminal, Series 70021, Male, with Tin (Sn) Plated Contact, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020115	SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020116	SL Crimp Terminal, Series 70021, Male, with 0.76µm Selective Gold (Au) Plated Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020117	SL Crimp Terminal, Series 70021, Male, with 0.76µm Selective Gold (Au) Plated Contact, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020119	SL Crimp Terminal, Series 71851, Female, with 0.38µm Selective Gold (Au) Plated Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020139	SL Fem Crimp Term 24-30 50Gold Reel x	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0016020140	SL Fem Crimp Term 24-30 50Gold Loose x	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020150	SL Term Obsolete	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016020151	SL Term Obsolete	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021110	SL Crimp Terminal, Series 71851, Female, with Tin (Sn) Plated Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021111	SL Crimp Terminal, Series 71851, Female, with 0.76µm Selective Gold (Au) Plated Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021112	SL Crimp Terminal, Series 71851, Female, with Tin (Sn) Plated Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021113	SL Crimp Terminal, Series 71851, Female, with 0.76µm Selective Gold (Au) Plated Contact, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021115	SL Crimp Terminal, Series 71851, Female, with 0.76µm Selective Gold (Au) Plated Contact, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021116	SL Crimp Terminal, Series 71851, Female, with Tin (Sn) Plated Contact, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021118	SL Crimp Terminal, Series 71851, Female, with Tin (Sn) Plated Contact, 32-36 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021119	SL Crimp Terminal, Series 71851, Female, with Tin (Sn) Plated Contact, 32-36 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021120	SL Crimp Terminal, Series 71851, Female, with 0.38µm Selective Gold (Au) Plated Contact, 32-36 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0016021121	SL Crimp Terminal, Series 71851, Female, with 0.38µm Selective Gold (Au) Plated Contact, 32-36 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021124	SL Crimp Terminal, Series 71851, Female, with 0.38µm Selective Gold (Au) Plated Contact, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016021125	SL Crimp Terminal, Series 71851, Female, with 0.38µm Selective Gold (Au) Plated Contact, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0016060004	1.57mm Diameter PC Board Pin Terminal, Male, Tin Plated Brass Contact	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018092803	093 Male Crp Term Chain Tin 14-18	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018121221	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 2047, Female with Tin (Sn) Plated Brass Contact, 16-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018121222	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 2047, Female, with Tin (Sn) Plated Brass Contact, 16-18 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018121404	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 8947, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 16-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018121601	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1901, Female, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018121602	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1901, Female, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018122221	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 2046, Male, with Tin (Sn) Plated Brass Contact, 16-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018122222	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 2046, Male, with Tin (Sn) Plated Brass Contact, 16-18 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0018122601	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1900, Male, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0018122602	3.18mm Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1900, Male, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen