

Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0350220002	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220003	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220004	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220005	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 5 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220006	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 6 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220007	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 7 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220008	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 8 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220009	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 9 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220010	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 10 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220011	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 11 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220012	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 12 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220013	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 13 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0350220014	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 14 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220015	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 15 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350220016	2.50mm Pitch, Board-In Crimp Housing, Single Row, Right-Angle and Vertical, 16 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230002	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230003	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230004	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230005	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 5 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230006	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 6 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230007	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 7 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230008	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 8 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230009	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 9 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230010	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 10 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0350230011	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 11 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230012	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 12 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230013	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 13 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230014	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 14 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230015	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 15 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350230016	2.00mm Pitch, Board-In Crimp Housing, Right-Angle, 16 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350289010	1.78mm Tab Terminal, Female, 18-22 AWG (0.82-0.33mm ²), Pre-Tin Plated, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350289502	1.78mm Tab Terminal, Female, 20+2 AWG (0.52x2mm ²), Pre-Tin Plated, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350289902	1.78mm Tab Terminal, Female, 18-20 AWG (0.82-0.52mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350329901	7.92mm Tab Slip-on Wire-to-Wire, Terminal, Female, 10-12 AWG, Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350369802	.250mm Fuse Terminal, 0.85mm ² - 2.50mm ²	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350369902	.250mm Fuse Terminal, 0.30mm ² - 0.50mm ²	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0350409000	1.85mm Tab Terminal, Male, 16-18 AWG Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350409502	1.85mm Tab Terminal, Male, 14 AWG Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350409802	1.85mm Tab Terminal, Male, 18-20 AWG Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350449102	2.00/2.50mm Board-in Terminal, Pre- Tin Plating, Wire Insulation Diameter 1.50mm max.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350449103	2.00/2.50mm Board-in Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350449104	2.00/2.50mm Board-in Terminal, Pre- Tin Plating, Wire Insulation Diameter 1.90mm max.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350449260	2.00/2.50mm max. Board-in Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350479802	2.50mm Pitch Board-in Terminal, Pre-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350479810	2.50mm Pitch Board-in Terminal, Post-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350539002	2.50mm Pitch Wire-to-Wire Terminal, Male, 22-28 AWG (0.33-0.81mm ²), Tin-plated, Reel, for 35184 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350689702	MP-Lock Quick Disconnect, Female, for 20-22 AWG (0.52-0.33mm ²), Metal Strip, Tab 4.75 x 0.51mm, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350689802	MP-Lock Quick Disconnect, Female, for 16-20 AWG (1.31-0.52mm ²), Metal Strip, Tab 4.75 x 0.51mm, Pre- Tin Plated, Insertion Force 1.0-2.2kgf (9.8-21.6N)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0350689822	MP-Lock Quick Disconnect, Female, for 16-20 AWG (1.31-0.52mm ²), Metal Strip, Tab 4.75 x 0.80mm, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350689842	MP-Lock Quick Disconnect, Female, for 16-20 AWG (1.31-0.52mm ²), Metal Strip, Tab 4.75 x 0.51mm, Pre- Tin Plated, Insertion Force 0.8-1.4kgf (7.8-13.7N)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350689902	MP-Lock Quick Disconnect, Female, for 20x2, 20x18, 18x2 AWG (0.80-0.52mm ²), Metal Strip, Tab 4.75 x 0.51mm, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350698001	Crimp Terminal 35069, Female, 18 AWG, Phosphor Bronze, Tin (Sn) Plating, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350729702	MP-Lock Quick Disconnect, Female, for 18-22 AWG (0.80-0.33mm ²), Metal Strip, Tab 6.35 x 0.80mm, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350729802	MP-Lock Quick Disconnect, Female, for 14-18 AWG (2.00-0.80mm ²), Metal Strip, Tab 6.35 x 0.81mm, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350729902	MP-Lock Quick Disconnect, Female, for 10-14 AWG (5.26-2.08mm ²), Metal Strip, Tab 6.35 x 0.81mm, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350749002	Crimp Terminal 35074, Reel, Tin- Plated Brass Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350979702	MP-Lock Quick Disconnect with Vibration Support, Female, for 20-26 AWG (0.50-0.12mm ²), Metal Strip, Tab 2.79 x 0.51mm, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350979802	MP-Lock Quick Disconnect with Vibration Support, Female, for 16-20 AWG (1.30-0.50mm ²), Metal Strip, Tab 2.79 x 0.51mm, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350979812	MP-Lock Quick Disconnect, Female, for 16-20 AWG (1.30-0.51mm ²), Metal Strip, Tab 2.79 x 0.51mm, Pre- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0350989802	MP-Lock Quick Disconnect with Vibration Support, Female, for 16-20 AWG (1.30-0.50mm ²), Metal Strip, Tab 5.20 x 0.51mm, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351009002	Crimp Terminal 35100, Reel, Tin (Sn) Brass Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0351080192	2.36 HSG 1P (GLOW WIRE)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080193	D2.36 HOUSING-1P YEL(DAE WOO W/M)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080194	2.36 HSG 1P (GLOW WIRE)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080196	2.36 HSG 1P(GLOW WIRE)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080291	2.36 HSG 2P (GLOW WIRE)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080292	D2.36 HOUSING-2P RED(DAE WOO W/M)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080293	D2.36 HOUSING-2P YEL(DAE WOO W/M)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080294	D2.36 HOUSING-2P BLUE(DAE WOO W/M)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080295	2.36 HSG 2P (GLOW WIRE)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080296	D2.36 HOUSING-2P WHITE(DAE WOO W/M)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351080297	D2.36 HOUSING-2P GRAY(DAE WOO W/M)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351080299	2.36 HSG 2P (GLOW WIRE)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351091610	1.78mm Tab Wire-to-Board Female Housing, 5.00mm Pitch, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351270200	6.00mm Pitch Wire-to-Wire Male Housing, 2 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351270300	6.00mm Pitch Wire-to-Wire Male Housing, 3 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351270400	6.00mm Pitch Wire-to-Wire Male Housing, 4 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351270600	6.00mm Pitch Wire-to-Wire Male Housing, 6 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351271000	6.00mm Pitch Wire-to-Wire Male Housing, 10 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351280200	6.00mm Pitch Wire-to-Wire Female Housing, 2 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351280300	6.00mm Pitch Wire-to-Wire Female Housing, 3 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351280400	6.00mm Pitch Wire-to-Wire Female Housing, 4 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351280600	6.00mm Pitch Wire-to-Wire Female Housing, 6 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351281000	6.00mm Pitch Wire-to-Wire Female Housing, 10 Circuits, Vertical, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351290200	1.85mm Tab Wire-to-Wire Terminal Position Assurance (TPA) Retainer, 6.00mm, Pitch 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351290300	1.85mm Tab Wire-to-Wire Terminal Position Assurance (TPA) Retainer, 6.00mm Pitch, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351290400	1.85mm Tab, 6.00mm Pitch Wire-to- Wire Terminal Position Assurance (TPA) Retainer, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351290500	1.85mm Tab, 6.00mm Pitch Wire-to- Wire Terminal Position Assurance (TPA) Retainer, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351410201	2.00mm Diameter Wire-to-Wire Housing, Female, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351430201	2.00mm Diameter Wire-to-Wire Housing, Plug, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351430901	2.00mm Diameter Wire-to-Wire Housing, Plug, 9 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351430905	2.00mm Diameter Wire-to-Wire Housing, Plug, 9 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351500100	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 1 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500104	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 1 Circuit, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500109	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 1 Circuit, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500110	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 1 Circuit, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351500200	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500209	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500210	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500212	070 WW Rec HSG 2P Ear Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500214	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500219	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500290	VersaBlade Terminal Position Assurance (TPA) Retainer, 6.20mm Pitch, 2 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351500293	VersaBlade Terminal Position Assurance (TPA) Retainer, 6.20mm Pitch, 2 Circuits, Yellow	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351500300	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500304	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500309	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500310	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351500314	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500319	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500390	VersaBlade Terminal Position Assurance (TPA) Retainer, 7.30mm Pitch, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351500393	VersaBlade Terminal Position Assurance (TPA) Retainer, 7.30mm Pitch, 3 Circuits, Yellow	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351500394	VersaBlade Terminal Position Assurance (TPA) Retainer, 7.30mm Pitch, 3 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0351500400	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500404	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500409	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500410	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500412	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500414	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500419	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351500600	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500604	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500609	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500610	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500612	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500614	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351500619	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351502219	070 WW Rec HSG 2P Ear GWRed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351502319	070 WW Rec HSG 3P Ear GWRed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351503209	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351503219	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351503309	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 3 Circuits, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351503319	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351503609	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 6 Circuits, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351503619	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351504209	VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351504219	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351504319	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 3 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351504419	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351504619	VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 6 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510110	VersaBlade Hybrid Plug Housing, 1 Circuit, Positive Lock, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510112	070 WW Plug HSG 1P Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510114	VersaBlade Hybrid Plug Housing, 1 Circuit, Positive Lock, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510119	VersaBlade Hybrid Plug Housing, 1 Circuit, Positive Lock, Natural, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351510210	VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510211	070 WW Plug HSG 2P Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510212	070 WW Plug HSG 2P Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510214	VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510219	VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510310	VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510314	VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510319	VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510410	VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510412	VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510414	VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510419	VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351510610	VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510612	VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510614	VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351510619	VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351512219	VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Red, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351512319	070 WW Plug HSG 3P GWRed	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351513219	VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351513319	VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351513419	VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351513619	VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Yellow, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351514219	VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Blue, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351514319	VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Blue, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351514419	VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351514619	VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Blue, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351530300	6.90/11.70mm Pitch, 6.35mm Tab Wire-to-Board Housing for Capacitor, Female, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351530500	7.00/7.60/11.60mm Pitch, 6.35mm Tab Wire-to-Board Housing, Female, 5 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550200	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550201	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Black, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550202	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Red, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550203	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Yellow, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550204	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Blue, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550210	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550211	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Black, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550212	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Red, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351550300	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550301	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Black, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550302	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Red, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550303	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Yellow, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550304	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Blue, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550310	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550312	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Red, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550400	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550402	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Red, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550410	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550412	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Red, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550500	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0351550501	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Black, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550510	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550511	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Black, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550590	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, PBT/PC, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550600	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550601	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Black, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550602	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Red, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0351550610	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen