

Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|---------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727080122 | Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow-Wire Capable, 22 Circuit | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727080124 | Mini-Fit TPA2 Receptacle Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow-Wire Capable, 24 Circuit | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081002 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 2 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081004 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 4 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081006 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 6 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081008 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 8 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081010 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 10 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081012 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 12 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081014 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 14 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727081016 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 16 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727081018 | Mini-Fit Sigma Receptacle Housing, 4.20mm Pitch, Dual Row, Glow-Wire Capable, 18 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090001 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 1 Circuit, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090002 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 2 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090003 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 3 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090004 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 4 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090005 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 5 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090006 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 6 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090007 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 7 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090008 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 8 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090009 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 9 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727090010 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 10 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090011 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 11 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090012 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Low-Halogen, 12 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727090101 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 1 Circuit, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090102 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 2 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090103 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090104 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 4 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090105 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090106 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090107 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 7 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727090108 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 8 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090109 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 9 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090110 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 10 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090111 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 11 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727090112 | Mini-Fit TPA2 Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-2, Glow-Wire Capable, 12 Circuits, White | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727092001 | Mini-Fit Sigma Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Glow-Wire Capable, 1 Circuit, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727092002 | Mini-Fit Sigma Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Glow-Wire Capable, 2 Circuits, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727092003 | Mini-Fit Sigma Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Glow-Wire Capable, 3 Circuits, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727092004 | Mini-Fit Sigma Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Glow-Wire Capable, 4 Circuits, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727092005 | Mini-Fit Sigma Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Glow-Wire Capable, 5 Circuits, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727092006 | Mini-Fit Sigma Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Glow-Wire Capable, 6 Circuits, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727092007 | Mini-Fit Sigma Terminal Position Assurance (TPA) Retainer, 4.20mm Pitch, UL 94V-0, Glow-Wire Capable, 7 Circuits, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727181121 | Mini-Fit TPA2/Sigma Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 16 AWG, 1.98-2.55mm Insulation Diameter, Reel | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727183121 | Mini-Fit TPA2/Sigma Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20 AWG, 1.42-2.10mm Insulation Diameter, Reel | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727183122 | Mini-Fit TPA2/Sigma Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20 AWG, 1.42-2.10mm Insulation Diameter, Bag | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727185121 | Mini-Fit TPA2/Sigma Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 22-24 AWG, 1.07-1.65mm Insulation Diameter, Reel | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727185122 | Mini-Fit TPA2/Sigma Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 22-24 AWG, 1.07-1.65mm Insulation Diameter, Bag | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727186121 | Mini-Fit TPA2/Sigma Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 22-24 AWG, 1.65-2.38mm Insulation Diameter, Reel | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727186122 | Mini-Fit TPA2/Sigma Female Crimp Terminal, Brass, Pre-Plated Tin (Sn), 22-24 AWG, 1.65-2.38mm Insulation Diameter, Bag | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727301120 | Impel Plus 90 Ohm 3-Pair Right- Angle Daughtercard, 1.90mm Pitch, Unguided, 10 Columns, 60 Circuits, Plated Through Hole Dimension 0.31mm | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727301138 | Impel Plus 90 Ohm 3-Pair Right- Angle Daughtercard, 1.90mm Pitch, Unguided, 8 Columns, 48 Circuits, Plated Through Hole Dimension 0.31mm | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727620002 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 2 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727620004 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 4 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727620006 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 6 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727620008 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 8 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727620010 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 10 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727620012 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 12 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727620102 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 2 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727620104 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 4 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727620106 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 6 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727620108 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 8 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727620110 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 10 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727620112 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 12 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621002 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow- Wire Capable, 2 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621004 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow- Wire Capable, 4 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621006 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow- Wire Capable, 6 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621008 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow- Wire Capable, 8 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621010 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow- Wire Capable, 10 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621012 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow- Wire Capable, 12 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621014 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow- Wire Capable, 14 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727621016 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow-Wire Capable, 16 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727621018 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Glow-Wire Capable, 18 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727651121 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 16 AWG, 1.98-2.55mm Insulation Diameter, Reel | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727651122 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 16 AWG, 1.98-2.55mm Insulation Diameter, Bag | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727653121 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20 AWG, 1.42-2.10mm Insulation Diameter, Reel | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727653122 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20 AWG, 1.42-2.10mm Insulation Diameter, Bag | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727654121 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20, 22+22 AWG, 2.10-2.85mm Insulation Diameter, Reel, Double Crimp Option | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727654122 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 18-20 AWG, 2.10-2.85mm Insulation Diameter, Bag | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727655121 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 22-24 AWG, 1.07-1.65mm Insulation Diameter, Reel | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727655122 | Mini-Fit TPA2/Sigma Male Crimp Terminal, Brass, Pre-Plated Tin (Sn), 22-24 AWG, 1.07-1.65mm Insulation Diameter, Bag | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|-----------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727670002 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 2 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670004 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 4 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670006 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 6 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670008 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 8 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670010 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 10 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670012 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 12 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670014 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 14 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670016 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 16 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670018 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 18 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670020 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 20 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727670022 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 22 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727670024 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 24 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670102 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 2 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670104 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 4 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670106 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 6 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670108 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 8 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670110 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 10 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670112 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 12 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670114 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow- Wire Capable, 14 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670116 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow- Wire Capable, 16 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727670118 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow- Wire Capable, 18 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670120 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow- Wire Capable, 20 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670122 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow- Wire Capable, 22 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727670124 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2 Glow- Wire Capable, 24 Circuits, Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727671004 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 4 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727671006 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 6 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727671008 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 8 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727671010 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 10 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727671012 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-0, Low-Halogen, 12 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1727671104 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 4 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727671106 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 6 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727671108 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 8 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727671110 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 10 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727671112 | Mini-Fit TPA2 Plug Housing, 4.20mm Pitch, Dual Row, UL 94V-2, Glow- Wire Capable, 12 Circuits, Old Panel Mount | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673002 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 2 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673004 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 4 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673006 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 6 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673008 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 8 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673010 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 10 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673012 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 12 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1727673014 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 14 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673016 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 16 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1727673018 | Mini-Fit Sigma Plug Housing, 4.20mm Pitch, Dual Row, Panel Mount, UL 94V-0, Glow-Wire Capable, 18 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728010001 | NeoPress High-Speed Mezzanine Plug, 3.50mm Pitch, 6x14, 84 Triads (252 Circuits), 13.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728010005 | NeoPress High-Speed Mezzanine Plug, 3.50mm Pitch, 6x10, 60 Triads (180 Circuits), 13.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728010006 | NeoPress High-Speed Mezzanine Plug, 3.50mm Pitch, 6x10, 60 Triads (180 Circuits), 21.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728010009 | NeoPress High-Speed Mezzanine Plug, 3.50mm Pitch, 6x14, 84 Triads (252 Circuits), 18.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728010010 | NeoPress High-Speed Mezzanine Plug, 3.50mm Pitch, 8x20, 160 Triads (480 Circuits), 21.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728320005 | NeoPress High-Speed Mezzanine Receptacle, 3.50mm Pitch, 6x10, 60 Triads (180 Circuits), 18.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728320009 | NeoPress High-Speed Mezzanine Receptacle, 3.50mm Pitch, 6x14, 84 Triads (252 Circuits), 18.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1728320010 | NeoPress High-Speed Mezzanine Receptacle, 3.50mm Pitch, 8x20, 160 Triads (480 Circuits), 18.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728320013 | NeoPress High-Speed Mezzanine Receptacle, 3.50mm Pitch, 6x16, 96 Triads (288 Circuits), 18.50mm Connector Height, 0.76µm Gold (Au) Plating | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1728770002 | ValuSeal Plug Housing, 2 Circuit, 4.00mm Pitch, Positive Latch, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728770040 | ValuSeal Plug Housing, 4 Circuit, 4.00mm Pitch, Positive Latch, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728780002 | ValuSeal Receptacle Housing, 2 Circuit, 4.00mm Pitch, Positive Latch, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728780040 | ValuSeal Receptacle Housing, 4 Circuit, 4.00mm Pitch, Positive Latch, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790003 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 3 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790004 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 4 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790205 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 5 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790206 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 6 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1728790207 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 7 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790208 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 8 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790209 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 9 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790210 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 10 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790211 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 11 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1728790212 | 3.96mm Pitch EdgeMate Wire- to-Board Edge Card Connector, Female, Nylon 6, Black, UL94-V2, without Lock, Glow-Wire Capable, 12 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729520401 | Micro-Fit TPA Receptacle Housing, Dual Row, 4 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729520402 | Micro-Fit TPA Receptacle Housing, Dual Row, 4 Circuits, UL 94V-2, Glow-Wire Capable, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729520601 | Micro-Fit TPA Receptacle Housing, Dual Row, 6 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729520602 | Micro-Fit TPA Receptacle Housing, Dual Row, 6 Circuits, UL 94V-2, Glow-Wire Capable, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|---------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1729520801 | Micro-Fit TPA Receptacle Housing, Dual Row, 8 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729520802 | Micro-Fit TPA Receptacle Housing, Dual Row, 8 Circuits, UL 94V-2, Glow-Wire Capable, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729521001 | Micro-Fit TPA Receptacle Housing, Dual Row, 10 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729521002 | Micro-Fit TPA Receptacle Housing, Dual Row, 10 Circuits, UL 94V-2, Glow-Wire Capable, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729521201 | Micro-Fit TPA Receptacle Housing, Dual Row, 12 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729521202 | Micro-Fit TPA Receptacle Housing, Dual Row, 12 Circuits, UL 94V-2, Glow-Wire Capable, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729521401 | Micro-Fit TPA Receptacle Housing, Dual Row, 14 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729521402 | Micro-Fit TPA Receptacle Housing, Dual Row, 14 Circuits, UL 94V-2, Glow-Wire Capable, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729521601 | Micro-Fit TPA Receptacle Housing, Dual Row, 16 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729521801 | Micro-Fit TPA Receptacle Housing, Dual Row, 18 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1729522001 | Micro-Fit TPA Receptacle Housing, Dual Row, 20 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729522201 | Micro-Fit TPA Receptacle Housing, Dual Row, 22 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729522401 | Micro-Fit TPA Receptacle Housing, Dual Row, 24 Circuits, UL 94V-0, Low-Halogen, Black | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729530401 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 4 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729530402 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 4 Circuits, 3.00mm Pitch, UL 94V-2, Glow-Wire Capable, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729530601 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 6 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729530602 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 6 Circuits, 3.00mm Pitch, UL 94V-2, Glow-Wire Capable, Natural | Not Relevant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729530801 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 8 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729530802 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 8 Circuits, 3.00mm Pitch, UL 94V-2, Glow-Wire Capable, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729531001 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 10 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1729531002 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 10 Circuits, 3.00mm Pitch, UL 94V-2, Glow-Wire Capable, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729531201 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 12 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729531202 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729531401 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 14 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729531402 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 14 Circuits, 3.00mm Pitch, UL 94V-2, Glow-Wire Capable, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729531601 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 16 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729531602 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729531801 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 18 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729531802 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729532001 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 20 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1729532002 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729532201 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 22 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729532202 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1729532401 | Micro-Fit Terminal Position Assurance (TPA) Retainer, 24 Circuits, 3.00mm Pitch, UL 94V-0, Low-Halogen, Natural | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1729532402 | | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730410001 | ValuSeal Crimp Terminal, Male, 16-18 AWG, Tin (Sn) | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1730410002 | Male terminal 20-22AWG valuseal | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1730410003 | ValuSeal Crimp Terminal, Male, 16 AWG, Tin (Sn) | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1730420001 | ValuSeal Crimp Terminal, Female, 16-18 AWG, Tin (Sn) | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1730420002 | Female terminal 20-22 AWG valuseal | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |

Table A

| Molex P/N | Part Description | RoHS Compliance Status | REACH SVHC | Low-Halogen Status |
|------------------|----------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------|---------------------------|
| 1730420003 | ValuSeal Crimp Terminal, Female, 16 AWG, Tin (Sn) | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Low-Halogen |
| 1730610001 | ValuSeal Cavity Plug | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830002 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 2 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830003 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 3 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830004 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 4 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830005 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 5 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830006 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 6 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830007 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 7 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830008 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 8 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |
| 1730830009 | KK 508 Header, Vertical, with Polarizing Backwall, Tin (Sn) Plating, Glow-Wire Capable, 9 Circuits | Compliant | Not Contained Per - D(2021)10043-DC (17 Jan 2022) | Not Low- Halogen |