

Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359770590	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 5 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770594	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 5 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770690	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 6 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770790	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 7 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770890	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 8 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359770990	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 9 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359771090	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 10 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359771190	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 11 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359771290	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 12 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359771390	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 13 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359771490	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 14 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359771590	3.96mm Pitch Wire-to-Board Housing, Positive Lock, 15 Circuits, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359780170	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 2 Circuits, 4 Positions with Pins 2 and 3 Voided, Natural, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359780210	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 2 Circuits, Natural, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359780212	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 2 Circuits, Red, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359780213	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 2 Circuits, Yellow, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359780230	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 2 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780232	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 2 Circuits, Red, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780240	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 2 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780330	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 3 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780340	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 3 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780420	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 4 Circuits, Natural, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359780430	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 4 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780440	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 4 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359780530	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 5 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780540	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 5 Circuits, Natural, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780630	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 6 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780640	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 6 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780710	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 7 Circuits, Natural, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359780730	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 7 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780740	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 7 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780830	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 8 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780840	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 8 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780930	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 9 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359780940	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 9 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359781030	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 10 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359781040	3.96mm Pitch Wire-to-Board Header, Right-Angle, Low Profile, 10 Circuits, Natural, Polyester Alloy	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359781110	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 11 Circuits, Natural, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359781210	3.96mm Pitch Wire-to-Board Header, Vertical, Low Profile, 12 Circuits, Natural, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359790210	7.92mm Pitch Wire-to-Board Header, Vertical, 2 Circuits, White, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359790220	7.92mm Pitch Wire-to-Board Header, Right-Angle, 2 Circuits, Natural, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359790240	7.92mm Pitch Wire-to-Board Header, Vertical, 2 Circuits, with 11.40mm PC Tail, White, Polyester Alloy, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790242	7.92mm Pitch Wire-to-Board Header, Vertical, 2 Circuits, Red, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790244	7.92mm Pitch Wire-to-Board Header, Vertical, 2 Circuits, Blue, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790250	7.92mm Pitch Wire-to-Board Header, Right-Angle, 2 Circuits, Natural, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790260	7.92mm Pitch Wire-to-Board Header, Vertical, 2 Circuits, with 11.40mm PC Tail, White, Polyester Alloy, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790340	7.92mm Pitch Wire-to-Board Header, Vertical, 4 Circuits, White, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790344	7.92mm Pitch Wire-to-Board Header, Vertical, 4 Circuits, Blue, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0359790350	7.92mm Pitch Wire-to-Board Header, Right-Angle, 5 Circuits, White, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790440	7.92mm Pitch Wire-to-Board Header, Vertical, 4 Circuits, Natural, Short Pin, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790450	7.92mm Pitch Wire-to-Board Header, Vertical, 4 Circuits, Natural, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790540	7.92mm Pitch Wire-to-Board Header, Vertical, 5 Circuits, Natural, Short Pin, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790550	7.92mm Pitch Wire-to-Board Header, Vertical, 5 Circuits, White, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790610	7.92mm Pitch Wire-to-Board Header, Vertical, 6 Circuits, White, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359790620	7.92mm Pitch Wire-to-Board Header, Right-Angle, 6 Circuits, White, Nylon	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0359790640	7.92mm Pitch Wire-to-Board Header, Vertical, 6 Circuits, White, Short PC Tails, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0359790740	7.92mm Pitch Wire-to-Board Header, Vertical, 7 Circuits, White, Short PC Tails, Polyester Alloy, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0360421000	RECEPTACLE FULLY LOADED PR97027B	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0365000002	2.54mm Pitch DIN 41612 C Style Female Receptacle, Vertical, Through Hole, 0.60µm Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips, Solder Tail Length 2.90mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0365000025	C FML 96P CL1 AU ST 45	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365000026	2.54mm Pitch DIN 41612 C Style Female Receptacle, Vertical, Through Hole, 0.60µm Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips, Solder Tail Length 4.50mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365000027	2.54mm Pitch DIN 41612 C Style Female Receptacle, Vertical, Through Hole, 0.30µm Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips, Solder Tail Length 4.50mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365000098	2.54mm Pitch DIN 41612 C Style Female Receptacle, Vertical, Through Hole, 0.60µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, Solder Tail Length 2.90mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365000121	C FML 64P CL1 AU ST 45	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365000122	2.54mm Pitch DIN 41612 C Style Female Receptacle, Vertical, Through Hole, 0.60µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, Solder Tail Length 4.50mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365000123	2.54mm Pitch DIN 41612 C Style Female Receptacle, Vertical, Through Hole, 0.30µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, Solder Tail Length 4.50mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365010002	ASSY DIN41612 C/2 FML 48P PL2AU ST 2.9	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365010003	ASSY DIN41612 C/2 FML 48P PL3AU ST 2.9	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365010293	2.54mm Pitch DIN 41612 C/2 Style Female Receptacle, Vertical, Through Hole, 0.40µm Selective Gold (Au) Plating, 48 Circuits, Solder Tail Length 2.90mm, without Mounting Clips, No Flux Proof, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0365020001	2.54mm Pitch DIN 41612 Header, Right-Angle, Through Hole, 96 Circuits, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365020002	2.54mm Pitch DIN 41612 Header, Right-Angle, Through Hole, 96 Circuits, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365020003	ASSY DIN41612 C MALE PL3AU 96 POS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365020027	ASSY DIN41612 C MALE PL3AU 64 POS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365030001	ASSY DIN41612 C/2 MALE PL2AU 48POS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0365030002	2.54mm Pitch, DIN 41612, Style C/2, 48 Circuits, 0.76µm Gold (Au) Selective, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365030003	ASSY DIN41612 C/2 MALE PL3AU 48POS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365030015	DIN CONNECTOR	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365050003	2.54mm Pitch DIN 41612 B Style Female Receptacle, Vertical, Through Hole, 0.30µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, Solder Tail Length 2.90mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365050008	2.54mm Pitch DIN 41612 B Style Female Receptacle, Vertical, Through Hole, 0.60µm Selective Gold (Au) Plating, 64 Circuits, with Mounting Clips, Solder Tail Length 2.90mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365050026	2.54mm Pitch DIN 41612 B Style Female Receptacle, Vertical, Through Hole, 0.60µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, Solder Tail Length 4.50mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0365050027	2.54mm Pitch DIN 41612 B Style Female Receptacle, Vertical, Through Hole, 0.30µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, Solder Tail Length 4.50mm, No Flux Proof, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365070075	ASSEMBLY DIN 41612 B MALE 64 POS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0365090001	2.54mm Pitch DIN 41612 R Style Female Receptacle, Right-Angle, Through Hole, 1.10µm Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips or Sealing Strip, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365090002	2.54mm Pitch DIN 41612 Receptacle, Right-Angle, Through Hole, 96 Circuits, 0.76µm Gold (Au) Selective, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365090025	2.54mm Pitch DIN 41612 Receptacle, Right-Angle, Through Hole, with 64 Contacts Loaded, 1.27µm Gold (Au) Selective, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365090026	2.54mm Pitch DIN 41612 Receptacle, Right-Angle, Through Hole, 96 Circuits, with 64 Contacts Loaded, 0.76µm Gold (Au) Selective, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365090027	2.54mm Pitch DIN 41612 R Style Female Receptacle, Right-Angle, Through Hole, 0.30µm Selective Gold (Au) Plating, 64 Circuits, with Mounting Clips or Sealing Strip, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365090074	2.54mm Pitch DIN 41612 R Style Female Receptacle, Right-Angle, Through Hole, 0.60µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips or Sealing Strip, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365100025	2.54mm Pitch DIN 41612 Receptacle, R/2 Style, Right-Angle, Through Hole, 32 Circuits, 1.10µm Gold (Au) Selective, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365100026	ASSY DIN41612 R/2 FML 32P PL2AU	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365110002	2.54mm Pitch DIN 41612 Header, Through Hole, Vertical, Tail Length 2.90mm, 96 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0365110026	2.54mm Pitch DIN 41612 Header, Style R, Through Hole, Vertical, 0.60µm Gold (Au) Plating, Tail Length 4.50mm, 96 Circuits, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365110027	ASSY DIN41612 RMALE PL3AU 96POS L=4.5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365110074	ASSY DIN41612 RMALE PL2AU 96POS L=13	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365120074	2.54mm Pitch DIN 41612 Header, Vertical, Through Hole, 0.80µm Selective Gold (Au), 48 Circuits, PC Tail Length 13.00mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365140002	2.54mm Pitch DIN 41612 R Style Male Header with Wire-Wrap, Vertical, Through Hole Press-Fit, 0.80µm Selective Gold (Au) Plating Contact, Gold (Au) Flash Press-In and Wire-Wrap Area, 3 rows, 120 Circuits, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365150050	2.54mm Pitch DIN 41612 R Style Male Header with Wire-Wrap, Vertical, Through Hole Press-Fit, 0.60µm Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips, No First-Mate-Last-Break, Solder-tail Length 4.00mm, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365150098	2.54mm Pitch DIN 41612 Header, Style R, Vertical, Press-fit, 13.25mm PC Tail Length, 96 Circuits, 0.76µm Gold (Au) Selective, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365150242	2.54mm Pitch DIN 41612 R Style Male Header with Wire-Wrap, Vertical, Through Hole Press-Fit, 0.60µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, No First-Mate-Last-Break, Solder-tail Length 13.25mm, 1.25µm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365150459	2.54mm Pitch DIN 41612 R Style Male Header with Wire-Wrap, Vertical, Through Hole Press-Fit, 0.60µm Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips, No First-Mate-Last-Break, Solder-tail Length 15.10mm, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365150489	2.54mm Pitch DIN 41612 R Style Male Header with Wire-Wrap, Vertical, Through Hole Press-Fit, 0.60µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, No Premating Contact, Solder-tail Length 13.25mm, Gold (Au) Flash	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0365150497	2.54mm Pitch DIN 41612 R Style Male Header with Wire-Wrap, Vertical, Through Hole Press-Fit, 0.60µm Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, No First-Mate-Last-Break, Solder-tail Length 15.10mm, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365200002		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365210001	HOUSING DIN 41612 C MALE 96 POS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365280430	DIN41651 IDC STRAIGHT LONG LEVER 16 POS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365280442	PCB CONNECTOR MMA1600A262	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365280454	ASSEMBLY DIN41651 IDC STRAIGHT L=29MM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365350001	MLX Crimp Terminal 42024, 14-16 AWG, Reel, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0365350002	MLX Crimp Terminal 42024, 14-16 AWG, Loose, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0365360001	MLX Crimp Terminal 42023, 14-16 AWG, Reel, Tin (Sn), Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0365380001	6.35mm Pitch MLX Power Connector Header, Vertical, with Compliant Polarizing Peg, 2 Circuits, Unreinforced Polyester 94V-0, White, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365380007	6.35mm Pitch MLX Power Connector Header, Vertical, with Compliant Polarizing Peg, 7 Circuits, Unreinforced Polyester 94V-0, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0365380010	6.35mm Pitch MLX Power Connector Header, Vertical, with Compliant Polarizing Peg, 4 Circuits, Unreinforced Polyester 94V-0, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365380019	6.35mm Pitch MLX Power Connector Header, Vertical, with Compliant Polarizing Peg, 12 Circuits, Unreinforced Polyester 94V-0, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365390008	10.0mm Pitch Wire-to-Board Header Assembly, Vertical, Tin over Copper, 2 circuit, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0365690002	2.54mm Pitch DIN 41612 Receptacle, Vertical, Press Fit, 96 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365690007	CFL FLATROCK PRESSFIT CL 1/3 AU	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0365690008	CFL FLATROCK PRESSFIT CL 2/3 AU	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366080001	2 CKT HEADER HSG ASSLY WITHOUT POLPEG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366080004	4 CKT HEADER HSG ASSLY WITHOUT POLPEG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366170002	2.54mm Pitch DIN 41612 Receptacle, Right-Angle, Press Fit, 128 Circuits, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330008	Mini Fit Jr, Vert Header, T&R, 2ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330009	Mini Fit Jr, Vert Header, T&R, 4ckt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330010	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Dual Row, without Flange, 6 Circuits, Tin (Sn) over Nickel (Ni) Plating, Tape and Reel, Beige	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0366330022	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, Nylon, without Mounting Flange, 12 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330025	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Nylon, without Flange, 10 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free, Bulk Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330026	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Nylon, without Flange, 16 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free, Bulk Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330029	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Nylon, without Flange, 24 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free, Bulk Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330035	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Nylon, without Flange, 6 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free, Bulk Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330037	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Nylon, without Flange, 12 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free, Bulk Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330038	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Nylon, without Flange, 14 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free, Bulk Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330039	Mini-Fit Jr. Header, 4.20mm Pitch, Vertical, Nylon, without Flange, 18 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free, Bulk Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330040	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, Nylon, without Mounting Flange, 2 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330041	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, Nylon, without Mounting Flange, 6 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330042	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, Nylon, without Mounting Flange, 8 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330043	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, Nylon, without Mounting Flange, 14 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0366330044	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, Nylon, without Mounting Flange, 44 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366330046	Mini-Fit Jr. Header, 4.20mm Pitch, Right-Angle, Nylon, without Mounting Flange, 46 Circuits, Tin (Sn) over Nickel (Ni) Plating, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366380001	2.50mm, 3.50mm CMC Header, Right-Angle, 96 Position, 72 loaded, 2 Port, Black and Brown, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380002	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 1 Port, Black, Peg, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380003	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 1 Port, Brown, Peg, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380004	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 1 Port, Black, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380005	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 1 Port, Brown, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380006	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 36 loaded, 1 Port, Black, Peg, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380007	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 36 loaded, 1 Port, Brown, Peg, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380008	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 36 loaded, 1 Port, Black, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380009	2.50mm, 3.50mm CMC Header, Right-Angle, 48 Position, 36 loaded, 1 Port, Brown, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380010	2.50mm, 3.50mm CMC Header, Right-Angle, 96 Position, 72 loaded, 2 Port, Black and Brown, Peg, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0366380011	2.50mm, 3.50mm CMC Header, Right-Angle, 96 Position, 96 loaded, 2 Port, Black and Brown, Lead-Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380012	2.50mm, 3.50mm CMC Header, Right-Angle, 96 Position, 96 loaded, 2 Port, Black and Brown, Peg, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366380022	CMC HDR SPLIT PEG T3/BK/48 3.9 MNT HOLE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366420001	KK 396 Header, Vertical with Snap- In Pegs, Through Hole, 6 Circuits, No Polarizing Key at Circuit 4, Lead- Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430001	2.13mm Diameter MLX Plug Housing, 1 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430002	2.13mm Diameter MLX Plug Housing, 2 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430003	2.13mm Diameter MLX Plug Housing, 3 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430004	2.13mm Diameter MLX Plug Housing, 4 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430005	2.13mm Diameter MLX Plug Housing, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430006	2.13mm Diameter MLX Plug Housing, 9 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430007	2.13mm Diameter MLX Plug Housing, 12 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366430008	2.13mm Diameter MLX Plug Housing, 15 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0366430010	2.13mm Diameter MLX Plug Housing, 5 Circuits, PA Polyamide Nylon 6/6 94V-2, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366440001	2.13mm Diameter MLX Pin and Socket Receptacle, 1 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0366440002	2.13mm Diameter MLX Pin and Socket Receptacle, 2 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366440003	2.13mm Diameter MLX Pin and Socket Receptacle, 3 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366440004	2.13mm Diameter MLX Pin and Socket Receptacle, 4 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366440005	2.13mm Diameter MLX Pin and Socket Receptacle, 6 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366440006	2.13mm Diameter MLX Pin and Socket Receptacle, 9 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366440008	2.13mm Diameter MLX Pin and Socket Receptacle, 15 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366440010	2.13mm Diameter MLX Pin and Socket Receptacle, 5 Circuit, PA Polyamide Nylon 6/6 94V-2, Glow- Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0366460001	8 Way Sealed Header Assembly	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480002	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon, 94V-2, 2 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480003	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon, 94V-2, 3 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0366480004	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon, 94V-2, 4 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480005	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon, 94V-2, 6 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480006	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon, 94V-2, 9 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480007	2.13mm Diameter MLX Power Crimp Housing Plug, Nylon, 94V-2, 12 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480022	2.13mm Diameter MLX Pin and Socket Receptacle, 2 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480023	2.13mm Diameter MLX Pin and Socket Receptacle, 3 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480024	2.13mm Diameter MLX Pin and Socket Receptacle, 4 Circuits, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366480026	2.13mm Diameter MLX Pin and Socket Receptacle, 9 Circuit, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366630001	MLX Crimp Terminal, 10-12 AWG, Reel, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366630002	MLX Crimp Terminal, 10-12 AWG, Bag, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366640001	MLX Crimp Terminal 42024, 10-12 AWG, Reel, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0366640002	MLX Crimp Terminal 42024, 10-12 AWG, Loose, Tin (Sn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0366940016		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367210001	0W3748 AC FEEDBACK CABLE ASSEMBLY CHIRU	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570021	6.35mm Pitch MLX Power Connector Header, Pin Terminals, 2.13mm Contact Diameter, Vertical, with Plastic Polarizing Peg, 2 Circuits, Lead-Free, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570022	6.35mm Pitch MLX Power Connector Header, Pin Terminals, 2.13mm Contact Diameter, Vertical, with Plastic Polarizing Peg, 3 Circuits, Lead-Free, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570023	6.35mm Pitch MLX Power Connector Header, Pin Terminals, 2.13mm Contact Diameter, Vertical, with Plastic Polarizing Peg, 4 Circuits, Lead-Free, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570024	6.35mm Pitch MLX Power Connector Header, Pin Terminals, 2.13mm Contact Diameter, Vertical, with Plastic Polarizing Peg, 6 Circuits, Lead-Free, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570061	6.35mm Pitch MLX Power Connector Header, Socket Terminals, 2.13mm Contact Diameter, Vertical, with Plastic Polarizing Peg, 2 Circuits, Lead-Free, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570062	6.35mm Pitch MLX Power Connector Header, Socket Terminals, 2.13mm Contact Diameter, Vertical, with Plastic Polarizing Peg, 3 Circuits, Lead-Free, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570063	6.35mm Pitch MLX Power Connector Header, Socket Terminals, 2.13mm Contact Diameter, Vertical, with Plastic Polarizing Peg, 4 Circuits, Lead-Free, White, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570102	6.35mm Pitch MLX Power Connector Header with Pin Terminal, Vertical, 3 Circuits, Nylon 6/6 94V-2, Tin (Sn) Plating, Natural, Lead-Free, Glow- Wire Capable with CTI of 325V	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570103	6.35mm Pitch MLX Power Connector Header with Pin Terminal, Vertical, 4 Circuits, Nylon 6/6 94V-2, Tin (Sn) Plating, Natural, Lead-Free, Glow- Wire Capable with CTI of 325V	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570104	6.35mm Pitch MLX Power Connector Header with Pin Terminal, Vertical, 6 Circuits, Nylon 6/6 94V-2, Tin (Sn) Plating, Natural, Lead-Free, Glow- Wire Capable with CTI of 325V	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0367570105	6.35mm Pitch MLX Power Connector Header with Pin Terminal, Vertical, 9 Circuits, Nylon 6/6 94V-2, Tin (Sn) Plating, Natural, Lead-Free, Glow- Wire Capable with CTI of 325V	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570106	6.35mm Pitch MLX Power Connector Header with Pin Terminal, Vertical, 12 Circuits, Nylon 6/6 94V-2, Tin (Sn) Plating, Natural, Lead-Free, Glow-Wire Capable with CTI of 325V	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570107	6.35mm Pitch MLX Power Connector Header with Pin Terminal, Vertical, 15 Circuits, Nylon 6/6 94V-2, Tin (Sn) Plating, Natural, Lead-Free, Glow-Wire Capable with CTI of 325V	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0367570142	6.35mm Pitch MLX Power Connector Header with Socket Terminal, Vertical, 3 Circuits, Nylon 6/6 94V-2, Tin (Sn) Plating, Natural, Lead-Free, Glow-Wire Capable with CTI of 325V	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen