

Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit www.molex.com



Haim Eliyahu
Director, Global Product Stewardship

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0353632060	2.00mm Pitch Sherlock Wire-to- Board Header, Right-Angle, with Positive Lock, 20 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0353741810	0.76/2.29mm Tab Wire-to-Wire Duomate Hybrid Female Housing, 18 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0353761810	0.76/2.29mm Tab Wire-to-Wire Duomate Hybrid Male Housing, 18 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0353784810	0.76/2.29mm Tab Wire-to-Wire Duomate Hybrid Female Housing, 48 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0353804810	0.76/2.29mm Tab Wire-to-Wire Duomate Hybrid Male Housing, 48 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354076102	2.28mm Terminal, Female, 0.3-0.5 AVSS, 0.25mm Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354076202	2.28mm Terminal, Female, 2.0 AVSS, 0.25mm Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354076502	2.28mm Terminal, Female, 0.85-1.25 AVSS, 0.25mm Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354076702	2.28mm Sealed Terminal, Female, 0.30-0.50mm ² AVSS, 0.25mm Material Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354076802	2.28mm Sealed Terminal, Female, 0.85-1.25mm ² AVSS, 0.25mm Material Thickness, Pre-Tin Plated, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354076812	090 sealed F/Ter'l(for Stick Coil Conn.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354076902	2.28mm Sealed Terminal, Female, 2.00mm ² AVSS, 0.25mm Material Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0354089102	2.28mm Tab Terminal, 0.30mm Thickness, 0.3-0.5 AVSS, 0.25mm Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354089202	2.28mm Tab Terminal, 0.30mm Thickness, 2.0 AVSS, 0.25mm Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354089502	2.28mm Tab Terminal, 0.30mm Thickness, 0.85-1.25 AVSS, 0.25mm Thickness, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354136102	Mini Fuse Terminal for Fuse Box, 8.00mm Pitch, Wire Size 0.30~0.50mm ² , Pre-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354136202	MINI FUSE TERM(18MM PITCH	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354136302	MINI FUSE TERM(18MM PITCH	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354136602	Mini Fuse Terminal for Fuse Box, 16.00mm Pitch, Wire Size 0.30~0.50mm ² , Pre-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354136702	Mini Fuse Terminal for Fuse Box, 16.00mm Pitch, Wire Size 0.85~1.25mm ² , Pre-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354136802	Mini Fuse Terminal for Fuse Box, 16.00mm Pitch, Wire Size 2.00~3.00mm ² , Pre-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354136902	MINI FUSE TERMINAL	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0354179002	1.27mm Tab Terminal, Brass, Wire Range 18-22 AWG (0.85-0.30mm ²), Pre-Tin Plated, Smaller Conductor Crimp Area	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354179802	1.27mm Tab Terminal, Brass, Wire Range 18-22 AWG (0.85-0.30mm ²), Pre-Tin Plated, Larger Conductor Crimp Area	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0354189002	MP-Lock Quick Disconnect with Vibration Support, Flag Type, Metal Strip, Tab 2.79 x 0.51mm, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354209702	Tab Crimp Terminal 35420, AVS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354209802	Tab Crimp Terminal 35420, AVS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354209902	Tab Crimp Terminal 35420, AVSS 2f	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354216102	Tab Crimp Terminal 35421, AVS (CAVS) 0.30-0.50 ² , Use With 35382 Hybrid Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354216202	Tab Crimp Terminal 35421, AVS (CAVS) 0.50-1.25 ² , Use With 35382 Hybrid Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354216302	Tab Crimp Terminal 35421, AVSS 2f, Use With 35382 Hybrid Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354216702	Tab Crimp Terminal 35421, AVS (CAVS) 0.30-0.50mm ²	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354216802	Tab Crimp Terminal 35421, AVS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354269702	Crimp Terminal 35426, 0.85mm ² AVSS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354279700	6.00mm Tab Wire-to-Wire Terminal, Female, One-Piece Type, Wire Range AVS , Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354279702	6.00mm Tab Wire-to-Wire Terminal, Female, One-Piece Type, Wire Range AVS , Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0354279710	6.00mm Tab Wire-to-Wire Terminal, Female, One-Piece Type, Wire Range AVC , Unplated, Higher Contact Insertion/Withdrawal Force	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354279802	6.00mm Tab Wire-to-Wire Terminal, Female, One-Piece Type, Wire Range AVS , Tin-Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354279810	6.00mm Tab Wire-to-Wire Terminal, Female, One-Piece Type, Wire Range AVS , Unplated, Higher Contact Insertion/Withdrawal Force	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354279900	6.00mm Tab Wire-to-Wire Terminal, Female, One-Piece Type, Wire Range AVS , Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354279910	6.00mm Tab Wire-to-Wire Terminal, Female, One-Piece Type, Wire Range AVS , Unplated, Higher Contact Insertion/Withdrawal Force	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354301800	6.00mm Tab Wire-to-Wire Terminal, Female, Two-Piece Type, Wire Range AVS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354301900	6.00mm Tab Wire-to-Wire Terminal, Female, Two-Piece Type, Wire Range AVS	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354388000	Contact Terminal for PT Bulb Socket, 0.5-0.85mm ² Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354398000	2.00mm Bulb-Socket Earth Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354419110	0.187mm Female Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354419210	4.75mm Tab Box Terminal, Wire Range AVS (CAVS) 0.85mm ² ; - AVS (CAVS) 1.25mm ² ;; Brass, Lead-free, Pre-Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354419902	0.187mm Female Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0354529802	6.35mm Tab, Heavy Tab Terminal, A-type, 16-18 AWG (1.31-0.80mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354529902	6.35mm Tab Heavy, Tab Terminal, A-type, 12-14 AWG (3.00-2.00mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354539802	6.35mm Tab Heavy, Tab Terminal, Type B, 16-18 AWG (1.31-0.80mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354539902	6.35mm Tab Heavy, Tab Terminal, Type B, 12-14 AWG (3.00-2.00mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0354542702	2.29mm Diameter MagKrimp Pin Cluster Block Connector Terminal, Wire Range CMA 400-1600	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354548002	3.18mm Diameter MagKrimp Pin Cluster Block Connector Terminal, Wire Range CMA 4000-8000	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354648000	Positive Terminal for PT Bulb Socket, AVSS 0.50~0.85mm ²	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354658000	Earth Terminal for PT Bulb Socket, AVSS 0.50~0.85mm ²	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354779002	Wedge Bulb Socket Terminal, Sealed/Unsealed Type, Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354779702	Wedge Terminal 14.50mm Pitch	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0354929502	.187 RECEPTACLE TERMINAL	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355060510	2.79mm MP-Lock Tab Housing, Female, 5 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355070200	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070201	2.00mm Pitch Sherlock Wire-to- Board Housing, Black, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070202	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070203	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070204	2.00mm Pitch Sherlock Wire-to- Board Housing, Blue, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070300	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070302	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070304	2.00mm Pitch Sherlock Wire-to- Board Housing, Blue, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070400	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070500	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070501	2.00mm Pitch Sherlock Wire-to- Board Housing, Black, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070502	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355070600	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070601	2.00mm Pitch Sherlock Wire-to- Board Housing, Black, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070602	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070603	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070604	2.00mm Pitch Sherlock Wire-to- Board Housing, Blue, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070700	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 7 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070703	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 7 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070800	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 8 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070802	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 8 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355070900	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 9 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071000	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 10 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071100	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 11 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355071200	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 12 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071300	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 13 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071400	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 14 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071500	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 15 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071502	2.00mm Pitch Sherlock Wire-to- Board Housing, Red, 15 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071503	2.00mm Pitch Sherlock Wire-to- Board Housing, Yellow, 15 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071600	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071700	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 17 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071702	NEW 20 WB CONNHOUSING RED	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071800	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 18 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355071900	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 19 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355072000	2.00mm Pitch Sherlock Wire-to- Board Housing, Natural, 20 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355080700	3.00mm Pitch 1.00mm Diameter Wire-to-Board Receptacle Housing Single Row	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355090800	3.00mm Pitch 1.00mm Diameter Wire-to-Board Receptacle Housing Dual Row, 8 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355120200	6.40mm Pitch Housing for Wedge Bulb Socket, Female, Sealed, 2 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355150301	2.28mm Tab Housing for Fuel Pump Flange, Female, Sealed, 6.20mm Pitch, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355191600	2.29/6.35mm Tab Hybrid Wire-to- Wire Housing, Female, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0355191601	2.29/6.35mm Tab Hybrid Wire-to- Wire Housing, Female, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355191603	2.29/6.35mm Tab Hybrid Wire-to- Wire Housing, Female, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355222403	1.27/2.29/6.35mm Tab Hybrid Wire- to-Wire Housing, Male, 24 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355231600	2.29/6.35mm Tab Hybrid Wire-to- Wire Housing, Male, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355231601	2.29/6.35mm Tab Hybrid Wire-to- Wire Housing, Male, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355240920	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355240924	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Blue	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355240929	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Natural, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355244929	VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, with Mounting Ears, 9 Circuits, Blue, Glow-Wire Capable	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355250200	1.78mm Tab Multiple Female Housing, 2 Circuits, Vertical	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355281200	2.50mm Pitch Wire-to-Wire Male Housing with Mounting Ear, Positive Locking, Vertical, 12 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355281300	2.50mm Pitch Wire-to-Wire Male Housing with Mounting Ear, Positive Locking, Vertical, 13 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355301100	2.50mm Pitch Wire-to-Wire Female Housing with Positive Locking, Vertical, 11 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355301200	2.50mm Pitch Wire-to-Wire Female Housing with Positive Locking, Vertical, 12 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355301300	2.50mm Pitch Wire-to-Wire Female Housing with Positive Locking, Vertical, 13 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355301400	2.50mm Pitch Wire-to-Wire Female Housing with Positive Locking, Vertical, 14 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355320301	Bulb Socket Double Housing Assembly, Unsealed, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0355320305	PT Bulb Socket Double Housing Assembly, Type A, P21/5W, Unsealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0355320306	Bulb Socket Double Housing Assembly, Unsealed, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355330205	PT Bulb Socket Single Housing Assembly, Type A, P21W, Unsealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355330206	PT Bulb Socket Single Housing Assembly, Type A, Unsealed, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355330215	PT Bulb Socket Single Housing Assembly, Type B, P21W, Unsealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Reviewed
0355330216	PT Bulb Socket Single Housing Assembly, Type B, Unsealed, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355330221	PT Bulb Socket Single Housing Assembly, Type C, Unsealed, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355330225	PT Bulb Socket Single Housing Assembly, Type C, Unsealed, Gray	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355330226	PT Bulb Socket Single Housing Assembly, Type C, P21W, Unsealed, White	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355460700	6.35mm Tab Multiple Wire-to-Wire Female Housing, 7 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355470300	6.35mm Tab Multiple Wire-to-Wire Male Housing, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355470309	.250 Multi WtW Conn. Plug HSG-3P (GWIT)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355470400	6.35mm Tab Multiple Wire-to-Wire Male Housing, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355470409	.250 Multi WtW Conn. Plug HSG- 4P (GWIT)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355480300	3.18mm Diameter Pin MagKrimp Cluster Block Connector Housing, Glass-filled, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355490200	FPF FEMALE HOUSING-2P	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0355490300	FPF FEMALE HOUSING-3P	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355601810	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 18 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355601811	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 18 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355602410	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 24 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355602411	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 24 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355603010	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 30 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355603011	2.00mm Pitch Wire-to-Board Housing, Female, Dual Row, 30 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355631610	040 W/B FEMALE HSG ASSY	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355631615	1.02mm Tab Wire-to-Board Housing, Female, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355642015	1.02mm Tab Wire-to-Board Housing, Female, 20 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355660410	SMPS W/B CONN. 4P HSG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355720300	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720400	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 4 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720402	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 4 Circuits, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720500	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 5 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720600	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 6 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720602	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 6 Circuits, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720700	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 7 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720800	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 8 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355720900	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 9 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355721000	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 10 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355721002	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 10 Circuits, Red	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355721100	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 11 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355721200	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 12 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355721300	2.50mm Pitch Wire-to-Wire and Wire-to-Board Housing, Positive Lock, PBT, 13 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355730300	5.83mm Pitch Cluster Block Terminal Housing, for 2.29mm Diameter Pin, 3 Circuits, Natural	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0355850300	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 3 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355850400	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 4 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355850500	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 5 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355850600	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 6 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355850700	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 7 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355850900	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 9 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355851100	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 11 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355851200	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 12 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0355851300	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 13 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355851400	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 14 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0355851500	2.00mm Pitch Sherlock II Wire-to- Board Housing, Female, Positive Lock, 15 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0357030260	4.75mm Tab Slip-On Terminal, Female, 16-20 AWG, for 0.51mm Tab Thickness, Post-Tin (Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110200	2.79mm Slip-In Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110210	2.79mm Slip-In Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110400	2.79mm Slip-On Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110410	2.79mm Slip-On Tab, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110600	2.79mm Slip-In Receptacle, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110611	2.79mm Slip-In Receptacle, Quick Disconnect, 0.45mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110700	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110710	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357110711	.110 SLIP-ON Rec' Ter'l(Low Tensiosn)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357110800	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357111100	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357111110	2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.80mm Tab Thickness, Wire Range 20-22 AWG (0.52-0.33mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357160110	2.36mm Diameter Pin Wire-to-Board Terminal, Female, Brass, Wire Range 20-24 AWG (0.52-0.20mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357160111	2.36mm Diameter Pin Wire-to- Board Terminal, Female, Phosphor Bronze, Wire Range 20-24 AWG (0.52-0.20mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357160190	2.36mm Diameter Pin Wire-to-Board Terminal, Female, Brass, Wire Range 20-24 AWG (0.52-0.20mm ²), Pre-Ni Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357160193	2.36mm Diameter Pin Wire-to-Board Terminal, Female, Brass, Wire Range 20-24 AWG (0.52-0.20mm ²), Pre-Ni Plated, Low Tension	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357180810	4.75mm Tab Slip-On Receptacle Terminal, Quick Disconnect, Female, 1.00mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357180900	4.75mm Tab Slip-On Terminal, Female, 0.51mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357181000	4.75mm Tab Slip-On Terminal, Quick Disconnect, Female, Wire Range 16-20 AWG (1.31-0.52mm ²), 0.81mm Tab Thickness, Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357181010	4.75mm Tab Slip-On Terminal, Quick Disconnect, Female, 0.81mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

Table A

Molex P/N	Part Description	RoHS Compliance Status	REACH SVHC	Low-Halogen Status
0357181110	4.75mm Tab Slip-On Terminal, Quick Disconnect, Female, 1.20mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357181210	Quick Disconnect Flag Terminal for 1.31-0.52mm ² 18-20 AWG Wire, Accepts 4.75 x 0.81mm Tab, Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357181510	4.75mm Tab Slip-On Terminal, Quick Disconnect, Female, 0.50mm Tab Thickness, Wire Range 10-14 AWG (5.26-2.08mm ²), Post-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357181710	4.75mm Safe Lock Terminal, Quick Disconnect, Female, 0.30mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357181810	4.75mm Safe Lock Terminal, Quick Disconnect, Female, 0.30mm Tab Thickness, Wire Range 18-20 AWG (0.80-0.52mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357182100	4.75mm Tab Safe Lock Terminal, Quick Disconnect, Female, 0.81mm Tab Thickness, Wire Range 16-20 AWG (1.30-0.50mm ²), Unplated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357182110	4.75mm Tab Safe Lock Terminal, Quick Disconnect, Female, 0.81mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm ²), Pre-Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0357201110	5.21mm Slip-On Receptacle Terminal, Quick Disconnect , 0.50mm Tab Thickness, Wire Range 22-24 AWG (0.33-0.20mm ²), Post- Tin Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen