

## Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Director, Global Product Stewardship

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0194280030	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 10 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194280031	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 12 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194280032	5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, Gold (Au) Plated, 16 Circuits	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290009	MX150L 4 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290016	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194290028	MX150L 6 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290029	MX150L 8 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290030	MX150L 10 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290031	MX150L 12 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194290032	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290033	MX150L 2 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290035	MX150L 4 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0194290037	MX150L 8 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290038	MX150L 10 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194290039	MX150L 12 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194290040	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Rear Mount Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194290048	MX150L 16 Circuit Panel Mount Plug for 14-22 AWG Wire, Through Hole Flange Assembly, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194310001	MX150L Male Terminal for 10-12 AWG Wire, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194310013	MX150L Circuit Plug to be Used with 8, 10 and 12 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194310016	MX150L Male Terminal for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194310017	MX150L Male Terminal for 8 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194320001	MX150L 4 Circuit Female Receptacle for 10-12 AWG Wire, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194320002	MX150L 4 Circuit Female Receptacle for 8 AWG Wire, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194320003	4 CKT RECPT 10-12 AWG MX150L NO CPA	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0194320006	6 CKT RECPT 8 AWG W/CPA MX150L	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194320008	6 CKT RECPT 8 AWG NO CPA MX150L	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194320013	MX150L 2 Circuit Female Sealed Receptacle for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194320014	MX150L 2 Circuit Female Sealed Receptacle for 8 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194320015	2 CKT RECPT 10-12 AWG NO CPA MX150L	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194320026	4CKT RCPT 8AWG NO CPA W/ FACE SEAL MX150L	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194330001	MX150L 4 Circuit Plug for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194330002	MX150L 4 Circuit Plug for 8 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194330013	MX150L 2 Circuit Plug for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194330014	MX150L 2 Circuit Plug for 8 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194340001	MX150L Female Terminal for 10-12 AWG Wire, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194340002	MX150L Female Terminal for 8 AWG Wire, Metal Strip Carrier	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0194340003	MX150L Female Terminal for 10-12 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194340004	MX150L Female Terminal for 8 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194350614	MX150L 6 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194350811	MX150L 8 Circuit Rear Mounted Flange Plugs for 14-16 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194350814	MX150L 8 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194350819	8CKT SEALED PNL MNT PLG 22-18 (B) NO GKT	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194351014	MX150L 10 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194351212	MX150L 12 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194351214	MX150L 12 Circuit Rear Mount Flange Plug for 18-22 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194351219	12 WAY PNL MNT ASSY KEY B 22-18 NO GSKT	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194360211	MX150L 2 Circuit Rear Mount Flange Sealed Panel Mount Plug for 10-12 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194360411	MX150L 4 Circuit Rear Mount Flange Sealed Panel Mount Plug for 10-12 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0194360412	MX150L 4 Circuit Rear Mount Flange Sealed Panel Mount Plug for 8 AWG Wire, with Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194360413	MX150L 4 Circuit Rear Mount Flange Sealed Panel Mount Plug for 10-12 AWG Wire, without Gasket, Black	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0194370029	MX150L 4 Circuit Right-Angle Header with Panel Gasket 8 to 12 AWG Wire	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194370040	MX150L 6WAY RA PCB HDR ASSY 12 10 8 AWG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0194400001	MX150L 16WAY BRKAWAY VERT HDR ASSY TIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0195021011	INSULATED FERRULE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0196001302	Avikrimp Fully Insulated Female Quick Disconnect	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196001304	Avikrimp Fully Insulated Female Quick Disconnect	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196001307	Avikrimp Fully Insulated Female Quick Disconnect	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196001308	Avikrimp Fully Insulated Female Quick Disconnect	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196020004	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 18-22 AWG, Red Insulator, Loose	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196020005	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 14-16 AWG, Blue Insulator, Loose	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0196020010	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 18-22 AWG, Red Insulator, Tape	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196020011	Avikrimp Fully Insulated Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 14-16 AWG, Blue Insulator, Tape	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196060001	InsulKrimp Quick Disconnect, Female, for 10-12 (5.26-3.30mm <sup>2</sup> ), Continuous Molded Strip, Tab 6.35 x 0.81mm, Yellow	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196060002	InsulKrimp Quick Disconnect, Female, for 10-12 (5.26-3.30mm <sup>2</sup> ), Bag, Tab 6.35 x 0.81mm, Yellow	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196060003	InsulKrimp Quick Disconnect, Female, for 10-12 (5.26-3.30mm <sup>2</sup> ), Mylar Tape, Tab 6.35 x 0.81mm, Yellow	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196060004	Avikrimp Quick Disconnect, Female, for 10-12 (5.00-3.30mm <sup>2</sup> ) Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196060005	Avikrimp Fully Insulated Quick Disconnect, Female, for 10-12 AWG Wire, Box	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0196060006	Avikrimp Fully Insulated Quick Disconnect, Female, for 10-12 AWG Wire, Mylar Tape	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197054001	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197054101	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 4.75 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197054103	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 4.75 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197054201	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0197054203	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197054204		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197054301	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197054303	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197084003	PCB Tab Quick Disconnect, Male, for Wire, Metal Strip, Tab 4.75 x 0.51mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197084023	PCB TERM..187X.020 PLATED 197084023	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197114001	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197114003	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197114007	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197114203	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197124001	PCB Tab Quick Disconnect, Male, for Wire, Box, Tab 2.79 x 0.51mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197134001	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Box, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0197134003	PCB Tab Right Angle Quick Disconnect, Male, for Wire, Metal Strip, Tab 6.35 x 0.81mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197134004	.250 X .032 PCB Terminal Plated	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234002	.156 RECEP STRIP PLT,7M/REEL (197234002)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234003	.156 RECEP STRIP PLT,7M/REEL (197234003)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0197234100	VibraKrimp Open Barrel Strip Snap Plug Receptacle, with Strain Relief And Dimple	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234101	VibraKrimp Open Barrel Strip Snap Plug Receptacle with Strain Relief	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234102	VibraKrimp Open Barrel Strip Snap Plug Receptacle, with Strain Relief And Dimple	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234103	VibraKrimp Open Barrel Strip Snap Plug Receptacle with Strain Relief	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0197234200	.180 RECEP STRIP UNPLT,6M/RL W/DIMPLE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234202	.180 RECEP STRIP PLT,6M/RL W/ DIMPLE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234400	VibraKrimp Open Barrel Strip Snap Plug Receptacle, with Strain Relief And Dimple	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234401	VibraKrimp Open Barrel Strip Snap Plug Receptacle with Strain Relief	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0197234402	VibraKrimp Open Barrel Strip Snap Plug Receptacle, with Strain Relief And Dimple	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197234403	VibraKrimp Open Barrel Strip Snap Plug Receptacle with Strain Relief	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197244000	Krimptite Snap Plug for 14-18 AWG Wire, Open Barrel Strip, Unplated, Fits Diameter 3.96mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197244100	VibraKrimp Snap Plug for 14-18 AWG Wire, Strain Relief, Unplated, Fits Diameter 3.96mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197244102	VibraKrimp Snap Plug for 14-18 AWG Wire, Strain Relief, Plated, Fits Diameter 3.96mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0197244402	VibraKrimp Snap Plug for 14-18 AWG Wire, Strain Relief, Plated, Fits Diameter 4.57mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0210200053	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 51.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200055	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200057	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200058	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200061	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200064	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200065	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200071	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 6 Circuits, 305.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200072	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 6 Circuits, 305.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200073	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200075	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 51.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200077	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200079	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200083	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 8 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200084	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 8 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200095	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200096	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200100	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200102	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200103	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200106	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200109	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200110	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200112	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 229.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200113	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 10 Circuits, 254.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200116	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 10 Circuits, 305.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200126	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200128	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200129	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200130	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200131	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 12 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200134	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 12 Circuits, 229.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200147	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 14 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200148	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200150	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 14 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200159	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 14 Circuits, 305.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200161	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200164	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 51.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200166	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200172	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200173	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200174	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200175	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 16 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200176	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200182	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 16 Circuits, 305.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200189	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 18 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200190	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 18 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200191	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 18 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200195	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 18 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200197	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 18 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200206	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200210	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200212	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200214	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200216	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200217	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200218	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200220	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200223	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 20 Circuits, 254.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200226	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 20 Circuits, 305.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200233	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 22 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200234	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 22 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200241	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 22 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200245	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 22 Circuits, 254.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200246	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 22 Circuits, 254.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200254	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 24 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200258	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 24 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200260	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 24 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200265	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 24 Circuits, 229.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200271	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200277	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200280	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 26 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200283	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200286	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 26 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200291	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 26 Circuits, 305.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200301	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 28 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200316	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200318	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 30 Circuits, 51.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200342	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 32 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200343	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 32 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200348	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 32 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200350	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 32 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200374	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 34 Circuits, 203.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200377	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 34 Circuits, 254.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200381	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 36 Circuits, 30.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200393	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 36 Circuits, 178.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200427	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 51.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200431	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200433	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200436	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 40 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0210200443	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 40 Circuits, 254.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200815	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 13 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200837	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 15 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200838	0.50mm Pitch Premo-Flex FFC Jumper, Opposite Side Contacts (Type D), 15 Circuits, 102.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200841	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 15 Circuits, 127.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200843	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 15 Circuits, 152.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200925	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 23 Circuits, 76.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen
0210200945	0.50mm Pitch Premo-Flex FFC Jumper, Same Side Contacts (Type A), 25 Circuits, 51.00mm Cable Length, Tin(Sn) Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Low- Halogen