

## Product Compliance Statement

March 16, 2022

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:

- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments, including the Directive EU 2015/863 which additionally prohibited four phthalates. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, PBDE, DBP, BBP, DIBP, DEHP, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at <https://echa.europa.eu/candidate-list-table>.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Haim Eliyahu  
Director, Global Product Stewardship

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0500028110	2.0 TERMINAL 2.0 B-B TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500118000	2.00mm Pitch MicroBlade Wire-to- Wire Crimp Terminal, Female, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500118100	2.00mm Pitch MicroBlade Wire-to- Wire Crimp Terminal, Female, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500128000	2.00mm Pitch Crimp Terminal, Reel, for 51006 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500128100	2.00mm Pitch Crimp Terminal, Bag, for 51006 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500138000	2.00mm Pitch Crimp Terminal, Reel, for 51005 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500138100	2.00mm Pitch Crimp Terminal, for 51005 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500208111	1.5 B/B TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500208112	1.5 B/B TERM 1.5 B/B TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500208116	1.5 B/B TERM 1.5 B/B TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500348000	2.00mm Pitch, Board-in Male Crimp Terminal, Vertical, Post-Tin Plated, 26-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500348100	2.00mm Pitch Board-in Crimp Terminal 50034, Bag, 26-30 AWG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0500388000	2.50mm Pitch Mizu-P25 Crimp Terminal, 50038, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500388100	2.50mm Pitch Mizu-P25 Crimp Terminal, 50038, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500398000	2.50mm Pitch Mizu-P25 Crimp Terminal, 50039, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500398100	2.50mm Pitch Mizu-P25 Crimp Terminal, 50039, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558103	B/B TERMINAL	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558104	B/B TERMINAL	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558105	5CKT 2.5MM B-B SOLDER TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558106	B/B TERMINAL	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558107	TERMINAL	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558108	2.5MM 8CKT SOLDER TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558109	9CKT 2.5MM SOLDER TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558110	2.50mm Pitch Right-Angle One- Piece Board-to-Board Solder Terminal	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0500558111	11CKT 2.5MM SOLDER TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558112	2.5MM 12CKT SOLDER TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558113	RIGHT ANGLE PIN 500558113	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558114	RIGHT ANGLE PIN 500558114	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500558115	15CKT 2.5MM SOLDER TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500588000	1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500588025	1.25mm Pitch, PicoBlade Female Crimp Terminal, 0.38µm Gold (Au) Plating, 28-32 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500588100	1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500588300	1.25mm Pitch Wire-to-Board Receptacle Terminal for 26-30 AWG, Phosphor Bronze, Pre-Tin Plating	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500588500		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500618000	1.25mm Pitch, Board-in Male Crimp Terminal, Vertical, 28-32 AWG, Reel, for 51022 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500618100	1.25MM BRD-IN CRIMP TERM 500618100	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0500798000	1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500798025	1.25mm Pitch, PicoBlade Female Crimp Terminal, 0.38µm Gold (Au) Plating, 26-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500798100	1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500808000	1.25mm Pitch Board-in Crimp Terminal, Vertical, 26-28 AWG, Reel, for 51022 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500808100	1.25 B/IN CRIMP TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500838070	J-SL Female Crimp Term W/Plt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500838170	J-SL FEMALE CRIMP TERM. 500838160	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500888028	J-SL Male Crimp Term W/Plt	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500978000	2.50mm Pitch, Board-in Male Crimp Terminal, Male, 20-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500978100	2.50mm Pitch Board-in Crimp Terminal, Male, 50097 Series, 20-24 AWG, Bag, for 51035 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500988000	4.00mm Pitch Board-in Crimp Terminal 50098, 18-22 AWG, Reel, for 51036 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0500988100	4.00mm Pitch Board-in Crimp Terminal, Male, 50098 Series, 18-22 AWG, Bag, for 51036 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0501258000	1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0501258100	1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0501338000	1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0501338100	1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0501478000	2.50mm Pitch Mizu-P25 Crimp Terminal, 50147, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0501478100	2.50mm Pitch Mizu-P25 Crimp Terminal, 50147, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0501488000	2.50mm Pitch Mizu-P25 Crimp Terminal, 50148, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0501488100	2.50mm Pitch Mizu-P25 Crimp Terminal, 50148, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502128000	2.00mm Pitch, Micro-Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502128100	2.00mm Pitch, Micro-Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502178000	Mighty-SPOX Crimp Terminal, 3.50mm Pitch, 18-24 AWG, Reel, Phosphor Bronze	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502178100	Mighty-SPOX Crimp Terminal, 3.50mm Pitch, 18-24 AWG, Bag, Phosphor Bronze	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0502179001	Mighty-SPOX Crimp Terminal, 3.50mm Pitch, 18-24 AWG, Reel, Brass	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502179101	Mighty-SPOX Crimp Terminal, 3.50mm Pitch, 18-24 AWG, Bag, Brass	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502247112	Ring Tongue Terminal for 16-22 AWG, Closed Un-insulated Brazed Barrel, Stud Size 5 (M3), Oxygen- Free Copper, Length 12.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502257112	R 2-3.5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502363092	RAV 1.25-5 RE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502363102	RAV 1.25-6 RE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502363122	RAV 1.25-10 RE	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502407025	Ring Tongue Terminal for 14-16 AWG, Closed Un-insulated Brazed Barrel, Stud Size 5 (M3), Oxygen- Free Copper, Length 12.40mm, Clearance 4.60mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502407125	Ring Tongue Terminal for 14-16 AWG, Closed Un-insulated Brazed Barrel, Stud Size 5 (M3), Oxygen- Free Copper, Length 12.40mm, Clearance 5.20mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502407225	Ring Tongue Terminal for 14-16 AWG, Closed Un-insulated Brazed Barrel, Stud Size 5 (M3), Oxygen- Free Copper, Length 13.90mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502407425	Ring Tongue Terminal for 14-16 AWG, Closed Un-insulated Brazed Barrel, Stud Size 6 (M3.5), Oxygen- Free Copper, Length 16.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502407625	Ring Tongue Terminal for 14-16 AWG, Closed Un-insulated Brazed Barrel, Stud Size 8 (M4), Oxygen- Free Copper, Length 14.40mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0502407825	R 2-8	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0502407925	R 2-10	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503227012	Y1.25-3.5SS Ring Term	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503227512	Y 1.25-4S	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503227712	Y 1.25-4L	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503227812	Y 1.25-5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503227912	Y 1.25-6	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503237112	Y 2-3	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503237212	Y 2-3.5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503237312	Y 2-3.5L	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503237412	Y 2-4S	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503237512	Y 2-4	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0503237712	Y 2-5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503237812	Y 2-6	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503237912	Y2-3.5SS Ring Term	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503247112	Y 5.5-4S	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503247312	Y 5.5-5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503247412	Y 5.5-6	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503509001	2.50mm / 3.00mm Pitch Wire-to- Board Female Crimp Terminal, Tin (Sn) Overall, 16-18 AWG, Reel Packaging	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503509101	2.5/3.0 W/B Climp Receptacle	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503518000	2.50mm Pitch, Mini-Lock Female Crimp Terminal, Tin Plating, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503518010	2.5 W/B Crimp Receptacle	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503518100	2.50mm Pitch Mini-Lock Wire-to- Board Crimp Terminal, Female, Phosphor Bronze, Tin Plating, Bag, 22-28 AWG	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503728000	2.00mm Pitch, Micro-Latch Female Crimp Terminal, Tin (Sn) Plating, 22-26 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0503728100	2.00mm Pitch, Micro-Latch Female Crimp Terminal, Tin (Sn) Plating, 22-26 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948051	2.00mm Pitch, Milli-Grid Female Crimp Terminal, 0.38µm Select Gold, Reel, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948052	2.00mm Pitch, Milli-Grid Female Crimp Terminal, 0.76µm Select Gold, Reel, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948054	2.00mm Pitch, Milli-Grid Female Crimp Terminal, Gold (Au) Flash, Reel, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948055	2.00mm Pitch, Milli-Grid Female Crimp Terminal, Matte Tin Plating, Reel, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948100	2.00mm Pitch, Milli-Grid Female Crimp Terminal, 0.38µm Select Gold Plating, Bag, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948200	2.00mm Pitch, Milli-Grid Female Crimp Terminal, 0.76µm Select Gold Plating, Bag, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948400	2.00mm Pitch, Milli-Grid Female Crimp Terminal, Gold Flash Plating, Bag, Lead free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503948500		Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503978000	CP-2.5 Mini and CP-3.3 Crimp Terminal, Female, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503978001	CP-3.3 Wire-to-Board Crimp Terminal, Female, 22-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503978002	CP-3.3 Wire-to-Board Crimp Terminal, Female, 26-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0503978100	CP-2.5 Mini and CP-3.3 Crimp Terminal, Female, 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503978101	CP-3.3 Wire-to-Board Crimp Terminal, Female, 22-24 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503978102	CP-3.3 Wire-to-Board Crimp Terminal, Female, 26-28 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503988000	2.50mm and 3.30mm Pitch Crimp Terminal, Male, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0503988100	2.50mm and 3.30mm Pitch Crimp Terminal, Male, 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504097025	Ring Tongue Terminal for 400MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size 5/16" (M8), Oxygen-Free Copper, Length 72.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504097526	Ring Tongue Terminal for 400MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size 3/4" (M18), Oxygen-Free Copper, Length 91.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504097625	Ring Tongue Terminal for 400MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size M10, Oxygen-Free Copper, Length 78.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504097825	Ring Tongue Terminal for 400MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size M14, Oxygen-Free Copper, Length 78.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504097925	Ring Tongue Terminal for 400MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size 5/8" (M16), Oxygen-Free Copper, Length 78.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504117125	R325-10	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504117325	R325-12	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0504117326	Ring Tongue Terminal for 500-600MCM AWG, Closed Un- insulated Brazed Barrel, Stud Size 3/4" (M18), Oxygen-Free Copper, Length 105.70mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504117625	Ring Tongue Terminal for 500-600MCM AWG, Closed Un- insulated Brazed Barrel, Stud Size 5/8" (M16), Oxygen-Free Copper, Length 94.20mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504199001	Mighty-SPOX Crimp Terminal, 3.50mm Pitch, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504199101	Mighty-SPOX Crimp Terminal, 3.50mm Pitch, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504208000	OBD-II Crimp Terminal, Female, 50420, 4.00mm Pitch	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504427025	Ring Tongue Double Hole Terminal for 1/0 AWG, Closed Un-insulated Brazed Barrel, Stud Size M10, Oxygen-Free Copper, Length 81.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504437025	Ring Tongue Double Hole Terminal for 3/0 AWG, Closed Un-insulated Brazed Barrel, Stud Size M10, Oxygen-Free Copper, Length 82.50mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504467025	Ring Tongue Double Hole Terminal for 300 - 350MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size 1/2" (M12), Oxygen-Free Copper, Length 111.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504467125	Ring Tongue Double Hole Terminal for 300 - 350MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size M14, Oxygen-Free Copper, Length 111.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504467225	Ring Tongue Double Hole Terminal for 300 - 350MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size No Hole, Oxygen-Free Copper, Length 111.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504487225	Ring Tongue Double Hole Terminal for 500 - 600MCM AWG, Closed Un-insulated Brazed Barrel, Stud Size No Hole, Oxygen-Free Copper, Length 124.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0504537225	Circuit Breaker Terminal for 4/0 AWG, Closed Un-insulated Brazed Barrel, Stud Size M10, Oxygen-Free Copper, Length 52.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0504547125	Circuit Breaker Terminal for 250-300MCM AWG, Closed Un- insulated Brazed Barrel, Stud Size 5/16" (M8), Oxygen-Free Copper, Length 61.30mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505168041	1.25mm Pitch Pico-Gold Crimp Terminal, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505197325	Ring Tongue Terminal for 16-22 AWG, Closed Un-insulated Brazed Barrel, Stud Size 6 (M3.5), Oxygen- Free Copper, Length 12.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505197825	R1.25-10	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505307125	B-1.25	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505307225	B-2	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505307325	B-5.5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505327125	P-1.25	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505327225	P-2	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505327525	P-14	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505359001	2.50mm / 3.00mm Pitch Wire-to- Board Female Crimp Terminal, 16-18 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505398000	3.96mm Pitch Crimp Terminal, Phosphor Bronze, Female, for 51144 Housing, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0505398100	3.96mm Pitch Crimp Terminal, Phosphor Bronze, Female, for 51144 Housing, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505399001	3.96mm Pitch Crimp Terminal, Brass, Female, for 51144 Housing, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505417125	R60-8	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505417525	R60-14	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505417725	R60-18	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505437025	R100-6	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505437226	R100-24	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505437825	R100-14	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505447025	Ring Tongue Terminal for 250-300MCM AWG, Closed Un- insulated Brazed Barrel, Stud Size 1/4" (M6), Oxygen-Free Copper, Length 66.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505447026	Ring Tongue Terminal for 250-300MCM AWG, Closed Un- insulated Brazed Barrel, Stud Size 5/8" (M16), Oxygen-Free Copper, Length 68.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505447125	Ring Tongue Terminal for 250-300MCM AWG, Closed Un- insulated Brazed Barrel, Stud Size 5/16" (M8), Oxygen-Free Copper, Length 66.00mm	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505567112	R 14-6 RING TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0505567212	R 14-8 RING TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505567312	R 14-10 RING TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505567412	R 14-12 RING TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505567712	R14-S5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505577512	R 22-S10 RING TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505587612	R 38-S6 RING TERM.	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505978000	CP-6.5 Wire-to-Board Crimp Terminal, Female, 16-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505978010	CP-6.5 Wire-to-Wire Crimp Terminal, Female, 16-20 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505978100	CP-6.5 Wire-to-Board Crimp Terminal, Female, 16-22 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505988000	CP-6.5 Wire-to-Board Crimp Terminal, Female, 20-26 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505988010	CP-6.5 Wire-to-Wire Crimp Terminal, Female, 20-24 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0505988100	CP-6.5 Wire-to-Board Crimp Terminal, Female, 20-26 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0505998000	3.96 W/W CRIMP PIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506008000	3.96 W/W CRIMP PIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506008100	3.96 W/W CRIMP PIN	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506370028	2.00mm Pitch Crimp Terminal, Female, Reel, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506370128	2.00mm Pitch Crimp Terminal, Female, Bag, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506389028	2.00mm Pitch Crimp Terminal, Male, Reel, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506389128	2.00mm Pitch Crimp Terminal, Male, Bag, Lead Free	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506398028	2.00mm Pitch Crimp Terminal, Male, Phosphor Bronze, 0.76µm Gold (Au) Plating, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506398128	2.00mm Pitch Crimp Terminal, Male, Phosphor Bronze, 0.76µm Gold (Au) Plating, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506418041	PanelMate Crimp Receptacle Terminal, 28-30 AWG, Reel Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506418141	PanelMate Crimp Terminal 50641, 28-30 AWG, Bag Gold (Au)	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506541001	1.01mm Tab-Type Female Crimp Terminal, Low Insertion Force Type, Tin Plated, AVS (CAV) 0.3, 0.5, 0.85mm <sup>2</sup> ;	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0506609001	1.00mm Crimp Pin Terminal, Pre- Tinned Brass	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506958000	4.00mm Pitch Crimp Terminal, Female, for 51154 Housing, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0506958100	4.0 W/W CRIMP REC TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Not Relevant
0507098000	2.50mm Pitch Wire-to-Board and Wire-to-Wire Crimp Terminal, Phosphor Bronze, Reel, for 51103 Housing	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0507528000	2.5 W/B CRIMP REC TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0507528100	2.5 W/B CRIMP REC TERM	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0507528200	2.50mm Pitch, Mini-Lock Female Crimp Terminal, Matte Tin Plating, 20-22 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0507528400	2.50mm Pitch, Mini-Lock Female Crimp Terminal, Matte Tin Plating, 24-26 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0507538041	PanelMate Crimp Terminal 50753, 30-32 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0507538141	PanelMate Crimp Terminal 50753, 30-32 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0507967312	R250-16	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508028000	2.50mm Pitch Mini-Latch Crimp Terminal, Female, Phosphor Bronze, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
0508028100	2.50mm Pitch Mini-Latch Crimp Terminal, Female, Phosphor Bronze, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508029001	2.50mm Pitch Mini-Latch Crimp Terminal, Female, Brass, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508029101	2.50mm Pitch Mini-Latch Crimp Terminal, Female, Brass, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508378000	2.50mm Pitch, Mini-Lock Male Crimp Terminal, Tin Plating, 22-28 AWG, Reel	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508378100	2.50mm Pitch, Mini-Lock Male Crimp Terminal, Tin Plating, 22-28 AWG, Bag	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508557012	R3.5-3	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508567112	R5.5-M3	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen
0508567212	R5.5-S3.5	Compliant	Not Contained Per - D(2021)10043-DC (17 Jan 2022)	Low-Halogen