

# **Product Compliance Declaration**

Please see <a href="https://www.molex.com">www.molex.com</a> for the most up-to-date information.

**Contact Information** 

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

**Part Information** 

Part Name SL RA Hdr Asy SMT 04 Ckt Tin Tube

# **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
SL RA Hdr Asy SMT 04 Ckt Tin Tube	Assembly		100	1.091039
SL RA Hdr Asy TH Peg 04 Ckt Tin Tube	Assembly		100	1.091039
SL RtAn Header Opt E 04 Ckt	Component		72.4997	0.791
PCT GF BLACK	Material		72.4997	0.791
PCT	Substance		31.6099	0.344876
GF-Fibre	Substance		22.4749	0.24521
Flame Retardant, ISO 1043-4 FR(17)	Substance		10.15	0.11074
Sodium-antimonate	Substance	15432-85-6	2.5375	0.027685
Carbon black	Substance	1333-86-4	0.2175	0.002373
Further Additives, not to declare	Substance	system	5.51	0.060116
164PLT 025 SQ PIN	Assembly		27.5003	0.300039
025 Square Pin WStar 100 Ctr Unplated	Component		26.7635	0.292
Phosphor Bronze 5% Unplated	Material		26.7635	0.292

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Copper	Substance	7440-50-8	25.3852	0.276962
Tin	Substance	7440-31-5	1.3382	0.0146
Phosphorus	Substance	7723-14-0	0.0401	0.000438
Nickel Plating	Material		0.1869	0.002039
Nickel	Substance	7440-02-0	0.1868	0.002039
Further Additives, not to declare	Substance	system	2E-05	2E-07
Tin Plating	Material		0.5499	0.006
Tin	Substance	7440-31-5	0.5499	0.006

## **ROHS Declaration Information**

**Regulatory Revision** EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

#### **REACH-SVHC Declaration Information**

**Regulatory Revision** D(2022)4187-DC (10 June 2022)

**Contained Substances Exceeding Threshold** 

None

#### **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

#### **Contained Substances Exceeding Threshold**

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes
Lead	Phosphor Bronze 5% A (CA510)	*Note	250	Yes
nickel	Ep-Ni	*Note	997,500	Yes
Copper	Phosphor Bronze 5% A (CA510)	*Note	943,350	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

# **Exemptions**

Part Name	Exemption
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Phosphor Bronze 5% A (CA510)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/cm2/week)

# **HFLH Declaration Information**

Regulatory Revision IEC 61249-2-21

## **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PCT GF BLACK	900	140,000	Yes
Bromine and Chlorine combined	PCT GF BLACK	1,500	140,000	Yes

# **China ROHS Declaration Information**

Part Number	0015913044							
Part Name	SL RA Hdr Asy SMT 04 Ckt Tin Tube	<b>(e)</b>						
Part Information	on			Haz	zardous \$	Substance	es	
Components			Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
SL RA Hdr A	sy SMT 04 Ckt Tin Tube		0	0	0	0	0	0
SL RA Hdr A	sy TH Peg 04 Ckt Tin Tube		0	0	0	0	0	0

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
SL RtAn Header Opt E 04 Ckt	0	0	0	0	0	0
164PLT 025 SQ PIN	0	0	0	0	0	0
025 Square Pin WStar 100 Ctr Unplated	0	0	0	0	0	0

# **Additional Information**

Annex XVII to REACH (76/769/EEC)	Compliant
Regulation (EU) 2019/1021 (POP)	Compliant

# **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	REFLOW
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	260
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Jul 30, 2022