

2222 Wellington Court Lisle, IL 60532 USA

Product Compliance Declaration

Please see <u>www.molex.com</u> for the most up-to-date information.

Contact Info	ormation		
Name	Molex Product Compliance	E-Mail	Product.Compliance@molex.com
Part Inform	ation		
Part Number	0022284030	Part Weight	0.182977G
Part Name	KK 100 Hdr Assy Bkwy 03 Ckt Tin		

Product Composition

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
KK 100 Hdr Assy Bkwy 03 Ckt Tin	Assembly		100	0.182977
.100 CTR BREAKAWAY- FLAT COMPONENT	Component		31.139	0.056977
PA46 GF BLACK	Material		31.139	0.056977
PA46	Substance		13.5143	0.024728
GF-Fibre	Substance		9.3417	0.017093
Flame Retardant, ISO 1043-4 FR(17)	Substance		6.0721	0.011111
Antimonytrioxide	Substance	1309-64-4	1.7126	0.003134
Carbon black	Substance	1333-86-4	0.1557	0.000285
Further Additives, not to declare	Substance	system	0.3425	0.000627
.455 x .0255 Sq Bandolier Pin Tin	Assembly		68.861	0.126
.455 x .0255 Sq Bandolier Pin Unplated	Component		67.2215	0.123
Cartridge Brass 70% Unplated	Material		67.2215	0.123
Copper	Substance	7440-50-8	47.055	0.0861

Form Rev - F

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Zinc (metal)	Substance	7440-66-6	20.1664	0.0369
Nickel Plating	Material		0.6242	0.001142
Nickel	Substance	7440-02-0	0.6241	0.001142
Further Additives, not to declare	Substance	system	6E-05	1E-07
Tin Plating	Material		1.0154	0.001858
Tin	Substance	7440-31-5	1.0154	0.001858

ROHS Declaration Information

Regulatory Revision EU 2015/863

Compliance Status Compliant

Contained Substances Exceeding Threshold

None

Exemptions

None

REACH-SVHC Declaration Information

Regulatory Revision D(2022)4187-DC (10 June 2022)

Contained Substances Exceeding Threshold

None

GADSL Declaration Information

Regulatory Revision GADSL imported from IMDS

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Lead	Cartridge Brass 70% (CA260)	*Note	350	Yes

Form Rev - F

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
	e-plate Sn (electrodeposited Tin Coatings, bright and matt)	*Note	500	Yes
Antimonytrioxide	PA46 GF BLACK	*Note	55,000	Yes
nickel powder [particle diameter < 1 mm]	Ep-Ni	*Note	997,500	Yes
Copper	Cartridge Brass 70% (CA260)	*Note	700,000	Yes

*Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

Exemptions

Part Name	Exemption
Cartridge Brass 70% (CA260)	44 Concentration within acceptable GADSL limits
e-plate Sn (electrodeposited Tin Coatings, bright and matt)	44 Concentration within acceptable GADSL limits
Ep-Ni	33 Other application (Surface not routinely touched or nickel release rate < 0.5µg/ cm2/week)

HFLH Declaration Information

Regulatory Revision IEC 61249-2-21

Contained Substances Exceeding Threshold

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
Bromine and its compounds	PA46 GF BLACK	900	195,000	Yes
Bromine and Chlorine combined	PA46 GF BLACK	1,500	195,000	Yes

China ROHS Declaration Information

Part Number	0022284030						
Part Name	KK 100 Hdr Assy Bkwy 03 Ckt Tin						
Part Informatio	on		Ha	zardous S	Substance	es	
Components		Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
KK 100 Hdr A	Assy Bkwy 03 Ckt Tin	0	0	0	0	0	0
.100 CTR BR	EAKAWAY- FLAT COMPONENT	0	0	0	0	0	0

Form Rev - F

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
.455 x .0255 Sq Bandolier Pin Tin	0	0	0	0	0	0
.455 x .0255 Sq Bandolier Pin Unplated	0	0	0	0	0	0

Additional Information

Annex XVII to REACH (76/769/EEC)	Compliant
Regulation (EU) 2019/1021 (POP)	Compliant

Process Information

Component Plating / Surface Finish	BSn-Ni
Termination Base Alloy	P-Bronze
Solder Alloy	N/A
Process Capability	WAVE
Maximum Exposure Time (seconds)	005
Maximum Process Temperature (C)	235
Maximum Cycles at Reflow Temperature	001
J-STD-020 Moisture Sensitivity Level	N/A

Jul 5, 2022

Form Rev - F