




Home: EMI Cages

CONTACT MOLEX

FIND DISTRIBUTOR

Part Number: 74737-0004

SFP One Piece Cage, EMI Shielding, 2.29mm Press-Fit Tails, Belly-to-Belly



Series image - Reference only

Status:

Active

Series:

74737

Category:

EMI Cages

Overview:

SFP+ and SFP Interconnect Solutions

Go to

Part Detail

CHECK DISTRIBUTOR INVENTORY

Add to My Parts

Email this page

Specifications & Other Documents:

Part Details (PDF)

Application Specification AS-74737-001.pdf

Sales Drawings, 3D Models, and Brochures

Drawing (PDF)

3D Model

Note - Please disable browser pop-up blockers to view documents on www.molex.com

Questions on Product Environmental Compliance? Emailproductcompliance@molex.com

EU ELV:Not Relevant

EU RoHS:Compliant

EU RoHS Phthalates:Not Contained

China RoHS:

REACH SVHC:Not Contained Per -

RoHS Certificate of Compliance (PDF)

Multiple Part Product Compliance Form

Part Detail

COLLAPSE ALL

General

Status	Active
Category	EMI Cages
Series	74737
Application	Module-to-Board
Application Tooling Part Link	62202-9745
Application Tooling Part	

Application Tooling

FAQ

Tooling specifications and manuals are found by selecting the products below.

Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global	
Description	Product #
Multi-Port Connector Tooling	62202-9745
Removal Tool for 1 by 1 Small Form-Factor Pluggable	62202-9750

Previously Available Application Tooling

[Check our list of old tooling that used to be available for this part](#)

Link	62202-9750
Comments	Belly-to-Belly
Component Type	Cage Assembly
Mates With	74720 SFP Copper Module, 73929 SFP Cable Assembly, Passive, 2 Gbps, 73930 SFP Cable Assembly, Active, 2 Gbps, 74742 SFP Cable Assembly, Passive, 4 Gbps, 74743 SFP Cable Assembly, Active, 4 Gbps
Overview	SFP+ and SFP Interconnect Solutions
Product Name	SFP
UPC	822348520930
Use With	74441 Connector

Physical


EMI Panel / Bezel Mount	Spring Fingers
Light Pipes per Port	0
Material - Metal	Copper Alloy
Net Weight	4.313/g
Orientation	Horizontal
Packaging Type	Tray
Port Configuration	1x1
Rear Legs	1
Termination Interface: Style	Through Hole - Compliant Pin
Thermal Height	N/A
Thermal Solutions	Closed Top

Material Info

Reference - Drawing Numbers

Application Specification	AS-74737-001
Sales Drawing	SD-74737-004

- | | | |
|-----------------------|-----------------------------|--------------------|
| Application Tooling | Contact Molex | Compliance |
| Cable Assemblies | Cross-Reference | ecocare |
| Connected Lighting | Koch Industries | Feedback Help |
| Connectors | Industries | Jobs |
| Copper Flex | Literature | Legal Trademarks |
| Electrical Products | Press Room / Press Releases | Mobile Site |
| Industrial Automation | Product Index | Supplier Portal |
| Membrane Switches | Sitemap | Privacy Policy |



©
Copyright
2016