



**Part Number :** [22013047](#)  
**Product Description :** KK 254 Crimp Housing,  
Friction Ramp with Polarizing Ribs, 4 Circuits,  
Natural  
**Series Number :** 2695  
**Status :** Active  
**Product Category :** Connector Housings  
**Engineering Number :** 2695-04RP



Documents & Resources

Drawings

[Drawing 022013047\\_sd.pdf](#)  
[Packaging Design Drawing 26950002-PK-000.pdf](#)

3D Models and Design Files


[3D Model PDF 022013047.pdf](#)  
[3D Model 022013047\\_stp.zip](#)

Specifications

[Product Specification PS-10-07-001.pdf](#)  
[Test Summary TS-10-07-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

[Multiple Part Product Compliance Statements](#)  
- Eu RoHS

- REACH SVHC

- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D

- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

#### EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Connector Housings
Series	2695
Description	KK 254 Crimp Housing, Friction Ramp with Polarizing Ribs, 4 Circuits, Natural
Application	Signal, Wire-to-Board
Product Family	KK Interconnect Systems
Product Name	KK 254
UPC	800753593848

### Agency

CSA	LR19980
UL	E29179

### Physical

Circuits (maximum)	4
Color - Resin	Natural (White)
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.422/g

Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.54mm
Pitch - Termination Interface	2.54mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	See Product Specification

## Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
KK 254 RPC Vertical Headers with Friction Lock	<u><a href="#">171856</a></u>
KK 254 RPC Right-Angle Headers with Friction Lock	<u><a href="#">171857</a></u>
KK 254 Single Row Vertical Headers	<u><a href="#">4030</a></u>
KK 254 Vertical Breakaway Headers with Friction Lock	<u><a href="#">42375</a></u>
KK 254 Right-Angle Breakaway Headers	<u><a href="#">42376</a></u>
KK 254 Right-Angle Surface Mount Compatible Breakaway Headers	<u><a href="#">42377</a></u>
KK 254 Vertical Single Row Solid Headers	<u><a href="#">6373</a></u>
KK 254 Vertical Single Row Headers	<u><a href="#">6410</a></u>

### Use with Part(s)

Description	Part Number
Pre-Crimped Lead KK 254 Female-to-KK 254 Female, Tin (Sn) Plating, 150.00mm Length, 22 AWG, Black	<u><a href="/content/molex/molex-dot-com/us/en/products/product-page.html/797580007.html">/content/molex/molex-dot-com/us/en/products/product-page.html/797580007.html</a></u>

Pre-Crimped Lead KK 254 Female-to-KK 254 Female, Tin (Sn) Plating, 300.00mm Length, 22 AWG, Black	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/797580015.html">/content/molex/molex-dot-com/us/en/products/product-page.html/797580015.html</a>
KK 254 Female Crimp Terminals	<a href="#">2759</a>
KK 254 Cat Ear Crimp Terminals	<a href="#">41572</a>
KK 254 Female Crimp Terminals	<a href="#">4809</a>
KK 254 Female Crimp Terminals	<a href="#">6459</a>
KK 254 Female Crimp Terminals	<a href="#">8088</a>

---

This document was generated on Aug 17, 2023