

Part Number: 22012147

Product Description: KK 254 Crimp Housing, Friction Ramp, 14 Circuits, Natural

Series Number: 2695

Status: Active

**Product Category:** Connector Housings

**Engineering Number: 2695-14R** 



#### **Documents & Resources**

#### **Drawings**

Drawing 022012147\_sd.pdf Packaging Design Drawing 26950002-PK-000.pdf

## 3D Models and Design Files 3D Model 022012147\_stp.zip

#### **Specifications**

Product Specification PS-10-07-001.pdf Test Summary TS-10-07-001.pdf

# **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC

### - Low-Halogen

# Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

# **Part Details**

### General

Status	Active
Category	Connector Housings
Series	2695
Description	KK 254 Crimp Housing, Friction Ramp, 14 Circuits, Natural
Application	Signal, Wire-to-Board
Product Family	KK Interconnect Systems
Product Name	KK 254
UPC	800753690011

# Agency

CSA	LR19980
UL	E29179

# Physical

Circuits (maximum)	14
Color - Resin	Natural (White)
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	1.450/g
Number of Rows	1

Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.54mm
Pitch - Termination Interface	2.54mm
Stackable	No
Temperature Range - Operating	See Product Specification

### **Solder Process Data**

Lead-Free Process Capability	N/A
------------------------------	-----

# Mates With / Use With

# Mates with Part(s)

Description	Part Number
KK 254 RPC Vertical Headers with Friction Lock	<u>171856</u>
KK 254 RPC Right-Angle Headers with Friction Lock	<u>171857</u>
KK 254 Single Row Vertical Headers	<u>4030</u>
KK 254 Vertical Breakaway Headers with Friction Lock	<u>42375</u>
KK 254 Right-Angle Breakaway Headers	<u>42376</u>
KK 254 Right-Angle Surface Mount Compatible Breakaway Headers	<u>42377</u>
KK 254 Vertical Single Row Solid Headers	<u>6373</u>
KK 254 Vertical Single Row Headers	<u>6410</u>

# Use with Part(s)

Description	Part Number
Pre-Crimped Lead KK 254 Female-	/content/molex/molex-dot-
to-KK 254 Female, Tin (Sn) Plating,	com/us/en/products/product-
150.00mm Length, 22 AWG, Black	page.html/797580007.html
Pre-Crimped Lead KK 254 Female-	/content/molex/molex-dot-
to-KK 254 Female, Tin (Sn) Plating,	com/us/en/products/product-
300.00mm Length, 22 AWG, Black	page.html/797580015.html
KK 254 Female Crimp Terminals	2759

KK 254 Cat Ear Crimp Terminals	41572
KK 254 Female Crimp Terminals	4809
KK 254 Female Crimp Terminals	<u>6459</u>
KK 254 Female Crimp Terminals	8088

This document was generated on Mar 15, 2024