



Part Number : 1301530128

Series Number : 130153

Product Category : Power Distribution

Product Description : Super-Safeway In-Line Industrial GFCI, IP69K, Portable, Single Phase, Automatic Reset, NEMA 5-20 Watertite Plug and Receptacle, 20A, 120V, 7.62m (25.0') Cord Length

Status : Active

Engineering Number : 20052-25A

Documents & Resources

Drawings  
Drawing 1301530128\_sd.pdf

Product Environment Compliance

Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

|        |        |
|--------|--------|
| Status | Active |
|--------|--------|

|                    |                                                                                                                                                                      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Category           | Power Distribution                                                                                                                                                   |
| Series             | 130153                                                                                                                                                               |
| Description        | Super-Safeway In-Line Industrial GFCI, IP69K, Portable, Single Phase, Automatic Reset, NEMA 5-20 Watertite Plug and Receptacle, 20A, 120V, 7.62m (25.0') Cord Length |
| Enclosure Rating   | NEMA 4X                                                                                                                                                              |
| NEMA Configuration | NEMA 5-20                                                                                                                                                            |
| Product Family     | Ground Fault Circuit Interrupter (GFCI) Products                                                                                                                     |
| Product Name       | Super-Safeway                                                                                                                                                        |
| Type               | GFCI Industrial Duty, Single Phase                                                                                                                                   |
| UPC                | 78678888293                                                                                                                                                          |

## Agency

|    |        |
|----|--------|
| UL | E66308 |
|----|--------|

## Electrical

|                               |             |
|-------------------------------|-------------|
| Current - Maximum per Contact | 20.0A       |
| GFCI                          | Yes-In-line |
| GFCI Reset                    | Automatic   |
| Ground Continuity Monitor     | No          |
| Open Neutral Relay            | Yes         |
| Voltage - Maximum             | N/A         |

## Physical

|                       |                         |
|-----------------------|-------------------------|
| Cord Diameter         | 10.67mm (.420")         |
| Cord Grip Body Size   | Internal Double C-Clamp |
| Cord Length           | 7.62m (25.0')           |
| Cord Type             | 12/3 SJEOW              |
| Feed-Thru             | Yes                     |
| Flip Lid              | No                      |
| Material - Housing    | Nylon                   |
| Mounting Style        | Portable                |
| Number of Receptacles | 1                       |
| Packaging Type        | Bag                     |

|                 |             |
|-----------------|-------------|
| Receptacle Type | GFCI Single |
|-----------------|-------------|

---

This document was generated on Jul 03, 2024