




**Part Number :** [2159580161](#)  
**Product Description :** MX-DaSH Standard Female Connector Assembly, 35 Circuits, Keying Option A, Natural (White)  
**Series Number :** 215958  
**Status :** Active  
**Product Category :** Connector Housings



## Documents and Resources

### Drawings

[2159580161\\_sd.pdf](#)  
[2159580150-PK-000.pdf](#)

### 3D Models and Design Files

[STEP AP242](#)  
[SOLIDWORKS](#)  
[Creo](#)

### Specifications

[2159580000-AS-000.pdf](#)  
[2159580000-PS-000.pdf](#)

## Product Environment Compliance

### Compliance

|                    |                                                |
|--------------------|------------------------------------------------|
| GADSL/IMDS         | Compliant                                      |
| China RoHS         | Not Relevant                                   |
| EU ELV             | Compliant per 2000/53/EC                       |
| Low-Halogen Status | Not Relevant                                   |
| REACH SVHC         | Not Contained per D(2025)7771-DC (04 Feb 2026) |
| EU RoHS            | Compliant per EU 2015/863                      |

### [Compliance Statements](#)

- EU RoHS
- REACH SVHC

- Low-Halogen

#### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### Substances of Interest

- PFAS

#### EU RoHS Certificate of Compliance

#### Additional Product Compliance Information

---

## Part Details

### General

|              |                                                                                           |
|--------------|-------------------------------------------------------------------------------------------|
| Status       | Active                                                                                    |
| Category     | Connector Housings                                                                        |
| Series       | 215958                                                                                    |
| Description  | MX-DaSH Standard Female Connector Assembly, 35 Circuits, Keying Option A, Natural (White) |
| Application  | Power, Wire-to-Wire                                                                       |
| Product Name | MX-DaSH                                                                                   |
| Type         | Static                                                                                    |
| UPC          | 196823256660                                                                              |

### Physical

|                       |                                  |
|-----------------------|----------------------------------|
| Circuits (maximum)    | 35                               |
| Color - Resin         | Natural (White)                  |
| Gender                | Receptacle                       |
| Glow-Wire Capable     | No                               |
| Keying to Mating Part | Yes                              |
| Lock to Mating Part   | Yes                              |
| Material - Resin      | Polybutylene Terephthalate (PBT) |
| Net Weight            | 24.600/g                         |
| Number of Rows        | 4                                |
| Packaging Type        | Partitioned Carton               |

|                               |                |
|-------------------------------|----------------|
| Panel Mount                   | No             |
| Pitch - Mating Interface      | 3.50mm, 2.50mm |
| Polarized to Mating Part      | Yes            |
| Stackable                     | No             |
| Temperature Range - Operating | -40° to +125°C |

---

## Mates With / Use With

### Mates with Part(s)

| Description                                                                             | Part Number       |
|-----------------------------------------------------------------------------------------|-------------------|
| MX-DaSH Standard Male Connector Assembly, 35 Circuits, Keying Option A, Natural (White) | <u>2159580261</u> |

### Use with Part(s)

| Description | Part Number                                            |
|-------------|--------------------------------------------------------|
| Use With    | 1.20mm AK Female Terminals,<br>2.80mm Female Terminals |