

## RoHS Certificate of Compliance

August 05, 2009

**Table A** provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) <sup>1</sup>.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) <sup>(2)</sup>
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) <sup>(2)</sup>
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of [www.molex.com](http://www.molex.com)



Jay Williamson  
World Wide V.P. of Quality

---

<sup>1</sup> In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
10-08-1143	MOLEX P/N NOT RECOGNIZED	
10-08-1144	MOLEX P/N NOT RECOGNIZED	
10-08-1146	MOLEX P/N NOT RECOGNIZED	
10-08-1162	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 16 Circuits, Tin (Sn) Plating, Pin Length 23.80mm (.937"	ELV and RoHS Compliant
10-08-1163	MOLEX P/N NOT RECOGNIZED	
10-08-1164	MOLEX P/N NOT RECOGNIZED	
10-08-1166	MOLEX P/N NOT RECOGNIZED	
10-08-1152	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 15 Circuits, Tin (Sn) Plating, Pin Length 23.80mm (.937"	ELV and RoHS Compliant
10-08-1153	MOLEX P/N NOT RECOGNIZED	
10-08-1154	MOLEX P/N NOT RECOGNIZED	
10-08-1156	MOLEX P/N NOT RECOGNIZED	
10-08-1172	MOLEX P/N NOT RECOGNIZED	
10-08-1173	MOLEX P/N NOT RECOGNIZED	
10-08-1174	MOLEX P/N NOT RECOGNIZED	
10-08-1176	MOLEX P/N NOT RECOGNIZED	
10-08-1182	MOLEX P/N NOT RECOGNIZED	
10-08-1183	MOLEX P/N NOT RECOGNIZED	
10-08-1184	MOLEX P/N NOT RECOGNIZED	
10-08-1186	MOLEX P/N NOT RECOGNIZED	
10-08-1192	MOLEX P/N NOT RECOGNIZED	
10-08-1193	MOLEX P/N NOT RECOGNIZED	
10-08-1194	MOLEX P/N NOT RECOGNIZED	
10-08-1196	MOLEX P/N NOT RECOGNIZED	
10-08-1202	MOLEX P/N NOT RECOGNIZED	
10-08-1203	MOLEX P/N NOT RECOGNIZED	
10-08-1204	MOLEX P/N NOT RECOGNIZED	
10-08-1206	MOLEX P/N NOT RECOGNIZED	
22-19-1031	093 Shrd Pin Skt Hdrs 3Ckt	ELV and RoHS Compliant
10-18-1091	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, 3 Rows, Shrouded, Unfilled Polyester, UL 94V-0, 9 Circuits, 9 Female Terminals	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
10-18-1122	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, 3 Rows, Shrouded, Unfilled Polyester, UL 94V-0, 12 Circuits, 12 Female Terminals	ELV and RoHS Compliant
10/8/5031	MOLEX P/N NOT RECOGNIZED	
10/8/5041	MOLEX P/N NOT RECOGNIZED	
10/8/5061	MOLEX P/N NOT RECOGNIZED	
10/8/5071	MOLEX P/N NOT RECOGNIZED	
10/8/5191	MOLEX P/N NOT RECOGNIZED	
10-45-5071	5.08mm (.200") Pitch KK® Header, Vertical, with Polarizing Backwall, 7 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
10-45-5191	5.08mm (.200") Pitch KK® Header, Vertical, with Polarizing Backwall, 19 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
10-45-5201	5.08mm (.200") Pitch KK® Header, Vertical, with Polarizing Backwall, 20 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
10-63-1099	5.08mm (.200") Pitch SPOX™ Wire-to-Board Header, Vertical, Friction Lock, with Void, 9 Circuits	ELV and RoHS Compliant
10-63-1023	2CKT KK5.08MM WAFER ASSY 528302A	ELV and RoHS Compliant
10-63-4047	7.92mm (.312") Pitch SPOX™ Header, Vertical, with Friction Lock, 4 Circuits	ELV and RoHS Compliant
15-24-9047	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 4 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-9067	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-9107	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-9147	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-9187	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, with Select Gold (Au) Plating	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
15-24-9247	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-6043	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 4 Circuits, PA Polyamide Nylon 6/6, UL 94V-0, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-6063	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6, UL 94V-0, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-6103	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6, UL 94V-0, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-6143	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6, UL 94V-0, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-6183	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6, UL 94V-0, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-6243	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6, UL 94V-0, with Select Gold (Au) Plating	ELV and RoHS Compliant
15-24-6163	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-0, with Select Gold (Au) Plating	ELV and RoHS Compliant
106052-0010	LC Loopback, Multimode, 50/125µm fiber	ELV and RoHS Compliant
106052-0080	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
502244-1530	0.50mm (.020") Pitch Easy-On™ Type FFC/ FPC Connector, For LVDS, 2.33mm (.092") Height, Right Angle, SMT, ZIF, Bottom Contact Style, 15 Circuits, Lead-free	ELV and RoHS Compliant
502244-1539	0.5 FFC For LVDS Assy 15Ckt	ELV and RoHS Compliant
502244-3330	0.50mm (.020") Pitch Easy-On™ Type FFC/ FPC Connector, For LVDS, 2.33mm (.092") Height, Right Angle, SMT, ZIF, Bottom Contact Style, 33 Circuits, Lead-free	ELV and RoHS Compliant
502244-3339	0.5 FFC For LVDS Assy 33Ckt	ELV and RoHS Compliant
36502-0001	2.54mm (.100") Pitch DIN 41612 Header, Right Angle, Through Hole, 96 Circuits, Lead Free	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
36502-0002	2.54mm (.100") Pitch DIN 41612 Header, Right Angle, Through Hole, 96 Circuits, Lead Free	ELV and RoHS Compliant
36502-0007	MOLEX P/N NOT RECOGNIZED	
36502-0008	MOLEX P/N NOT RECOGNIZED	
36502-0009	ASSY DIN41612 C MALE PL3AU 96 POS WCL	ELV and RoHS Compliant
36502-0013	MOLEX P/N NOT RECOGNIZED	
36502-0014	MOLEX P/N NOT RECOGNIZED	
36502-0015	MOLEX P/N NOT RECOGNIZED	
36502-0019	MOLEX P/N NOT RECOGNIZED	
36502-0020	MOLEX P/N NOT RECOGNIZED	
36502-0021	MOLEX P/N NOT RECOGNIZED	
36504-0049	2.54mm (.100") Pitch C Style Male Header, Right Angle, Through Hole, 0.3 $\mu$ m(12 $\mu$ ) Selective Gold (Au), 96 Circuits, First-Mate-Last-Break Pins, with Mounting Clips, Lead Free	ELV and RoHS Compliant
36509-0001	2.54mm (.100") Pitch DIN 41612 R Style Female Receptacle, Right Angle, Through Hole, 1.10 $\mu$ m (43 $\mu$ ) Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips or Sealing Strip, Lead Free	ELV and RoHS Compliant
36509-0002	2.54mm (.100") Pitch DIN 41612 Receptacle, Right Angle, Through Hole, 96 Circuits, 0.76 $\mu$ m (30 $\mu$ ) Gold (Au) Selective, Lead Free	ELV and RoHS Compliant
36509-0003	2.54mm (.100") Pitch DIN 41612 R Style Female Receptacle, Right Angle, Through Hole, 0.30 $\mu$ m (12 $\mu$ ) Selective Gold (Au) Plating, 96 Circuits, without Mounting Clips or Sealing Strip, Lead Free	ELV and RoHS Compliant
36509-0007	2.54mm (.100") Pitch DIN 41612 Receptacle, Right Angle, Through Hole, 96 Circuits, 1.27 $\mu$ m (50 $\mu$ ) Gold (Au) Selective, with Mounting Clip, Lead-Free	Compliance Status Not Reviewed
36509-0009	2.54mm (.100") Pitch DIN 41612 Receptacle, Right Angle, Through Hole, 96 Circuits, 0.3 $\mu$ m (12 $\mu$ ) Selective Gold (Au), with Mounting Clip, Lead-Free	ELV and RoHS Compliant
36509-0020	2.54mm (.100") Pitch DIN 41612 R Style Female Receptacle, Right Angle, Through Hole, 0.60 $\mu$ m (24 $\mu$ ) Selective Gold (Au) Plating, 96 Circuits, with Mounting Clips and Sealing Strip	Compliance Status Not Reviewed
36509-0025	2.54mm (.100") Pitch DIN 41612 Receptacle, Right Angle, Through Hole, with 64 Contacts Loaded, 1.27 $\mu$ m (50 $\mu$ ) Gold (Au) Selective, Lead-Free	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
36509-0026	2.54mm (.100") Pitch DIN 41612 Receptacle, Right Angle, Through Hole, 96 Circuits, with 64 Contacts Loaded, 0.76µm (30µ") Gold (Au) Selective, Lead Free	ELV and RoHS Compliant
36509-0027	2.54mm (.100") Pitch DIN 41612 R Style Female Receptacle, Right Angle, Through Hole, 0.30µm (12µ") Selective Gold (Au) Plating, 64 Circuits, with Mounting Clips or Sealing Strip, Lead free	ELV and RoHS Compliant
36509-0038	2.54mm (.100") Pitch DIN 41612 R Style Female Receptacle, Right Angle, Through Hole, 0.60µm (24µ") Selective Gold (Au) Plating, 64 Circuits, without Mounting Clips, with Sealing Strip, Lead free	Compliance Status Not Reviewed
36509-0044	2.54mm (.100") Pitch DIN 41612 R Style Female Receptacle, Right Angle, Through Hole, 0.60µm (24µ") Selective Gold (Au) Plating, 64 Circuits, with Mounting Clips and Sealing Strip	Compliance Status Not Reviewed
36617-0002	2.54mm (.100") Pitch DIN 41612 Receptacle, Right Angle, Press Fit, 128 Circuits, Lead Free	ELV and RoHS Compliant
15-06-0066	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 6 Circuits	ELV and RoHS Compliant
15-06-0206	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row With Panel Mount Ears, White Natural, UL 94V-0, 20 Circuits	ELV and RoHS Compliant
35960-0100	6.35mm (250") Tab Wire-to-Board Header, 1 Circuit	ELV and RoHS Compliant
43759-0004	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 36 Circuits, 0.76µm (30µ") Gold (Au) Plating	ELV and RoHS Compliant
43759-0005	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 36 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, with Tin (Sn) Plating , Tail Length 4.57mm (.180")	ELV and RoHS Compliant
386607602	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 2 Circuits	Not RoHS Compliant
386607603	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 3 Circuits	Not RoHS Compliant
386607604	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 4 Circuits	Not RoHS Compliant
386607605	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 5 Circuits	Not RoHS Compliant
386607606	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 6 Circuits	Not RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
386607607	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 7 Circuits	Not RoHS Compliant
386607608	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 8 Circuits	Not RoHS Compliant
386607609	MOLEX P/N NOT RECOGNIZED	
386607610	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 10 Circuits	Not RoHS Compliant
386607611	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 11 Circuits	Not RoHS Compliant
386607612	12.70mm (.500") Pitch Beau™ PCB Tri-Barrier Terminal Strip, with Mounting Ends, 600V, 11 Circuits	Not RoHS Compliant
386607613	MOLEX P/N NOT RECOGNIZED	
387006102	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 2 Circuits	ELV and RoHS Compliant
387006103	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 3 Circuits	ELV and RoHS Compliant
387006104	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 4 Circuits	ELV and RoHS Compliant
387006105	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 5 Circuits	ELV and RoHS Compliant
387006106	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 6 Circuits	ELV and RoHS Compliant
387006107	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 7 Circuits	ELV and RoHS Compliant
387006108	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 8 Circuits	ELV and RoHS Compliant
387006109	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 9 Circuits	ELV and RoHS Compliant
387006110	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 10 Circuits	ELV and RoHS Compliant
387006111	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 11 Circuits	ELV and RoHS Compliant
387006112	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 12 Circuits	ELV and RoHS Compliant
387006113	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 13 Circuits	ELV and RoHS Compliant
387006114	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 14 Circuits	ELV and RoHS Compliant
387006115	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 15 Circuits	ELV and RoHS Compliant
387006116	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 16 Circuits	ELV and RoHS Compliant
387006117	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 17 Circuits	ELV and RoHS Compliant



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
387006118	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 18 Circuits	ELV and RoHS Compliant
387006119	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 19 Circuits	ELV and RoHS Compliant
387006120	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 20 Circuits	ELV and RoHS Compliant
387006121	MOLEX P/N NOT RECOGNIZED	
387006122	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 22 Circuits	ELV and RoHS Compliant
387006123	MOLEX P/N NOT RECOGNIZED	
387006124	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 24 Circuits	ELV and RoHS Compliant
387006125	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 25 Circuits	ELV and RoHS Compliant
387006126	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 26 Circuits	ELV and RoHS Compliant
387006127	MOLEX P/N NOT RECOGNIZED	
387006128	MOLEX P/N NOT RECOGNIZED	
387007302	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 2 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007303	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 3 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007304	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 4 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007305	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 5 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007306	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 6 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007307	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 7 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007308	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 8 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007309	MOLEX P/N NOT RECOGNIZED	
387007310	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 10 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007311	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 11 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007312	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 12 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
387007313	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 13 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007314	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 14 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007315	MOLEX P/N NOT RECOGNIZED	
387007316	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 16 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007317	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 17 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007318	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 18 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007319	MOLEX P/N NOT RECOGNIZED	
387007320	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 20 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007321	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 21 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007322	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 22 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007323	MOLEX P/N NOT RECOGNIZED	
387007324	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 24 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007325	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 25 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
387007326	MOLEX P/N NOT RECOGNIZED	
387007327	MOLEX P/N NOT RECOGNIZED	
387007328	8.26mm (.325") Pitch Beau™ PCB Terminal Strip, with Mounting Ends, 28 Circuits, with Screw Clamp Washer	ELV and RoHS Compliant
47080-4001	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Black, Gold (Au) Flash, Lead-free	ELV and RoHS Compliant
47080-4002	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Black, 0.76µm (30µ") Gold (Au) Plating, Lead-free	ELV and RoHS Compliant
47080-4005	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Black, 0.38µm (15µ") Gold (Au) Plating, Lead-free	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
47080-5001	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Nature, Gold (Au) Flash, Bright Tin, Lead-free	ELV and RoHS Compliant
47080-5002	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Nature, 0.76µm (30µ") Gold (Au) Plating, Lead-free	ELV and RoHS Compliant
47080-5005	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Nature, 0.38µm (15µ") Gold (Au) Plating, Lead-free	ELV and RoHS Compliant
47080-6001	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Blue, Gold (Au) Flash, Lead-free	ELV and RoHS Compliant
47080-6002	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Blue, 0.76µm (30µ") Gold (Au) Plating, Lead-free	ELV and RoHS Compliant
47080-6005	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Blue, 0.38µm (15µ") Gold (Au) Plating, Lead-free	ELV and RoHS Compliant
47080-1010	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Black, Gold (Au) Flash, Matte Tin, Lead-free	ELV and RoHS Compliant
47080-1020	1.27mm (.050") Pitch Serial ATA Shrouded Signal Plug, Surface Mount, 7 Circuits, with Peg and Locking Latch, Color Black, 0.76µm (30µ") Gold (Au) Plating, Matte Tin, Lead-free	ELV and RoHS Compliant
47080-1030	MOLEX P/N NOT RECOGNIZED	
47080-2010	MOLEX P/N NOT RECOGNIZED	
47080-2020	MOLEX P/N NOT RECOGNIZED	
47080-2030	MOLEX P/N NOT RECOGNIZED	
47080-3010	MOLEX P/N NOT RECOGNIZED	
47080-3020	MOLEX P/N NOT RECOGNIZED	
47080-3030	MOLEX P/N NOT RECOGNIZED	
43644-0001	MOLEX P/N NOT RECOGNIZED	
43644-0002	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 4 Circuits, PA Polyamide Nylon 6/6 94V-0, with Tin (Sn) Plating	ELV and RoHS Compliant
43644-0003	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 6 Circuits, PA Polyamide Nylon 6/6 94V-0, with Tin (Sn) Plating	ELV and RoHS Compliant
43644-0004	MOLEX P/N NOT RECOGNIZED	

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
43644-0005	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, with Tin (Sn) Plating	ELV and RoHS Compliant
43644-0006	MOLEX P/N NOT RECOGNIZED	
43644-0007	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 14 Circuits, PA Polyamide Nylon 6/6 94V-0, with Tin (Sn) Plating	ELV and RoHS Compliant
43644-0008	MOLEX P/N NOT RECOGNIZED	
43644-0009	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 18 Circuits, PA Polyamide Nylon 6/6 94V-0, with Tin (Sn) Plating	ELV and RoHS Compliant
43644-0010	MOLEX P/N NOT RECOGNIZED	
43644-0011	MOLEX P/N NOT RECOGNIZED	
43644-0012	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 24 Circuits, PA Polyamide Nylon 6/6 94V-0, with Tin (Sn) Plating	ELV and RoHS Compliant
43644-0013	MOLEX P/N NOT RECOGNIZED	
43644-0014	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 4 Circuits, PA Polyamide Nylon 6/6 94V-0, with Gold (Au) Plating	ELV and RoHS Compliant
43644-0015	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 6 Circuits, PA Polyamide Nylon 6/6 94V-0, with Gold (Au) Plating	ELV and RoHS Compliant
43644-0016	MOLEX P/N NOT RECOGNIZED	
43644-0017	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, with Gold (Au) Plating	ELV and RoHS Compliant
43644-0018	MOLEX P/N NOT RECOGNIZED	
43644-0019	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 14 Circuits, PA Polyamide Nylon 6/6 94V-0, with Gold (Au) Plating	ELV and RoHS Compliant
43644-0020	MOLEX P/N NOT RECOGNIZED	
43644-0021	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 18 Circuits, PA Polyamide Nylon 6/6 94V-0, with Gold (Au) Plating	ELV and RoHS Compliant
43644-0022	MOLEX P/N NOT RECOGNIZED	
43644-0023	MOLEX P/N NOT RECOGNIZED	
43644-0024	4.20mm (.165") Pitch Mini-Fit Jr.™ BMI Header, Dual Row, Right Angle, 24 Circuits, PA Polyamide Nylon 6/6 94V-0, with Gold (Au) Plating	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
44068-0233	4.20mm (.165") Pitch Mini-Fit BMI™ Surface Mount Compatible Header, Dual Row, Vertical, 10 Circuits, 6.35mm (.250") PCB Thickness, with Snap-In Metal Pins, PA Polyamide Nylon 4/6, UL 94V-0, with Tin (Sn) Over Nickel (Ni) Plating, with Solderable Retenti	ELV and RoHS Compliant
44068-0241	4.20mm (.165") Pitch Mini-Fit BMI™ Surface Mount Compatible Header, Dual Row, Vertical, 10 Circuits, 6.35mm (.250") PCB Thickness, with Snap-In Metal Pins, PA Polyamide Nylon 4/6, UL 94V-0, with Gold (Au) Over Nickel (Ni) Plating, with Solderable Retent	ELV and RoHS Compliant
44068-0242	4.20mm (.165") Pitch Mini-Fit BMI™ Surface Mount Compatible Header, Dual Row, Vertical, 18 Circuits, 6.35mm (.250") PCB Thickness, with Snap-In Metal Pins, PA Polyamide Nylon 4/6, UL 94V-0, with Tin (Sn) Over Nickel (Ni) Plating, with Solderable Retenti	ELV and RoHS Compliant