

RoHS Certificate of Compliance

August 04, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.


<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
74026-8435	MOLEX P/N NOT RECOGNIZED	
74026-8445	MOLEX P/N NOT RECOGNIZED	
74026-8455	MOLEX P/N NOT RECOGNIZED	
74026-8511	MOLEX P/N NOT RECOGNIZED	
74026-8512	MOLEX P/N NOT RECOGNIZED	
74026-8513	MOLEX P/N NOT RECOGNIZED	
74026-8514	MOLEX P/N NOT RECOGNIZED	
74026-8515	MOLEX P/N NOT RECOGNIZED	
74026-8521	MOLEX P/N NOT RECOGNIZED	
74026-8522	MOLEX P/N NOT RECOGNIZED	
74026-8523	MOLEX P/N NOT RECOGNIZED	
74026-8524	MOLEX P/N NOT RECOGNIZED	
74026-8525	MOLEX P/N NOT RECOGNIZED	RoHS Compliant by Exemption
74026-8531	MOLEX P/N NOT RECOGNIZED	
74026-8532	MOLEX P/N NOT RECOGNIZED	
74026-8533	MOLEX P/N NOT RECOGNIZED	
74026-8534	MOLEX P/N NOT RECOGNIZED	
74026-8535	MOLEX P/N NOT RECOGNIZED	
74026-8541	MOLEX P/N NOT RECOGNIZED	
74026-8542	MOLEX P/N NOT RECOGNIZED	
74026-8543	MOLEX P/N NOT RECOGNIZED	
74026-8544	MOLEX P/N NOT RECOGNIZED	
74026-8545	MOLEX P/N NOT RECOGNIZED	
74026-8551	MOLEX P/N NOT RECOGNIZED	
74026-8552	MOLEX P/N NOT RECOGNIZED	
74026-8553	MOLEX P/N NOT RECOGNIZED	
74026-8554	MOLEX P/N NOT RECOGNIZED	
74026-8555	VHDM DC 8 Row Power Asy 3Ckt	RoHS Compliant by Exemption
74026-8151	MOLEX P/N NOT RECOGNIZED	
74026-8152	MOLEX P/N NOT RECOGNIZED	
74026-8153	MOLEX P/N NOT RECOGNIZED	
74026-8154	VHDM/HSD DC 8 ROW POWER ASSY 3CKT	RoHS Compliant by Exemption

Table A

Molex P/N	Part Description	RoHS Compliance Status
74026-8251	MOLEX P/N NOT RECOGNIZED	
74026-8252	MOLEX P/N NOT RECOGNIZED	
74026-8253	MOLEX P/N NOT RECOGNIZED	
74026-8254	MOLEX P/N NOT RECOGNIZED	
74026-8351	MOLEX P/N NOT RECOGNIZED	
74026-8352	MOLEX P/N NOT RECOGNIZED	
74026-8353	MOLEX P/N NOT RECOGNIZED	
74026-8354	MOLEX P/N NOT RECOGNIZED	
74026-8451	MOLEX P/N NOT RECOGNIZED	
74026-8452	MOLEX P/N NOT RECOGNIZED	
74026-8453	MOLEX P/N NOT RECOGNIZED	
74026-8454	MOLEX P/N NOT RECOGNIZED	
74029-6050	VHDM BP 6 Row BP Pwr Assy 50"SAu Gf 2Ckt	RoHS Compliant by Exemption
74029-6002	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Receptacle Power Module, Vertical, 6-Row, 4 Circuits, Dual-Module Assembly, Gold (Au) Selective 0.76µm (30µ")	RoHS Compliant by Exemption
74029-6052	VHDM 6 R BP DR Pwr Assy 50"Sau 4Ckt	Not RoHS Compliant
74029-8401	VHDM BP Pwr Assy 8 Row 2Ckt	Not RoHS Compliant
74029-8451	VHDM BP Pwr 8 Row 50"Sau 2Ckt	Not RoHS Compliant
74029-8403	VHDM BP Pwr 8 Row 2Ckt	Not RoHS Compliant
74029-8453	VHDM BP Pwr 8 Row 50" Sau 2Ckt	Not RoHS Compliant
74029-8050	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Receptacle Power Module, Vertical, 8-Row, 3 Circuits, Gold (Au) Selective 1.27µm (50µ")	RoHS Compliant by Exemption
74029-8400	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Receptacle Power Module, Vertical, 8-Row, 2 Circuits, Pin 2 Voided, Gold (Au) Selective 0.76µm (30µ")	RoHS Compliant by Exemption
74029-8450	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Receptacle Power Module, Vertical, 8-Row, 2 Circuits, Pin 2 Voided, Gold (Au) Selective 1.27µm (50µ")	RoHS Compliant by Exemption
74057-1006	MOLEX P/N NOT RECOGNIZED	
74057-2506	MOLEX P/N NOT RECOGNIZED	
74057-1007	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 6.25mm (.246"), 1.27µm (50µ") Gold (Au) Plating	RoHS Compliant by Exemption

Table A

Molex P/N	Part Description	RoHS Compliance Status
74057-2507	VHDM 6 ROW OPEN END BACKPLANE	Not RoHS Compliant
74057-1003	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 4.75mm (.167"), 0.76µm (30µ") Gold (Au) Plating	RoHS Compliant by Exemption
74057-1008	MOLEX P/N NOT RECOGNIZED	
74057-2503	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 150 Circuits, 25 Columns, Pin Length 4.25mm (.167"), 0.76µm (30µ") Gold (Au) Plating	RoHS Compliant by Exemption
74057-2508	MOLEX P/N NOT RECOGNIZED	
74057-1004	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 5.15mm (.203"), 0.76µm (30µ") Gold (Au) Plating	RoHS Compliant by Exemption
74057-1009	VHDM BACKPLANE 6R 10C OPEN 50u Au 5.15mm	Not RoHS Compliant
74057-2504	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 150 Circuits, 25 Columns, Pin Length 5.15mm (.203"), 0.76µm (30µ") Gold (Au) Plating	RoHS Compliant by Exemption
74057-2509	VHDM BACKPLANE 6R 25C OPEN 50u Au 5.15mm	RoHS Compliant by Exemption
74060-1006	VHDM BACKPLANE 8R 10C OPEN END 50"SAU	RoHS Compliant by Exemption
74060-2506	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 200 Circuits, Pin Length 4.75mm (.187")	RoHS Compliant by Exemption
74060-1007	MOLEX P/N NOT RECOGNIZED	
74060-2507	VHDM BACKPLANE 8R 25C OPEN 50u Au	Not RoHS Compliant
74060-1003	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 80 Circuits, Pin Length 4.25mm (.167")	RoHS Compliant by Exemption
74060-1008	MOLEX P/N NOT RECOGNIZED	
74060-2503	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 200 Circuits, Pin Length 4.25mm (.167")	RoHS Compliant by Exemption
74060-2508	MOLEX P/N NOT RECOGNIZED	
74060-1004	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 80 Circuits, Pin Length 5.15mm (.203")	RoHS Compliant by Exemption

Table A

Molex P/N	Part Description	RoHS Compliance Status
74060-1009	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 80 Circuits, Pin Length 5.15mm (.203")	RoHS Compliant by Exemption
74060-2504	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 200 Circuits, Pin Length 5.15mm (.203")	RoHS Compliant by Exemption
74060-2509	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 200 Circuits, Pin Length 5.15mm (.203")	RoHS Compliant by Exemption
67130-0009		
050-57-9702	2.54mm (.100") SL™ Crimp Housing, Single Row, Version N, TPA™ with Positive Latch, 2 Circuits	ELV and RoHS Compliant
050-57-9703	2.54mm (.100") SL™ Crimp Housing, Single Row, Version N, TPA™ with Positive Latch, 3 Circuits	ELV and RoHS Compliant
050-57-9704	2.54mm (.100") SL™ Crimp Housing, Single Row, Version N, TPA™ with Positive Latch, 4 Circuits	ELV and RoHS Compliant
050-57-9705	2.54mm (.100") SL™ Crimp Housing, Single Row, Version N, TPA™ with Positive Latch, 5 Circuits	ELV and RoHS Compliant
050-57-9706	2.54mm (.100") SL™ Crimp Housing, Single Row, Version N, TPA™ with Positive Latch, 6 Circuits	ELV and RoHS Compliant
050-57-9707	2.54mm (.100") SL™ Crimp Housing, Single Row, Version N, TPA™ with Positive Latch, 7 Circuits	ELV and RoHS Compliant
050-57-9708	2.54mm (.100") SL™ Crimp Housing, Single Row, Version N, TPA™ with Positive Latch, 8 Circuits	ELV and RoHS Compliant
09-52-4024	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 2 Circuits	ELV and RoHS Compliant
09-52-4034	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 3 Circuits	ELV and RoHS Compliant
09-52-4044	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 4 Circuits	ELV and RoHS Compliant
09-52-4054	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 5 Circuits	ELV and RoHS Compliant
09-52-4064	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 6 Circuits	ELV and RoHS Compliant
09-52-4074	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 7 Circuits	ELV and RoHS Compliant
09-52-4084	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 8 Circuits	ELV and RoHS Compliant
09-52-4094	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 9 Circuits	ELV and RoHS Compliant
09-52-4104	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 10 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-52-4114	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 11 Circuits	ELV and RoHS Compliant
09-52-4124	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 12 Circuits	ELV and RoHS Compliant
09-52-4134	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 13 Circuits	ELV and RoHS Compliant
09-52-4144	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 14 Circuits	ELV and RoHS Compliant
09-52-4154	3.96mm (.156") Pitch KK® Crimp Housing, Female, Friction Ramp, 15 Circuits	ELV and RoHS Compliant
09-52-4164	KK3.96 CRIMP REC. HSG	Compliance Status Not Reviewed
09-52-4174	KK3.96 CRIMP REC. HSG	Compliance Status Not Reviewed
09-52-4184	KK3.96 CRIMP REC. HSG	Compliance Status Not Reviewed
09-52-4204	KK3.96 CRIMP REC. HSG	Compliance Status Not Reviewed
87615-0008	6.35mm (.250") Pitch Power, 2.54mm (.100") Pitch Signal, EXTreme PowerPlus™ (SSI) MPS Header, Through Hole, Right Angle, 35 Circuits, Short Power Blade Contact, without Beveled Metal Pin, Tin/Lead	Not RoHS Compliant
87615-0009	6.35mm (.250") Pitch Power, 2.54mm (.100") Pitch Signal, EXTreme PowerPlus™ (SSI) MPS Header, Through Hole, Right Angle, 35 Circuits, Long Power Blade Contact, with Beveled Metal Pin, Tin/Lead	Not RoHS Compliant
87607-0021	Pwr Rcpt RA THole .76Au 26Ckt	Not RoHS Compliant
74059-1006	MOLEX P/N NOT RECOGNIZED	
74059-1007	MOLEX P/N NOT RECOGNIZED	
74059-1016	MOLEX P/N NOT RECOGNIZED	
74059-1017	MOLEX P/N NOT RECOGNIZED	
74059-1026	MOLEX P/N NOT RECOGNIZED	
74059-1027	MOLEX P/N NOT RECOGNIZED	
74059-1031	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1036	MOLEX P/N NOT RECOGNIZED	
74059-1032	VHDM BP 6 ROW SHLD END ASSY 10 COL	RoHS Compliant by Exemption
74059-1037	MOLEX P/N NOT RECOGNIZED	
74059-1041	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1046	MOLEX P/N NOT RECOGNIZED	
74059-1042	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1047	MOLEX P/N NOT RECOGNIZED	

Table A

Molex P/N	Part Description	RoHS Compliance Status
74059-1051	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1056	MOLEX P/N NOT RECOGNIZED	
74059-1052	VHDM BP 6 ROW SHLD END ASSY 10 COL	RoHS Compliant by Exemption
74059-1057	MOLEX P/N NOT RECOGNIZED	
74059-1061	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1066	MOLEX P/N NOT RECOGNIZED	
74059-1062	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1067	MOLEX P/N NOT RECOGNIZED	
74059-1071	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1076	MOLEX P/N NOT RECOGNIZED	
74059-1072	VHDM BP 6 ROW SHLD END ASSY 10 COL	RoHS Compliant by Exemption
74059-1077	MOLEX P/N NOT RECOGNIZED	
74059-1081	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1086	MOLEX P/N NOT RECOGNIZED	
74059-1082	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1087	MOLEX P/N NOT RECOGNIZED	
74059-2506	MOLEX P/N NOT RECOGNIZED	
74059-2507	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, 150 Circuits, Pin Length 6.25mm (.246")	RoHS Compliant by Exemption
74059-2516	MOLEX P/N NOT RECOGNIZED	
74059-2517	MOLEX P/N NOT RECOGNIZED	
74059-2526	MOLEX P/N NOT RECOGNIZED	
74059-2527	MOLEX P/N NOT RECOGNIZED	
74059-2531	VHDM BP 6 ROW SHLD END ASSY 25 COL	Not RoHS Compliant
74059-2536	MOLEX P/N NOT RECOGNIZED	
74059-2532	VHDM BP 6 Row 25 Column Shield End Assy	Not RoHS Compliant
74059-2537	MOLEX P/N NOT RECOGNIZED	
74059-2541	VHDM BP 6 ROW SHLD END ASSY 25 COL	Not RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
74059-2546	MOLEX P/N NOT RECOGNIZED	
74059-2542	VHDM BP 6 Row 25 Column Shield End Assy	Not RoHS Compliant
74059-2547	MOLEX P/N NOT RECOGNIZED	
74059-2551	VHDM BP 6 ROW SHLD END ASSY 25 COL	Not RoHS Compliant
74059-2556	MOLEX P/N NOT RECOGNIZED	
74059-2552	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, 150 Circuits, Pin Length 6.25mm (.246")	RoHS Compliant by Exemption
74059-2557	MOLEX P/N NOT RECOGNIZED	
74059-2561	VHDM BP 6 ROW SHLD END ASSY 25 COL	RoHS Compliant by Exemption
74059-2566	MOLEX P/N NOT RECOGNIZED	
74059-2562	VHDM BP 6 Row 25 Column Shield End Assy	Not RoHS Compliant
74059-2567	MOLEX P/N NOT RECOGNIZED	
74059-2571	VHDM BP 6 ROW SHLD END ASSY 25 COL	Not RoHS Compliant
74059-2576	MOLEX P/N NOT RECOGNIZED	
74059-2572	VHDM BP 6 Row 25 Column Shield End Assy	Not RoHS Compliant
74059-2577	MOLEX P/N NOT RECOGNIZED	
74059-2581	VHDM BP 6 ROW SHLD END ASSY 25 COL	Not RoHS Compliant
74059-2586	MOLEX P/N NOT RECOGNIZED	
74059-2582	VHDM BP 6 Row 25 Column Shield End Assy	Not RoHS Compliant
74059-2587	MOLEX P/N NOT RECOGNIZED	
74059-1003	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 4.25mm (.167")	Not RoHS Compliant
74059-1008	MOLEX P/N NOT RECOGNIZED	
74059-1004	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 5.15mm (.203")	RoHS Compliant by Exemption
74059-1009	MOLEX P/N NOT RECOGNIZED	

Table A

Molex P/N	Part Description	RoHS Compliance Status
74059-1013	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 4.25mm (.167")	Not RoHS Compliant
74059-1018	MOLEX P/N NOT RECOGNIZED	
74059-1014	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 5.15mm (.203")	RoHS Compliant by Exemption
74059-1019	MOLEX P/N NOT RECOGNIZED	
74059-1023	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 4.25mm (.167")	Not RoHS Compliant
74059-1028	MOLEX P/N NOT RECOGNIZED	
74059-1024	2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 5.15mm (.203")	Not RoHS Compliant
74059-1029	MOLEX P/N NOT RECOGNIZED	
74059-1033	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1038	MOLEX P/N NOT RECOGNIZED	
74059-1034	VHDM BP 6 ROW SHLD END ASSY 10 COL	RoHS Compliant by Exemption
74059-1039	MOLEX P/N NOT RECOGNIZED	
74059-1043	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1048	MOLEX P/N NOT RECOGNIZED	
74059-1044	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1049	MOLEX P/N NOT RECOGNIZED	
74059-1053	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1058	MOLEX P/N NOT RECOGNIZED	
74059-1054	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1059	MOLEX P/N NOT RECOGNIZED	
74059-1063	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1068	MOLEX P/N NOT RECOGNIZED	
74059-1064	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
74059-1069	MOLEX P/N NOT RECOGNIZED	
74059-1073	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1078	MOLEX P/N NOT RECOGNIZED	
74059-1074	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant
74059-1079	MOLEX P/N NOT RECOGNIZED	
74059-1083	VHDM BP 6 ROW SHLD END ASSY 10 COL	Not RoHS Compliant