

## RoHS Certificate of Compliance

August 04, 2009

**Table A** provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) <sup>1</sup>.


<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) <sup>(2)</sup>
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) <sup>(2)</sup>
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of [www.molex.com](http://www.molex.com)



---

Jay Williamson  
World Wide V.P. of Quality

<sup>1</sup> In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
03-12-7044	125 Hcs 125 Power Plug	ELV and RoHS Compliant
06-02-1103	Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuit, 10 Circuits	ELV and RoHS Compliant
06-02-1186	Flat Blade Appliance Timer Connector, 18 Circuit, Right Hand, Black Color	ELV and RoHS Compliant
06-02-1246	Flat Blade Appliance Timer Connector, 24 Circuit, Right Hand, Black Color	ELV and RoHS Compliant
06-02-2030	Flat Blade Appliance Water Valve Crimp Housing, 3 Circuit	ELV and RoHS Compliant
06-02-3033	MICRO SW. CONN. HSG 5151	ELV and RoHS Compliant
06-02-3031	Flat Blade Micro Switch Crimp Housing, 3 Circuit	ELV and RoHS Compliant
08-51-0108	KK® Crimp Terminal, 22-30 AWG, Tin (Sn), Nickel (Ni) Under Plating	ELV and RoHS Compliant
39-01-0029	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 2 Circuits	ELV and RoHS Compliant
39-01-0049	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 4 Circuits	ELV and RoHS Compliant
39-01-0059	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 5 Circuits	ELV and RoHS Compliant
39-01-0069	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 6 Circuits	ELV and RoHS Compliant
39-01-0079	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 7 Circuits	ELV and RoHS Compliant
39-01-0089	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 8 Circuits	ELV and RoHS Compliant
39-01-0099	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 9 Circuits	ELV and RoHS Compliant
39-01-0119	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 11 Circuits	ELV and RoHS Compliant
39-01-0129	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 12 Circuits	ELV and RoHS Compliant
39-01-0139	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 13 Circuits	ELV and RoHS Compliant
39-01-0149	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 14 Circuits	ELV and RoHS Compliant
39-01-0159	2.00mm (.079") Pitch Board-In Housing, Unmated Height 5.70mm (.224"), 15 Circuits	ELV and RoHS Compliant
39-01-0169	2.0 BOARD IN CONN. HSG	ELV and RoHS Compliant
39-01-0209	2.0MM BRD-IN CONN HSG 20C 537920	ELV and RoHS Compliant
39-01-0023	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 2 Circuits	ELV and RoHS Compliant
39-01-0033	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 3 Circuits	ELV and RoHS Compliant
39-01-0043	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 4 Circuits	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
39-01-0053	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 5 Circuits	ELV and RoHS Compliant
39-01-0063	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 6 Circuits	ELV and RoHS Compliant
39-01-0073	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 7 Circuits	ELV and RoHS Compliant
39-01-0083	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 8 Circuits	ELV and RoHS Compliant
39-01-0093	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 9 Circuits	ELV and RoHS Compliant
39-01-0103	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 10 Circuits	ELV and RoHS Compliant
39-01-0113	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 11 Circuits	ELV and RoHS Compliant
39-01-0123	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 12 Circuits	ELV and RoHS Compliant
39-01-0133	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 13 Circuits	ELV and RoHS Compliant
39-01-0143	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 14 Circuits	ELV and RoHS Compliant
39-01-0153	2.50mm (.098") Pitch Wire-to-Board Receptacle Housing, Low Profile, 15 Circuits	ELV and RoHS Compliant
22-01-5044	100 KK Term Hsg W/LRamp W/PoR 4Ckt	ELV and RoHS Compliant
22-01-5102	100 KK Term Hsg W/LRamp W/PoR 10Ckt	ELV and RoHS Compliant
22-01-5103	100 KK Term Hsg W/LRamp W/PoR 10Ckt	ELV and RoHS Compliant
22-01-5104	100 KK Term Hsg W/LRamp W/PoR 10Ckt	ELV and RoHS Compliant
22-01-5111	100 KK Term Hsg W/LRamp W/PoR 11Ckt	ELV and RoHS Compliant
09-10-5109	156 KK IDT DICnt WO/LR FTo Tin 10ckt	ELV and RoHS Compliant
09-06-7245	156 KK IDT DICnt W/LR FTo Tin 24ckt	ELV and RoHS Compliant
09-06-7055	156 KK IDT DICnt W/LR FTh Tin 5ckt	ELV and RoHS Compliant
09-10-5149	156 KK IDT DICnt WO/LR FTo Tin 14ckt	ELV and RoHS Compliant
09-07-7081	156 KK IDT Double Cant Tin 8ckt	ELV and RoHS Compliant
09-10-2117	KK 156 IDT Assy FdTo 11 Ckt Tin	ELV and RoHS Compliant
09-09-5044	156 KK IDT Double Cant Tin 4ckt	ELV and RoHS Compliant
09-09-5094	156 KK IDT Double Cant Tin 9ckt	ELV and RoHS Compliant
09-09-5074	156 KK IDT Double Cant Tin 7ckt	ELV and RoHS Compliant
09-07-7082	156 KK IDT Double Cant Tin 8ckt	ELV and RoHS Compliant
26-32-4024	3.96mm (.156") KK® IDT Trifurcon™ Contact, 2 Circuits, Gold (Au), Feed-To, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
26-32-4034	3.96mm (.156") KK® IDT Trifurcon™ Contact, 3 Circuits, Gold (Au), Feed-To, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-4054	3.96mm (.156") KK® IDT Trifurcon™ Contact, 5 Circuits, Gold (Au), Feed-To, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-4084	3.96mm (.156") KK® IDT Trifurcon™ Contact, 8 Circuits, Gold (Au), Feed-To, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-4094	3.96mm (.156") KK® IDT Trifurcon™ Contact, 9 Circuits, Gold (Au), Feed-To, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-4104	3.96mm (.156") KK® IDT Trifurcon™ Contact, 10 Circuits, Gold (Au), Feed-To, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-6104	3.96mm (.156") KK® IDT Trifurcon™ Contact, 10 Circuits, Gold (Au), Feed-To, 20 Stranded, Blue ID Strip	ELV and RoHS Compliant
26-32-1035	KK 156 IDT Assy FdTo Ramp 03 Ckt Gold	ELV and RoHS Compliant
26-32-1089	3.96mm (.156") KK® IDT Trifurcon™ Contact, 8 Circuits, Gold (Au), Feed-To, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID Strip	ELV and RoHS Compliant
26-32-1063	3.96mm (.156") KK® IDT Trifurcon™ Contact, 6 Circuits, Gold (Au), Feed-To, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID Strip	ELV and RoHS Compliant
26-32-4111	3.96mm (.156") KK® IDT Trifurcon™ Contact, 11 Circuits, Gold (Au), Feed-Through, 20 Stranded, Blue ID Strip	ELV and RoHS Compliant
09-10-1096	156 KK IDT Double Cant Tin 9ckt	ELV and RoHS Compliant
09-10-2126	156 KK IDT Trifurcon Brass 12ckt	ELV and RoHS Compliant
15-31-1043	4.80mm (.189") Pitch Wire-to-Wire Plug Housing, 4 Circuits	ELV and RoHS Compliant
5239-04	MOLEX P/N NOT RECOGNIZED	
5239-06	MOLEX P/N NOT RECOGNIZED	
15-31-1062	4.80mm (.189") Pitch Wire-to-Wire Receptacle Housing, 6 Circuits	ELV and RoHS Compliant
15-31-1063	4.80mm (.189") Pitch Wire-to-Wire Plug Housing, 6 Circuits	ELV and RoHS Compliant
06-02-1245	Flat Blade Appliance Timer Crimp Housing, 24 Circuit, Left Hand, Natural (White Translucent) Color	ELV and RoHS Compliant
06-02-3042	Flat Blade Appliance Defrost Timer Crimp Housing, 4 Circuit, 4 Circuits	ELV and RoHS Compliant
42400-2001	Flat Blade Appliance Defrost Timer Connector, 4 Circuit	ELV and RoHS Compliant
06-02-3103	Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuit, 10 Circuits	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
06-02-3104	Flat Blade Appliance Dryer Motor Crimp Housing, 10 Circuit	ELV and RoHS Compliant
015-38-0404	40CKT QF CONNECTOR ASSY BLK 536040BT	ELV and RoHS Compliant
39-27-0034	2.0 B TO B DIP. CONN.ASSY	ELV and RoHS Compliant
39-27-0044	2.0MM BTB HEADER 4CKT 555004A	ELV and RoHS Compliant
39-27-0054	2.0 B TO B DIP. CONN	ELV and RoHS Compliant
39-27-0064	2.0 B TO B DIP.CONN.	ELV and RoHS Compliant
39-27-0074	2.0MM 7CKT WAFER ASSY 555007A	ELV and RoHS Compliant
39-27-0084	2.0MM 8CKT WAFER ASSY 555008A	ELV and RoHS Compliant
39-27-0094	2.0MM BTB HEADER 9CKT 555009A	ELV and RoHS Compliant
39-27-0104	10CKT 2.0MM B-T-B DIP CONN 555010A	ELV and RoHS Compliant
39-27-0114	2.0MM 11CKT WAFER ASSY 555011A	ELV and RoHS Compliant
39-27-0124	2.MM BTB HEADER 12CKT 555012A	ELV and RoHS Compliant
39-27-0134	13CKT 2MM B/B DIP CONNECTOR 555013A	ELV and RoHS Compliant
39-27-0144	2.0 B TO B DIP. CONN.	ELV and RoHS Compliant
39-27-0154	2.0MM BTB HEADER 15CKT 555015A	ELV and RoHS Compliant
39-27-0164	2.0 B TO B DIP. CONN.	ELV and RoHS Compliant
39-27-0174	2.0 B TO B DIP. CONN	ELV and RoHS Compliant
39-27-0184	2.0MM BTB HEADER 18CKT 555018A	ELV and RoHS Compliant
39-27-0194	2.0 B TO B DIP. CONN.	ELV and RoHS Compliant
39-27-0204	2.0MM BTB HEADER 20CKT 555020A	ELV and RoHS Compliant
39-27-0021	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 2 Circuits	ELV and RoHS Compliant
39-27-0031	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 3 Circuits	ELV and RoHS Compliant
39-27-0041	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 4 Circuits	ELV and RoHS Compliant
39-27-0051	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 5 Circuits	ELV and RoHS Compliant
39-27-0061	2.5MM L/PROFILE WAF ASSY 548306A	ELV and RoHS Compliant
39-27-0071	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 7 Circuits	ELV and RoHS Compliant
39-27-0081	8CKT 2.5MM L/PROFILE WAF ASSY 548308A	ELV and RoHS Compliant
39-27-0091	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 9 Circuits	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
39-27-0101	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 10 Circuits	ELV and RoHS Compliant
39-27-0111	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, 11 Circuits	ELV and RoHS Compliant
39-27-0121	2.5MM LOW PROFILE WFAS 548312A	ELV and RoHS Compliant
39-27-0131	2.5 LOW PRO. WAFER ASSY	ELV and RoHS Compliant
39-27-0141	2.5 LOW PRO. WAFER ASSY	ELV and RoHS Compliant
39-27-0151	2.5 LOW PRO. WAFER ASSY	ELV and RoHS Compliant
39-27-0052	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, without Kinked PC Tail, 5 Circuits	ELV and RoHS Compliant
39-27-0062	6CKT 2.5MM R/A L/P WAFER ASSY 548406A	ELV and RoHS Compliant
39-27-0072	2.5MM L/P RT/A WAFER ASSY 548407A	ELV and RoHS Compliant
39-27-0082	2.5MM L/P RT/A WAFER ASSY 548408A	ELV and RoHS Compliant
39-27-0092	2.5 LOW PROFILE WFAY	ELV and RoHS Compliant
39-27-0102	2.5MM LOW PROFILE WFAS 548410A	ELV and RoHS Compliant
39-27-0112	2.5 LOW PRO. WAFER ASSY	ELV and RoHS Compliant
39-27-0122	2.5 LOW PRO. WAFFER ASSY	ELV and RoHS Compliant
39-27-0132	2.5 LOW PRO. WAFER ASSY	ELV and RoHS Compliant
39-27-0152	2.5 LOW PRO. WAFER ASSY	ELV and RoHS Compliant
015-91-2040	2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 4 Circuits, Tin (Sn) Plating, without PCB Locator Pegs	ELV and RoHS Compliant
015-91-2060	2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 6 Circuits, Tin (Sn) Plating, without PCB Locator Pegs	ELV and RoHS Compliant
015-91-2080	2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 8 Circuits, Tin (Sn) Plating, without PCB Locator Pegs	ELV and RoHS Compliant
015-91-2100	2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 10 Circuits, Tin (Sn) Plating, without PCB Locator Pegs	ELV and RoHS Compliant
015-91-0160	2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 16 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating	ELV and RoHS Compliant
015-91-0240	2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 24 Circuits, 0.38µm (15µ") Gold (Au) Selective Plating	ELV and RoHS Compliant



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
38-00-6293	2.54mm (.100") Pitch KK® Header, Vertical, with Friction Lock, 3 Circuits, Tin (Sn)	ELV and RoHS Compliant
09-14-1132	156 KK PCB Tail Assy Tin 13Ckt	ELV and RoHS Compliant
09-48-5024	KK 156 PCB Assy RtAn 02 Ckts Gold	ELV and RoHS Compliant
09-48-5034	KK 156 PCB Assy RtAn 03 Ckts Gold	ELV and RoHS Compliant
09-48-5044	KK 156 PCB Assy RtAn 04 Ckts Gold	ELV and RoHS Compliant
09-48-5054	KK 156 PCB Assy RtAn 05 Ckts Gold	ELV and RoHS Compliant
09-48-5064	KK 156 PCB Assy RtAn 06 Ckts Gold	ELV and RoHS Compliant
09-48-5074	KK 156 PCB Assy RtAn 07 Ckts Gold	ELV and RoHS Compliant
09-48-5084	KK 156 PCB Assy RtAn 08 Ckts Gold	ELV and RoHS Compliant
09-48-5094	KK 156 PCB Assy RtAn 09 Ckts Gold	ELV and RoHS Compliant
09-48-5104	KK 156 PCB Assy RtAn 10 Ckts Gold	ELV and RoHS Compliant
09-48-5114	KK 156 PCB Assy RtAn 11 Ckts Gold	ELV and RoHS Compliant
09-48-5124	KK 156 PCB Assy RtAn 12 Ckts Gold	ELV and RoHS Compliant
09-48-5134	KK 156 PCB Assy RtAn 13 Ckts Gold	ELV and RoHS Compliant
09-48-5144	KK 156 PCB Assy RtAn 14 Ckts Gold	ELV and RoHS Compliant
09-48-5154	KK 156 PCB Assy RtAn 15 Ckts Gold	ELV and RoHS Compliant
09-48-5026	KK 156 PCB Assy Bottom 02 Ckts Gold	ELV and RoHS Compliant
09-48-5036	KK 156 PCB Assy Bottom 03 Ckts Gold	ELV and RoHS Compliant
09-48-5046	KK 156 PCB Assy Bottom 04 Ckts Gold	ELV and RoHS Compliant
09-48-5056	KK 156 PCB Assy Bottom 05 Ckts Gold	ELV and RoHS Compliant
09-48-5066	KK 156 PCB Assy Bottom 06 Ckts Gold	ELV and RoHS Compliant
09-48-5076	KK 156 PCB Assy Bottom 07 Ckts Gold	ELV and RoHS Compliant
09-48-5086	KK 156 PCB Assy Bottom 08 Ckts Gold	ELV and RoHS Compliant
09-48-5096	KK 156 PCB Assy Bottom 09 Ckts Gold	ELV and RoHS Compliant
09-48-5106	KK 156 PCB Assy Bottom 10 Ckts Gold	ELV and RoHS Compliant
09-48-5116	KK 156 PCB Assy Bottom 11 Ckts Gold	ELV and RoHS Compliant
09-48-5126	KK 156 PCB Assy Bottom 12 Ckts Gold	ELV and RoHS Compliant
09-48-5136	KK 156 PCB Assy Bottom 13 Ckts Gold	ELV and RoHS Compliant
09-48-5146	KK 156 PCB Assy Bottom 14 Ckts Gold	ELV and RoHS Compliant
09-48-5156	KK 156 PCB Assy Bottom 15 Ckts Gold	ELV and RoHS Compliant
09-48-2021	KK 156 PCB Assy RtAn 02 Ckt Tin	ELV and RoHS Compliant
09-48-2031	KK 156 PCB Assy RtAn 03 Ckt Tin	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
09-48-2041	KK 156 PCB Assy RtAn 04 Ckt Tin	ELV and RoHS Compliant
09-48-2051	KK 156 PCB Assy RtAn 05 Ckt Tin	ELV and RoHS Compliant
09-48-2061	KK 156 PCB Assy RtAn 06 Ckt Tin	ELV and RoHS Compliant
09-48-2071	KK 156 PCB Assy RtAn 07 Ckt Tin	ELV and RoHS Compliant
09-48-2081	KK 156 PCB Assy RtAn 08 Ckt Tin	ELV and RoHS Compliant
09-48-2091	KK 156 PCB Assy RtAn 09 Ckt Tin	ELV and RoHS Compliant
09-48-2101	KK 156 PCB Assy RtAn 10 Ckt Tin	ELV and RoHS Compliant
09-48-2111	KK 156 PCB Assy RtAn 11 Ckt Tin	ELV and RoHS Compliant
09-48-2121	KK 156 PCB Assy RtAn 12 Ckt Tin	ELV and RoHS Compliant
09-48-2131	KK 156 PCB Assy RtAn 13 Ckt Tin	ELV and RoHS Compliant
09-48-2141	KK 156 PCB Assy RtAn 14 Ckt Tin	ELV and RoHS Compliant
09-48-2151	KK 156 PCB Assy RtAn 15 Ckt Tin	ELV and RoHS Compliant
09-48-5050	KK 156 PCB Assy Bottom 05 Ckt Gold	ELV and RoHS Compliant
09-48-5100	KK 156 PCB Assy Bottom 10 Ckt Gold	ELV and RoHS Compliant
09-48-2032	KK 156 PCB Assy Bottom 03 Ckts Tin	ELV and RoHS Compliant
09-48-2042	KK 156 PCB Assy Bottom 04 Ckts Tin	ELV and RoHS Compliant
09-48-2052	KK 156 PCB Assy Bottom 05 Ckts Tin	ELV and RoHS Compliant
09-48-2062	KK 156 PCB Assy Bottom 06 Ckts Tin	ELV and RoHS Compliant
09-48-2072	KK 156 PCB Assy Bottom 07 Ckts Tin	ELV and RoHS Compliant
09-48-2082	KK 156 PCB Assy Bottom 08 Ckts Tin	ELV and RoHS Compliant
09-48-2092	KK 156 PCB Assy Bottom 09 Ckts Tin	ELV and RoHS Compliant
09-48-2102	KK 156 PCB Assy Bottom 10 Ckts Tin	ELV and RoHS Compliant
09-48-2112	KK 156 PCB Assy Bottom 11 Ckts Tin	ELV and RoHS Compliant
09-48-2122	KK 156 PCB Assy Bottom 12 Ckts Tin	ELV and RoHS Compliant
09-48-2132	KK 156 PCB Assy Bottom 13 Ckts Tin	ELV and RoHS Compliant
09-48-2142	KK 156 PCB Assy Bottom 14 Ckts Tin	ELV and RoHS Compliant
09-48-2152	KK 156 PCB Assy Bottom 15 Ckts Tin	ELV and RoHS Compliant
09-48-2035	KK 156 PCB Assy Top 03 Ckts Tin	ELV and RoHS Compliant
09-48-2045	KK 156 PCB Assy Top 04 Ckts Tin	ELV and RoHS Compliant
09-48-2065	KK 156 PCB Assy Top 06 Ckts Tin	ELV and RoHS Compliant
09-48-2085	KK 156 PCB Assy Top 08 Ckts Tin	ELV and RoHS Compliant
09-48-2105	KK 156 PCB Assy Top 10 Ckts Tin	ELV and RoHS Compliant



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
09-48-2115	KK 156 PCB Assy Top 11 Ckts Tin	ELV and RoHS Compliant
09-48-2155	KK 156 PCB Assy Top 15 Ckts Tin	ELV and RoHS Compliant
09-48-2029	KK 156 PCB Assy Bottom 02 Ckts Tin	ELV and RoHS Compliant
09-48-2039	KK 156 PCB Assy Bottom 03 Ckts Tin	ELV and RoHS Compliant
09-48-2049	KK 156 PCB Assy Bottom 04 Ckts Tin	ELV and RoHS Compliant
09-48-2059	KK 156 PCB Assy Bottom 05 Ckts Tin	ELV and RoHS Compliant
09-48-2069	KK 156 PCB Assy Bottom 06 Ckts Tin	ELV and RoHS Compliant
09-48-2079	KK 156 PCB Assy Bottom 07 Ckts Tin	ELV and RoHS Compliant
09-48-2089	KK 156 PCB Assy Bottom 08 Ckts Tin	ELV and RoHS Compliant
09-48-2099	KK 156 PCB Assy Bottom 09 Ckts Tin	ELV and RoHS Compliant
09-48-2109	KK 156 PCB Assy Bottom 10 Ckts Tin	ELV and RoHS Compliant
09-48-2119	KK 156 PCB Assy Bottom 11 Ckts Tin	ELV and RoHS Compliant
09-48-2129	KK 156 PCB Assy Bottom 12 Ckts Tin	ELV and RoHS Compliant