

RoHS Certificate of Compliance

August 04, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-45-9077	KK 100 IDT FTto PI Ramp Gold 7ckt	ELV and RoHS Compliant
22-45-9087	KK 100 IDT FTto PI Ramp Gold 8ckt	ELV and RoHS Compliant
22-45-9062	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-9065	KK 100 IDT FTto Ramp Gold 6ckt	ELV and RoHS Compliant
22-45-9067	KK 100 IDT FTto PI Ramp Gold 6ckt	ELV and RoHS Compliant
22-45-9072	2.54mm (.100") KK® IDT Double Cantilever Contact, 7 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-9082	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-9102	2.54mm (.100") KK® IDT Double Cantilever Contact, 10 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-9117	KK 100 IDT FTto PI Ramp Gold 11ckt	ELV and RoHS Compliant
22-02-4137	2.50mm (.098") Pitch Board-In Crimp Housing, For 5394 Terminal, 13 Circuits	ELV and RoHS Compliant
22-02-4147	2.50mm (.098") Pitch Board-In Crimp Housing, For 5394 Terminal, 14 Circuits	ELV and RoHS Compliant
22-02-4157	2.50mm (.098") Pitch Board-In Crimp Housing, For 5394 Terminal, 15 Circuits	ELV and RoHS Compliant
22-02-4107	2.50mm (.098") Pitch Board-In Crimp Housing, For 5394 Terminal, 10 Circuits	ELV and RoHS Compliant
22-02-4117	2.50mm (.098") Pitch Board-In Crimp Housing, For 5394 Terminal, 11 Circuits	ELV and RoHS Compliant
22-42-5024	KK 100 IDT FTto Ramp Tin 2ckt	ELV and RoHS Compliant
22-42-5034	KK 100 IDT FTto Ramp Tin 3ckt	ELV and RoHS Compliant
22-42-5044	KK 100 IDT FTto Ramp Tin 4ckt	ELV and RoHS Compliant
22-42-5054	KK 100 IDT FTto Ramp Tin 5ckt	ELV and RoHS Compliant
22-42-5064	KK 100 IDT FTto Ramp Tin 6ckt	ELV and RoHS Compliant
22-42-5074	KK 100 IDT FTto Ramp Tin 7ckt	ELV and RoHS Compliant
22-42-5084	KK 100 IDT FTto Ramp Tin 8ckt	ELV and RoHS Compliant
22-42-5094	KK 100 IDT FTto Ramp Tin 9ckt	ELV and RoHS Compliant
22-42-5104	KK 100 IDT FTto Ramp Tin 10ckt	ELV and RoHS Compliant
22-42-5114	KK 100 IDT FTto Ramp Tin 11ckt	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-42-5124	KK 100 IDT FTo Ramp Tin 12ckt	ELV and RoHS Compliant
22-42-5134	KK 100 IDT FTo Ramp Tin 13ckt	ELV and RoHS Compliant
22-42-5144	KK 100 IDT FTo Ramp Tin 14ckt	ELV and RoHS Compliant
22-42-5154	KK 100 IDT FTo Ramp Tin 15ckt	ELV and RoHS Compliant
22-42-5164	KK 100 IDT FTo Ramp Tin 16ckt	ELV and RoHS Compliant
22-42-5174	KK 100 IDT FTo Ramp Tin 17ckt	ELV and RoHS Compliant
22-42-5184	KK 100 IDT FTo Ramp Tin 18ckt	ELV and RoHS Compliant
22-42-5194	KK 100 IDT FTo Ramp Tin 19ckt	ELV and RoHS Compliant
22-42-5204	KK 100 IDT FTo Ramp Tin 20ckt	ELV and RoHS Compliant
22-42-5214	KK 100 IDT FTo Ramp Tin 21ckt	ELV and RoHS Compliant
22-42-5244	KK 100 IDT FTo Ramp Tin 24ckt	ELV and RoHS Compliant
22-42-5274	KK 100 IDT FTo Ramp Tin 27ckt	ELV and RoHS Compliant
22-45-5053	KK 100 IDT FTh PI Ramp Gold 5ckt	ELV and RoHS Compliant
22-45-6029	2.54mm (.100") KK® IDT Double Cantilever Contact, 2 Circuits, Gold (Au), Feed-To, 22 AWG Wire, Friction Ramp	ELV and RoHS Compliant
22-45-6066	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Gold (Au), Feed-Through, 22 AWG Wire, Friction Ramp	ELV and RoHS Compliant
22-45-7064	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Gold (Au), Feed-To, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-45-7026	2.54mm (.100") KK® IDT Double Cantilever Contact, 2 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7036	2.54mm (.100") KK® IDT Double Cantilever Contact, 3 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7046	2.54mm (.100") KK® IDT Double Cantilever Contact, 4 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7058	2.54mm (.100") KK® IDT Double Cantilever Contact, 5 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7068	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7076	2.54mm (.100") KK® IDT Double Cantilever Contact, 7 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-45-7086	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7096	2.54mm (.100") KK® IDT Double Cantilever Contact, 9 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7126	2.54mm (.100") KK® IDT Double Cantilever Contact, 12 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7136	2.54mm (.100") KK® IDT Double Cantilever Contact, 13 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-7285	2.54mm (.100") KK® IDT Double Cantilever Contact, 28 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-8022	2.54mm (.100") KK® IDT Double Cantilever Contact, 2 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-8032	2.54mm (.100") KK® IDT Double Cantilever Contact, 3 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-8042	2.54mm (.100") KK® IDT Double Cantilever Contact, 4 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-8087	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-8102	2.54mm (.100") KK® IDT Double Cantilever Contact, 10 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-8132	MOLEX P/N NOT RECOGNIZED	
22-45-8182	2.54mm (.100") KK® IDT Double Cantilever Contact, 18 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-45-8287	2.54mm (.100") KK® IDT Double Cantilever Contact, 28 Circuits, Gold (Au), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-45-7088	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Gold (Au), Feed-To, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
90327-3026	MOLEX P/N NOT RECOGNIZED	
30968-1061	HDAC64 DR MALE 6 CKT BLACK POL 2	ELV and RoHS Compliant
30968-1062	HDAC64 DR MALE 6 CKT NATURAL POL 3	ELV and RoHS Compliant
30968-1060	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Crimp Housing, Dual Row, 6 Circuits, Polarization Option #1, Gray	ELV and RoHS Compliant
30968-1080	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Crimp Housing, Dual Row, 8 Circuits, Polarization Option #1, Gray	ELV and RoHS Compliant
30968-1081	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Crimp Housing, Dual Row, 8 Circuits, Polarization Option #2, Black	ELV and RoHS Compliant
30968-1082	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Crimp Housing, Dual Row, 8 Circuits, Polarization Option #3, White	ELV and RoHS Compliant
30968-1100	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Crimp Housing, Dual Row, 10 Circuits, Polarization Option #1, Gray	ELV and RoHS Compliant
30968-1101	HDAC64 DR MALE 10 CKT BLACK POL 2	ELV and RoHS Compliant
30968-1102	HDAC64 DR MALE 10 CKT NATURAL POL 3	ELV and RoHS Compliant
30968-1120	HDAC64 DR MALE 12 CKT GRAY POL 1	ELV and RoHS Compliant
30968-1121	HDAC64 DR MALE 12 CKT BLACK POL 2	ELV and RoHS Compliant
30968-1122	HDAC64 DR MALE 12 CKT NATURAL POL 3	ELV and RoHS Compliant
30968-1141	HDAC64 DR MALE 14 CKT BLACK POL 2	ELV and RoHS Compliant
30968-1142	HDAC64 DR MALE 14 CKT NATURAL POL 3	ELV and RoHS Compliant
30968-1140	HDAC64 DR MALE 14 CKT GRAY POL 1	ELV and RoHS Compliant
30968-1160	HDAC64 DR MALE 16 CKT GRAY POL 1	ELV and RoHS Compliant
30968-1161	HDAC64 DR MALE 16 CKT BLACK POL 2	ELV and RoHS Compliant
30968-1162	HDAC64 DR MALE 16 CKT NATURAL POL 3	ELV and RoHS Compliant
30968-1181	HDAC64 DR MALE 18 CKT BLACK POL 2	ELV and RoHS Compliant
30968-1182	HDAC64 DR MALE 18 CKT NATURAL POL 3	ELV and RoHS Compliant
30968-1180	HDAC64 DR MALE 18 CKT GRAY POL 1	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
30968-1202	HDAC64 DR MALE 20 CKT NATURAL POL 3	ELV and RoHS Compliant
30968-1201	HDAC64 DR MALE 20 CKT BLACK POL 2	ELV and RoHS Compliant
30968-1200	HDAC64 DR MALE 20 CKT GRAY POL 1	ELV and RoHS Compliant
015386051	CGrid SL FFC SR Voids 15"SAu 5Ckt	ELV and RoHS Compliant
26-32-0103	156 KK IDT DICnt WO/LR FTh Gold 10ckt	ELV and RoHS Compliant
26-32-0163	156 KK IDT DICnt WO/LR FTh Gold 16ckt	ELV and RoHS Compliant
26-32-9024	3.96mm (.156") KK® IDT Double Cantilever Contact, 2 Circuits, Gold (Au), Feed-Through, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-9034	3.96mm (.156") KK® IDT Double Cantilever Contact, 3 Circuits, Gold (Au), Feed-Through, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-9044	3.96mm (.156") KK® IDT Double Cantilever Contact, 4 Circuits, Gold (Au), Feed-Through, 18 Solid or Fused Stranded, Yellow ID Strip	ELV and RoHS Compliant
26-32-3089	156 KK IDT DICnt WO/LR FTto Tin 8ckt	ELV and RoHS Compliant
26-32-5129	156 KK IDT DICnt WO/LR FTh Tin 12ckt	ELV and RoHS Compliant
26-32-5048	156 KK IDT DICnt WO/LR FTh Tin 4ckt	ELV and RoHS Compliant
26-32-9155	3.96mm (.156") KK® IDT Double Cantilever Contact, 15 Circuits, Gold (Au), Feed-To, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID St	ELV and RoHS Compliant
26-32-1201	156 KK IDT DICnt WO/LR FTto Tin 20ckt	ELV and RoHS Compliant
26-32-1143	3.96mm (.156") KK® IDT Double Cantilever Contact, 14 Circuits, Gold (Au), Feed-To, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID St	ELV and RoHS Compliant
26-32-1153	3.96mm (.156") KK® IDT Double Cantilever Contact, 15 Circuits, Gold (Au), Feed-To, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID St	ELV and RoHS Compliant
26-32-1203	156 KK IDT DICnt WO/LR FTh Tin 20ckt	ELV and RoHS Compliant
26-32-1102	156 KK IDT DICnt WO/LR FTh Tin 10ckt	ELV and RoHS Compliant
26-32-1162	156 KK IDT DICnt WO/LR FTh Tin 16ckt	ELV and RoHS Compliant
26-32-1074	156 KK IDT DICnt WO/LR FTto Tin 7ckt	ELV and RoHS Compliant
26-32-1084	156 KK IDT DICnt WO/LR FTto Tin 8ckt	ELV and RoHS Compliant
26-32-1104	156 KK IDT DICnt WO/LR FTto Tin 10ckt	ELV and RoHS Compliant
26-32-1124	156 KK IDT DICnt WO/LR FTto Tin 12ckt	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
26-32-7082	3.96mm (.156") KK® IDT Double Cantilever Contact, 8 Circuits, Gold (Au), Feed-Through, 20 Solid or Fused Stranded, and 18 Stranded, Red ID Strip	ELV and RoHS Compliant
26-32-7064	3.96mm (.156") KK® IDT Double Cantilever Contact, 6 Circuits, Gold (Au), Feed-To, 20 Solid or Fused Stranded, and 18 Stranded, Red ID Strip	ELV and RoHS Compliant
26-32-7084	3.96mm (.156") KK® IDT Double Cantilever Contact, 8 Circuits, Gold (Au), Feed-To, 20 Solid or Fused Stranded, and 18 Stranded, Red ID Strip	ELV and RoHS Compliant
26-32-7104	3.96mm (.156") KK® IDT Double Cantilever Contact, 10 Circuits, Gold (Au), Feed-To, 20 Solid or Fused Stranded, and 18 Stranded, Red ID Strip	ELV and RoHS Compliant
26-32-7144	3.96mm (.156") KK® IDT Double Cantilever Contact, 14 Circuits, Gold (Au), Feed-To, 20 Solid or Fused Stranded, and 18 Stranded, Red ID Strip	ELV and RoHS Compliant
26-32-7154	3.96mm (.156") KK® IDT Double Cantilever Contact, 15 Circuits, Gold (Au), Feed-To, 20 Solid or Fused Stranded, and 18 Stranded, Red ID Strip	ELV and RoHS Compliant
10-17-8043	093 Dia Pin Housing 94V-2 2Ckt	ELV and RoHS Compliant
10-17-8048	093 Dia Pin Housing 94V-2 2Ckt	ELV and RoHS Compliant
10-17-8051	093 Dia Pin Housing 94V-2 2Ckt	ELV and RoHS Compliant
10-17-8060	093 Dia Pin Housing 94V-2 2Ckt	ELV and RoHS Compliant
10-17-8062	093 Dia Pin Housing 94V-2 2Ckt	ELV and RoHS Compliant
10-17-8108	093 Dia Pin Housing 94V-2 1Ckt	ELV and RoHS Compliant
10-17-8109	HOUSING 414561201	Compliance Status Not Reviewed
33471-0401	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33471-0402	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33471-0403	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization C, without Connector Position Assurance, Brown	Compliance Status Not Reviewed
33471-0404	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization D, without Connector Position Assurance, Green	Compliance Status Not Reviewed
33471-0406	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization A, with Connector Position Assurance, Black	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33471-0407	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization B, with Connector Position Assurance, Gray	ELV and RoHS Compliant
33471-0408	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization C, with Connector Position Assurance, Brown	ELV and RoHS Compliant
33471-0409	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 4 Circuits, Polarization D, with Connector Position Assurance, Green	ELV and RoHS Compliant
33471-0411	MX150 ASSY 1.5 RCPT 1X4 BLK A/3	ELV and RoHS Compliant
33471-0412	MX150 ASSY 1.5 RCPT 1X4 LTGY B/3	ELV and RoHS Compliant
33471-0413	MX150 ASSY 1.5 RCPT 1X4 BRN C/3	ELV and RoHS Compliant
33471-0414	MX150 ASSY 1.5 RCPT 1X4 GRN D/3	ELV and RoHS Compliant
33471-0416	MX150 ASSY 1.5 RCPT 1X4 CPA BLK A/3	ELV and RoHS Compliant
33471-0417	MX150 ASSY 1.5 RCPT 1X4 CPA LTGY B/3	ELV and RoHS Compliant
33471-0418	MX150 ASSY 1.5 RCPT 1X4 CPA BRN C/3	ELV and RoHS Compliant
33471-0419	MX150 ASSY 1.5 RCPT 1X4 CPA GRN D/3	ELV and RoHS Compliant
33471-0421	MX150 ASSY 1.5 RCPT 1X4 BLK A/2	ELV and RoHS Compliant
33471-0422	MX150 ASSY 1.5 RCPT 1X4 LTGY B/2	ELV and RoHS Compliant
33471-0423	MX150 ASSY 1.5 RCPT 1X4 BRN C/2	ELV and RoHS Compliant
33471-0424	MX150 ASSY 1.5 RCPT 1X4 GRN D/2	ELV and RoHS Compliant
33471-0426	MX150 ASSY 1.5 RCPT 1X4 CPA BLK A/2	ELV and RoHS Compliant
33471-0427	MX150 ASSY 1.5 RCPT 1X4 CPA LTGY B/2	ELV and RoHS Compliant
33471-0428	MX150 ASSY 1.5 RCPT 1X4 CPA BRN C/2	ELV and RoHS Compliant
33471-0429	MX150 ASSY 1.5 RCPT 1X4 CPA GRN D/2	ELV and RoHS Compliant
33471-0431	MX150 ASSY 1.5 RCPT 1X4 BLK A/4	ELV and RoHS Compliant
33471-0432	MX150 ASSY 1.5 RCPT 1X4 LTGY B/4	ELV and RoHS Compliant
33471-0433	MX150 ASSY 1.5 RCPT 1X4 BRN C/4	ELV and RoHS Compliant
33471-0434	MX150 ASSY 1.5 RCPT 1X4 GRN D/4	ELV and RoHS Compliant
33471-0436	MX150 ASSY 1.5 RCPT 1X4SB BLK A/4	ELV and RoHS Compliant
33471-0437	MX150 ASSY 1.5 RCPT 1X4SB LTGY B/4	ELV and RoHS Compliant
33471-0438	MX150 ASSY 1.5 RCPT 1X4SB BRN C/4	ELV and RoHS Compliant
33471-0439	MX150 ASSY 1.5 RCPT 1X4SB GRN D/4	ELV and RoHS Compliant
33471-0441	MX150 ASSY 1.5 RCPT 1X4 BLK A/0	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33471-0442	MX150 ASSY 1.5 RCPT 1X4 LTGY B/0	ELV and RoHS Compliant
33471-0443	MX150 ASSY 1.5 RCPT 1X4 BRN C/0	ELV and RoHS Compliant
33471-0444	MX150 ASSY 1.5 RCPT 1X4 GRN D/0	ELV and RoHS Compliant
33471-0446	MX150 ASSY 1.5 RCPT 1X4SB CPA BLK A/4	ELV and RoHS Compliant
33471-0447	MX150 ASSY 1.5 RCPT 1X4SB CPA LTGY B/4	ELV and RoHS Compliant
33471-0448	MX150 ASSY 1.5 RCPT 1X4SB CPA BRN C/4	ELV and RoHS Compliant
33471-0449	MX150 ASSY 1.5 RCPT 1X4SB CPA GRN D/4	ELV and RoHS Compliant
33471-0451	MX150 ASSY 1.5 RCPT 1X4SB BLK A/2	ELV and RoHS Compliant
33471-0301	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33471-0302	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33471-0303	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33471-0304	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization D, without Connector Position Assurance, Green	ELV and RoHS Compliant
33471-0306	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization A, with Connector Position Assurance, Black	ELV and RoHS Compliant
33471-0307	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization B, with Connector Position Assurance, Gray	ELV and RoHS Compliant
33471-0308	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization C, with Connector Position Assurance, Brown	ELV and RoHS Compliant
33471-0309	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 3 Circuits, Polarization D, with Connector Position Assurance, Green	ELV and RoHS Compliant
33471-0311	MX150 ASSY 1.5 RCPT 1X3 BLK A/2	ELV and RoHS Compliant
33471-0312	MX150 ASSY 1.5 RCPT 1X3 LTGY B/2	ELV and RoHS Compliant
33471-0313	MX150 ASSY 1.5 RCPT 1X3 BRN C/2	ELV and RoHS Compliant
33471-0314	MX150 ASSY 1.5 RCPT 1X3 GRN D/2	ELV and RoHS Compliant
33471-0316	MX150 ASSY 1.5 RCPT 1X3 CPA BLK A/2	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33471-0317	MX150 ASSY 1.5 RCPT 1X3 CPA LTGY A/2	ELV and RoHS Compliant
33471-0318	MX150 ASSY 1.5 RCPT 1X3 CPA BRN C/2	ELV and RoHS Compliant
33471-0319	MX150 ASSY 1.5 RCPT 1X3 CPA GRN D/2	ELV and RoHS Compliant
33471-0321	MX150 ASSY 1.5 RCPT 1X3 BLK A/2	ELV and RoHS Compliant
33471-0322	MX150 ASSY 1.5 RCPT 1X3 LTGY B/2	ELV and RoHS Compliant
33471-0323	MX150 ASSY 1.5 RCPT 1X3 BRN C/2	ELV and RoHS Compliant
33471-0324	MX150 ASSY 1.5 RCPT 1X3 GRN D/2	ELV and RoHS Compliant
33471-0326	MX150 ASSY 1.5 RCPT 1X3 CPA BLK A/2	ELV and RoHS Compliant
33471-0327	MX150 ASSY 1.5 RCPT 1X3 CPA LTGY A/2	ELV and RoHS Compliant
33471-0328	MX150 ASSY 1.5 RCPT 1X3 CPA BRN C/2	ELV and RoHS Compliant
33471-0329	MX150 ASSY 1.5 RCPT 1X3 CPA GRN D/2	ELV and RoHS Compliant
33471-0331	MX150 ASSY 1.5 RCPT 1X3 BLK A/2	ELV and RoHS Compliant
33471-0332	MX150 ASSY 1.5 RCPT 1X3 LTGY B/2	ELV and RoHS Compliant
33471-0333	MX150 ASSY 1.5 RCPT 1X3 BRN C/2	ELV and RoHS Compliant
33471-0334	MX150 ASSY 1.5 RCPT 1X3 GRN D/2	ELV and RoHS Compliant
33471-0336	MX150 ASSY 1.5 RCPT 1X3 CPA BLK A/2	ELV and RoHS Compliant
33471-0337	MX150 ASSY 1.5 RCPT 1X3 BLK A/2	ELV and RoHS Compliant
33471-0338	MX150 ASSY 1.5 RCPT 1X3 CPA BLK A/0	ELV and RoHS Compliant
33471-0339	MX150 ASSY 1.5 RCPT 1X3 BLK A/2	ELV and RoHS Compliant
33481-0601	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Single Row, 6 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33481-0602	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Single Row, 6 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33481-0603	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Single Row, 6 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33481-0604	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Single Row, 6 Circuits, Polarization D, without Connector Position Assurance, Green	ELV and RoHS Compliant
33481-0606	MX150 ASSY 1.5 BLD 1X6 BLK A/5	ELV and RoHS Compliant
33481-0607	MX150 ASSY 1.5 BLD 1X6 LTGY B/5	ELV and RoHS Compliant
33481-0608	MX150 ASSY 1.5 BLD 1X6 BRN C/5	ELV and RoHS Compliant
33481-0609	MX150 ASSY 1.5 BLD 1X6 GRN D/5	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33481-0611	MX150 ASSY 1.5 BLD 1X6 BLK A/4	ELV and RoHS Compliant