

RoHS Certificate of Compliance

August 04, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.


<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
33481-0612	MX150 ASSY 1.5 BLD 1X6 LTGY B/4	ELV and RoHS Compliant
33481-0613	MX150 ASSY 1.5 BLD 1X6 BRN C/4	ELV and RoHS Compliant
33481-0614	MX150 ASSY 1.5 BLD 1X6 GRN D/4	ELV and RoHS Compliant
33482-0401	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 4 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33482-0402	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 4 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33482-0403	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 4 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33482-0404	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 4 Circuits, Polarization D, without Connector Position Assurance, Green	ELV and RoHS Compliant
33482-0406	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0407	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0408	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0409	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0411	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0412	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0413	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0414	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0601	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 6 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33482-0602	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 6 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33482-0603	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 6 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33482-0604	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 6 Circuits, Polarization D, without Connector Position Assurance, Green	ELV and RoHS Compliant
33482-0606	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0607	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0608	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33482-0609	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0611	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0612	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0613	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0614	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0616	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0801	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 8 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33482-0802	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 8 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33482-0803	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 8 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33482-0804	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 8 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33482-0806	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0807	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0808	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0809	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0811	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0812	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0813	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0814	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0816	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0817	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0818	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0819	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0821	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0822	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0823	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-0824	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33482-1201	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 12 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33482-1202	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 12 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33482-1203	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 12 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33482-1204	3.50mm (.138") Pitch MX150™ Sealed Male Connector, Dual Row, 12 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33482-1206	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1207	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1208	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1209	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1211	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1212	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1213	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1214	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1216	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1217	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1218	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1219	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1221	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1222	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1223	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1224	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1232	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1233	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1234	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33482-1235	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
33471-0501	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 5 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33471-0502	MX150 ASSY 1.5 RCPT 1X5 LTGY B/5	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33471-0503	MX150 ASSY 1.5 RCPT 1X5 BRN C/5	ELV and RoHS Compliant
33471-0504	MX150 ASSY 1.5 RCPT 1X5 GRN D/5	ELV and RoHS Compliant
33471-0506	MX150 ASSY 1.5 RCPT 1X5 CPA BLK A/5	ELV and RoHS Compliant
33471-0507	MX150 ASSY 1.5 RCPT 1X5 CPA LTGY B/5	ELV and RoHS Compliant
33471-0508	MX150 ASSY 1.5 RCPT 1X5 CPA BRN C/5	ELV and RoHS Compliant
33471-0509	MX150 ASSY 1.5 RCPT 1X5 CPA GRN D/5	ELV and RoHS Compliant
33471-0511	MX150 ASSY 1.5 RCPT 1X5 BLK A/4	ELV and RoHS Compliant
33471-0512	MX150 ASSY 1.5 RCPT 1X5 LTGY B/4	ELV and RoHS Compliant
33471-0513	MX150 ASSY 1.5 RCPT 1X5 BRN C/4	ELV and RoHS Compliant
33471-0514	MX150 ASSY 1.5 RCPT 1X5 GRN D/4	ELV and RoHS Compliant
33471-0516	MX150 ASSY 1.5 RCPT 1X5 CPA BLK A/4	ELV and RoHS Compliant
33471-0517	MX150 ASSY 1.5 RCPT 1X5 CPA LTGY B/4	ELV and RoHS Compliant
33471-0518	MX150 ASSY 1.5 RCPT 1X5 CPA BRN C/4	ELV and RoHS Compliant
33471-0519	MX150 ASSY 1.5 RCPT 1X5 CPA GRN D/4	ELV and RoHS Compliant
33471-0521	MX150 ASSY 1.5 RCPT 1X5 BLK A/3	ELV and RoHS Compliant
33471-0522	MX150 ASSY 1.5 RCPT 1X5 LTGY B/3	ELV and RoHS Compliant
33471-0523	MX150 ASSY 1.5 RCPT 1X5 BRN C/3	ELV and RoHS Compliant
33471-0524	MX150 ASSY 1.5 RCPT 1X5 GRN D/3	ELV and RoHS Compliant
33471-0526	MX150 ASSY 1.5 RCPT 1X5 CPA BLK A/3	ELV and RoHS Compliant
33471-0527	MX150 ASSY 1.5 RCPT 1X5 CPA LTGY B/3	ELV and RoHS Compliant
33471-0528	MX150 ASSY 1.5 RCPT 1X5 CPA BRN C/3	ELV and RoHS Compliant
33471-0529	MX150 ASSY 1.5 RCPT 1X5 CPA GRN D/3	ELV and RoHS Compliant
33471-0531	MX150 ASSY 1.5 RCPT 1X5 BLK A/0	ELV and RoHS Compliant
33471-0532	MX150 ASSY 1.5 RCPT 1X5 LTGY B/0	ELV and RoHS Compliant
33471-0533	MX150 ASSY 1.5 RCPT 1X5 BRN C/0	ELV and RoHS Compliant
33471-0534	MX150 ASSY 1.5 RCPT 1X5 GRN D/0	ELV and RoHS Compliant
33471-0601	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33471-0602	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33471-0603	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33471-0604	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization D, without Connector Position Assurance, Green	ELV and RoHS Compliant
33471-0606	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization A, with Connector Position Assurance, Black	ELV and RoHS Compliant
33471-0607	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization B, with Connector Position Assurance, Gray	ELV and RoHS Compliant
33471-0608	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization C, with Connector Position Assurance, Brown	ELV and RoHS Compliant
33471-0609	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Single Row, 6 Circuits, Polarization D, with Connector Position Assurance, Green	ELV and RoHS Compliant
33471-0611	MX150 ASSY 1.5 RCPT 1X6 BLK A/5	ELV and RoHS Compliant
33471-0612	MX150 ASSY 1.5 RCPT 1X6 LTGY B/5	ELV and RoHS Compliant
33471-0613	MX150 ASSY 1.5 RCPT 1X6 BRN C/5	ELV and RoHS Compliant
33471-0614	MX150 ASSY 1.5 RCPT 1X6 GRN D/5	ELV and RoHS Compliant
33471-0616	MX150 ASSY 1.5 RCPT 1X6 CPA BLK A/5	ELV and RoHS Compliant
33471-0617	MX150 ASSY 1.5 RCPT 1X6 CPA LTGY B/5	ELV and RoHS Compliant
33471-0618	MX150 ASSY 1.5 RCPT 1X6 CPA BRN C/5	ELV and RoHS Compliant
33471-0619	MX150 ASSY 1.5 RCPT 1X6 CPA GRN D/5	ELV and RoHS Compliant
33471-0621	MX150 ASSY 1.5 RCPT 1X6 BLK A/4	ELV and RoHS Compliant
33471-0622	MX150 ASSY 1.5 RCPT 1X6 LTGY B/4	ELV and RoHS Compliant
33471-0623	MX150 ASSY 1.5 RCPT 1X6 BRN C/4	ELV and RoHS Compliant
33471-0624	MX150 ASSY 1.5 RCPT 1X6 GRN D/4	ELV and RoHS Compliant
33471-0626	MX150 ASSY 1.5 RCPT 1X6 CPA BLK A/4	ELV and RoHS Compliant
33471-0627	MX150 ASSY 1.5 RCPT 1X6 CPA LTGY B/4	ELV and RoHS Compliant
33471-0628	MX150 ASSY 1.5 RCPT 1X6 CPA BRN C/4	ELV and RoHS Compliant
33471-0629	MX150 ASSY 1.5 RCPT 1X6 CPA GRN D/4	ELV and RoHS Compliant
33471-0631	MX150 ASSY 1.5 RCPT 1X6 BLK A/0	ELV and RoHS Compliant
33471-0632	MX150 ASSY 1.5 RCPT 1X6 LTGY B/0	ELV and RoHS Compliant
33471-0633	MX150 ASSY 1.5 RCPT 1X6 BRN C/0	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33471-0634	MX150 ASSY 1.5 RCPT 1X6 GRN D/0	ELV and RoHS Compliant
33472-0601	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33472-0602	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33472-0603	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33472-0604	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization D, without Connector Position Assurance, Green	ELV and RoHS Compliant
33472-0606	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization A, with Connector Position Assurance, Black	ELV and RoHS Compliant
33472-0607	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization B, with Connector Position Assurance, Gray	ELV and RoHS Compliant
33472-0608	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization C, with Connector Position Assurance, Brown	ELV and RoHS Compliant
33472-0609	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 6 Circuits, Polarization D, with Connector Position Assurance, Green	ELV and RoHS Compliant
33472-0611	MX150 ASSY 1.5 RCPT 2X3 BLK A/5	ELV and RoHS Compliant
33472-0612	MX150 ASSY 1.5 RCPT 2X3 LTGY B/5	ELV and RoHS Compliant
33472-0613	MX150 ASSY 1.5 RCPT 2X3 BRN C/5	ELV and RoHS Compliant
33472-0614	MX150 ASSY 1.5 RCPT 2X3 GRN D/5	ELV and RoHS Compliant
33472-0616	MX150 ASSY 1.5 RCPT 2X3 CPA BLK A/5	ELV and RoHS Compliant
33472-0617	MX150 ASSY 1.5 RCPT 2X3 CPA LTGY B/5	ELV and RoHS Compliant
33472-0618	MX150 ASSY 1.5 RCPT 2X3 CPA BRN C/5	ELV and RoHS Compliant
33472-0619	MX150 ASSY 1.5 RCPT 2X3 CPA GRN D/5	ELV and RoHS Compliant
33472-0621	MX150 ASSY 1.5 RCPT 2X3 BLK A/4	ELV and RoHS Compliant
33472-0622	MX150 ASSY 1.5 RCPT 2X3 LTGY B/4	ELV and RoHS Compliant
33472-0623	MX150 ASSY 1.5 RCPT 2X3 BRN C/4	ELV and RoHS Compliant
33472-0624	MX150 ASSY 1.5 RCPT 2X3 GRN D/4	ELV and RoHS Compliant
33472-0626	MX150 ASSY 1.5 RCPT 2X3 CPA BLK A/4	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33472-0627	MX150 ASSY 1.5 RCPT 2X3 CPA LTGY B/4	ELV and RoHS Compliant
33472-0628	MX150 ASSY 1.5 RCPT 2X3 CPA BRN C/4	ELV and RoHS Compliant
33472-0629	MX150 ASSY 1.5 RCPT 2X3 CPA GRN D/4	ELV and RoHS Compliant
33472-0631	MX150 ASSY 1.5 RCPT 2X3 BLK A-MS/6	ELV and RoHS Compliant
33472-0632	MX150 ASSY 1.5 RCPT 2X3 LTGY B-MS/6	ELV and RoHS Compliant
33472-0633	MX150 ASSY 1.5 RCPT 2X3 BRN C-MS/6	ELV and RoHS Compliant
33472-0634	MX150 ASSY 1.5 RCPT 2X3 GRN D-MS/6	Compliance Status Not Reviewed
33472-0636	MX150 ASSY 1.5 RCPT 2X3 BLK A/0	ELV and RoHS Compliant
33472-0637	MX150 ASSY 1.5 RCPT 2X3 LTGY B/0	ELV and RoHS Compliant
33472-0638	MX150 ASSY 1.5 RCPT 2X3 BRN C/0	ELV and RoHS Compliant
33472-0639	MX150 ASSY 1.5 RCPT 2X3 GRN D/0	ELV and RoHS Compliant
33472-0801	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization A, without Connector Position Assurance, Black	ELV and RoHS Compliant
33472-0802	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization B, without Connector Position Assurance, Gray	ELV and RoHS Compliant
33472-0803	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization C, without Connector Position Assurance, Brown	ELV and RoHS Compliant
33472-0804	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization D, without Connector Position Assurance, Green	ELV and RoHS Compliant
33472-0806	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization A, with Connector Position Assurance, Black	ELV and RoHS Compliant
33472-0807	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization B, with Connector Position Assurance, Gray	ELV and RoHS Compliant
33472-0808	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization C, with Connector Position Assurance, Brown	ELV and RoHS Compliant
33472-0809	3.50mm (.138") Pitch MX150™ Sealed Female Connector, Dual Row, 8 Circuits, Polarization D, with Connector Position Assurance, Green	ELV and RoHS Compliant
33472-0811	MX150 ASSY 1.5 RCPT 2X4 BLK A/7	ELV and RoHS Compliant
33472-0812	MX150 ASSY 1.5 RCPT 2X4 LTGY B/7	ELV and RoHS Compliant
33472-0813	MX150 ASSY 1.5 RCPT 2X4 BRN C/7	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
33472-0814	MX150 ASSY 1.5 RCPT 2X4 GRN D/7	ELV and RoHS Compliant
33472-0816	MX150 ASSY 1.5 RCPT 2X4 CPA BLK A/7	ELV and RoHS Compliant
33472-0817	MX150 ASSY 1.5 RCPT 2X4 CPA LTGY B/7	ELV and RoHS Compliant
33472-0818	MX150 ASSY 1.5 RCPT 2X4 CPA BRN C/7	ELV and RoHS Compliant
33472-0819	MX150 ASSY 1.5 RCPT 2X4 CPA GRN D/7	ELV and RoHS Compliant
33472-0821	MX150 ASSY 1.5 RCPT 2X4 BLK A/6	ELV and RoHS Compliant
33472-0822	MX150 ASSY 1.5 RCPT 2X4 LTGY B/6	ELV and RoHS Compliant
33472-0823	MX150 ASSY 1.5 RCPT 2X4 BRN C/6	ELV and RoHS Compliant
33472-0824	MX150 ASSY 1.5 RCPT 2X4 GRN D/6	ELV and RoHS Compliant
33472-0826	MX150 ASSY 1.5 RCPT 2X4 CPA BLK A/6	ELV and RoHS Compliant
33472-0827	MX150 ASSY 1.5 RCPT 2X4 CPA LTGY B/6	ELV and RoHS Compliant
33472-0828	MX150 ASSY 1.5 RCPT 2X4 CPA BRN C/6	ELV and RoHS Compliant
33472-0829	MX150 ASSY 1.5 RCPT 2X4 CPA GRN D/6	ELV and RoHS Compliant
33472-0831	MX150 ASSY 1.5 RCPT 2X4 BLK A/5	ELV and RoHS Compliant
33472-0832	MX150 ASSY 1.5 RCPT 2X4 LTGY B/5	ELV and RoHS Compliant
33472-0833	MX150 ASSY 1.5 RCPT 2X4 BRN C/5	ELV and RoHS Compliant
33472-0834	MX150 ASSY 1.5 RCPT 2X4 GRN D/5	ELV and RoHS Compliant
33472-0836	MX150 ASSY 1.5 RCPT 2X4 CPA BLK A/5	ELV and RoHS Compliant
33472-0837	MX150 ASSY 1.5 RCPT 2X4 CPA LTGY B/5	ELV and RoHS Compliant
33472-0838	MX150 ASSY 1.5 RCPT 2X4 CPA BRN C/5	ELV and RoHS Compliant
33472-0839	MX150 ASSY 1.5 RCPT 2X4 CPA GRN D/5	ELV and RoHS Compliant
33472-0841	MX150 ASSY 1.5 RCPT 2X4 BLK A/4	ELV and RoHS Compliant
33472-0842	MX150 ASSY 1.5 RCPT 2X4 LTGY B/4	ELV and RoHS Compliant
33472-0843	MX150 ASSY 1.5 RCPT 2X4 BRN C/4	ELV and RoHS Compliant
33472-0844	MX150 ASSY 1.5 RCPT 2X4 GRN D/4	ELV and RoHS Compliant
33472-0846	MX150 ASSY 1.5 RCPT 2X4 CPA BLK A/4	ELV and RoHS Compliant
33472-0847	MX150 ASSY 1.5 RCPT 2X4 CPA LTGY B/4	ELV and RoHS Compliant
33472-0848	MX150 ASSY 1.5 RCPT 2X4 CPA BRN C/4	ELV and RoHS Compliant
33472-0849	MX150 ASSY 1.5 RCPT 2X4 CPA GRN D/4	ELV and RoHS Compliant