

RoHS Certificate of Compliance

August 04, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-16-8121	CONNECTOR KK2.5/5.0	ELV and RoHS Compliant
10-16-8131	KK2.5/5 WAFER ASSY	ELV and RoHS Compliant
10-16-8141	KK2.5/5 WAFER ASSY	ELV and RoHS Compliant
10-16-8151	KK2.5/5 WAFER ASSY	ELV and RoHS Compliant
10-16-8161	KK2.5/5 WAFER ASSY	ELV and RoHS Compliant
10-16-8171	CONNECTOR KK2.5/5.	ELV and RoHS Compliant
10-16-8181	KK2.5/5 WAFER ASSY	ELV and RoHS Compliant
10-16-8191	CONNECTOR KK2.5/5.0 504819A	ELV and RoHS Compliant
15-80-1062	2.54mm (.100") Pitch C-Grid® Header, Through Hole without Peg, Dual Row, Vertical, Shrouded, High Temperature, 6 Circuits, Tin (Sn) Plating, 3.81mm (.150") Inside Shroud to End Circuit Spacing, Polarization Rib Cut Outization Rib Cut Out	ELV and RoHS Compliant
15-80-1063		
15-80-1064		
15-80-1083		
15-80-1123		
15-80-1143		
15-80-1163		
15-80-1261	2.54mm (.100") Pitch C-Grid® Header, Through Hole without Peg, Dual Row, Vertical, Shrouded, High Temperature, 26 Circuits, 0.76µm (30µ") Gold, (Au) Selective Plating, Tin (Sn) PC Tail Plating, 3.81mm (.150") Inside Shroud to End Circuit Spacing	ELV and RoHS Compliant
15-80-1361	2.54mm (.100") Pitch C-Grid® Header, Through Hole without Peg, Dual Row, Vertical, Shrouded, High Temperature, 36 Circuits, 0.76µm (30µ") Gold, (Au) Selective Plating, Tin (Sn) PC Tail Plating, 3.81mm (.150") Inside Shroud to End Circuit Spacing	ELV and RoHS Compliant
22-04-4025	2.5MM KK FR.LOCK WFAS 2CK 504502F	ELV and RoHS Compliant
22-04-4035	KK2.5 WAFER ASSY W/LOCK	ELV and RoHS Compliant
22-12-4022	2.54mm (.100") Pitch KK® Wire-to-Board Header, Right Angle, with Friction Lock, 2 Circuits	ELV and RoHS Compliant
22-12-4042	2.54mm (.100") Pitch KK® Wire-to-Board Header, Right Angle, with Friction Lock, 4 Circuits	ELV and RoHS Compliant
22-12-4062	2.54mm (.100") Pitch KK® Wire-to-Board Header, Right Angle, with Friction Lock, 6 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-12-4072	2.54mm (.100") Pitch KK® Wire-to-Board Header, Right Angle, with Friction Lock, 7 Circuits	ELV and RoHS Compliant
39-27-1049	2.50mm (.098") Pitch Board-to-Board Header, Single Row, Right Angle, 4 Circuits, Phosphor Bronze (CuSn) Contact	ELV and RoHS Compliant
39-27-1069	2.50mm (.098") Pitch Board-to-Board Header, Single Row, Right Angle, 6 Circuits, Phosphor Bronze (CuSn) Contact	ELV and RoHS Compliant
39-27-6023	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 2 Circuits	ELV and RoHS Compliant
39-27-6033	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 3 Circuits	ELV and RoHS Compliant
39-27-6043	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 4 Circuits	ELV and RoHS Compliant
39-27-6053	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 5 Circuits	ELV and RoHS Compliant
39-27-6063	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 6 Circuits	ELV and RoHS Compliant
39-27-6133	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 13 Circuits	ELV and RoHS Compliant
39-27-6143	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 14 Circuits	ELV and RoHS Compliant
39-27-6153	2.50mm (.098") Pitch Wire-to-Board Header, Vertical, Friction Lock, with Kinked PC Tail, 15 Circuits	ELV and RoHS Compliant
10-88-4122	CGrid Bkwy Hdr DR Str Tin 12Ckt	ELV and RoHS Compliant
10-89-0069	CGrid Bkwy Hdr DR Str 30"SAu 16Ckt	ELV and RoHS Compliant
10-89-0079	CGrid Bkwy Hdr DR Str 30"SAu 18Ckt	ELV and RoHS Compliant
10-89-0279	CGrid Bkwy Hdr DR Str 544Plt 10Ckt	ELV and RoHS Compliant
10-89-0289	CGrid Bkwy Hdr DR Str 544Plt 26Ckt	ELV and RoHS Compliant
10-89-0299	CGrid Bkwy Hdr DR Str 544Plt 34Ckt	ELV and RoHS Compliant
10-89-0309	CGrid Bkwy Hdr DR Str 544Plt 40Ckt	ELV and RoHS Compliant
10-89-0369	CGrid Bkwy Hdr DR Str 15"SAu 10Ckt	ELV and RoHS Compliant
10-89-3241	CGrid Bkwy Hdr DR Str Tin 24Ckt	ELV and RoHS Compliant
10-89-0019	CGrid Bkwy Hdr DR Str Tin 26Ckt	ELV and RoHS Compliant
10-89-0029	2.54mm (.100") Pitch C-Grid® Breakaway Header, Dual Row, Vertical, 18 Circuits, 6.78mm (.267") Mating Pin Length, Tin (Sn) Plating, with Circuit 4 Void	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-89-0039	CGrid Bkwy Hdr DR Str 15"SAu 8Ckt	ELV and RoHS Compliant
10-89-0049	CGrid Bkwy Hdr DR Str Tin 40Ckt	ELV and RoHS Compliant
10-89-0169	CGrid Bkwy Hdr DR Str Tin 16Ckt	ELV and RoHS Compliant
10-89-0179	CGrid Bkwy Hdr DR Str 15"SAu 40Ckt	ELV and RoHS Compliant
10-89-0269	CGrid Bkwy Hdr DR Str 15"SAu 26Ckt	ELV and RoHS Compliant
10-89-0349	CGrid Bkwy Hdr DR Str 15"SAu 34Ckt	ELV and RoHS Compliant
10-89-0429	CGrid Bkwy Hdr DR Str Tin 10Ckt	ELV and RoHS Compliant
10-89-0449	CGrid Bkwy Hdr DR Str Tin 12Ckt	ELV and RoHS Compliant
10-89-5247	CGrid Bkwy Hdr DR Str 30"SAu 24Ckt	ELV and RoHS Compliant
10-89-0268	100 Wafer HT DR /SqP 30"SAu 26Ckt	ELV and RoHS Compliant
10-89-3161	CGrid Bkwy Hdr DR Str 30"SAu 16Ckt	ELV and RoHS Compliant
10-89-3261	CGrid Bkwy Hdr DR Str 30"SAu 26Ckt	ELV and RoHS Compliant
10-96-1169	CGrid DB Knk HT DR 15"SAu 16Ckt	ELV and RoHS Compliant
10-96-1309	CGRID DB KNK HT DR TIN 30 CKT	ELV and RoHS Compliant
10-86-7102	CH 100 Header Dual Row/Body 10ckt tin	ELV and RoHS Compliant
10-87-8426	CH 100 Header DRow/Body 42ckt /683122013	ELV and RoHS Compliant
10-87-9163	CGrid Bkwy V Hdr DR DB 30"SAu 16Ckt	ELV and RoHS Compliant
22-03-1021	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 2 Circuits	ELV and RoHS Compliant
22-03-1022	2.50mm (.098") Pitch Header, Single Row, 10.72mm (.422") Mating Pin Length, 2 Circuits	ELV and RoHS Compliant
22-05-8049	2.54mm (.100") Pitch Header, Right Angle, with Friction, 4 Circuits	ELV and RoHS Compliant
22-05-8059	KK 100 Hdr FrLk RtAn 05 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8084	KK 100 Hdr FrLk RtAn 08 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8086	KK 100 Hdr FrLk RtAn 08 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8089	KK 100 Hdr FrLk RtAn 08 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8109	KK 100 Hdr FrLk RtAn 10 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8113	KK 100 Hdr FrLk RtAn 11 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8129	KK 100 Hdr FrLk RtAn 12 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8162	KK 100 Hdr FrLk RtAn 16 Ckt w/void Tin	ELV and RoHS Compliant
22-05-8253	KK 100 Hdr FrLk RtAn 25 Ckt w/void Tin	ELV and RoHS Compliant
22-05-2048	MOLEX P/N NOT RECOGNIZED	

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-05-2090	KK 100 HDR FLAT RTAN 9CKT TIN	ELV and RoHS Compliant
22-10-1021	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 2 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1031	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 3 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1041	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 4 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1051	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 5 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1061	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 6 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1081	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 8 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1091	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 9 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1101	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 10 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1121	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 12 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1131	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 13 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1141	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 14 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1151	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 15 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1161	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 16 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1181	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 18 Circuits, Gold Plating	ELV and RoHS Compliant
22-10-1201	2.50mm (.098") Pitch Header, Single Row, 7.50mm (.295") Mating Pin Length, 20 Circuits, Gold Plating	ELV and RoHS Compliant
22-15-8022	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 2 Circuits	ELV and RoHS Compliant
22-15-8052	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 5 Circuits	ELV and RoHS Compliant
22-15-8062	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 6 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-15-8082	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 8 Circuits	ELV and RoHS Compliant
22-15-8102	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 10 Circuits	ELV and RoHS Compliant
22-15-8122	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 12 Circuits	ELV and RoHS Compliant
22-15-8142	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 14 Circuits	ELV and RoHS Compliant
22-15-8152	2.54mm (.100") Pitch KK® PC Board Connector, Right Angle, 15 Circuits	ELV and RoHS Compliant
22-12-4152	2.54mm (.100") Pitch KK® Wire-to-Board Header, Right Angle, with Friction Lock, 15 Circuits	ELV and RoHS Compliant
39-27-6024	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 2 Circuits	ELV and RoHS Compliant
39-27-6034	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 3 Circuits	ELV and RoHS Compliant
39-27-6044	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 4 Circuits	ELV and RoHS Compliant
39-27-6054	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 5 Circuits	ELV and RoHS Compliant
39-27-6064	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 6 Circuits	ELV and RoHS Compliant
39-27-6074	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 7 Circuits	ELV and RoHS Compliant
39-27-6084	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 8 Circuits	ELV and RoHS Compliant
39-27-6094	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 9 Circuits	ELV and RoHS Compliant
39-27-6144	2.50mm (.098") Pitch Wire-to-Board Header, Right Angle, Shrouded, Friction Lock, with Kinked PC Tail, 14 Circuits	ELV and RoHS Compliant
30700-5060	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Header, Dual Row, Right Angle 6 Circuits	ELV and RoHS Compliant
30700-5061	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5062	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5080	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Header, Dual Row, Right Angle 8 Circuits	ELV and RoHS Compliant
30700-5081	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5082	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
30700-5100	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Header, Dual Row, Right Angle 10 Circuits	ELV and RoHS Compliant
30700-5101	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5102	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5120	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Header, Dual Row, Right Angle 12 Circuits	ELV and RoHS Compliant
30700-5121	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5122	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5147	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5148	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5149	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5167	2.54mm (.100") Pitch, 0.64mm (.025") Width H-DAC 64™ High Density Automotive Header, Dual Row, Right Angle 16 Circuits	ELV and RoHS Compliant
30700-5168	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5169	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5187	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5188	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5189	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5207	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5208	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
30700-5209	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
10-16-1021	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 2 Circuits	ELV and RoHS Compliant
10-16-1031	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 3 Circuits	ELV and RoHS Compliant
10-16-1041	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 4 Circuits	ELV and RoHS Compliant
10-16-1051	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 5 Circuits	ELV and RoHS Compliant
10-16-1061	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 6 Circuits	ELV and RoHS Compliant
10-16-1071	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 7 Circuits	ELV and RoHS Compliant
10-16-1081	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 8 Circuits	ELV and RoHS Compliant
10-16-1091	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 9 Circuits	ELV and RoHS Compliant
10-16-1101	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 10 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-16-1111	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 11 Circuits	ELV and RoHS Compliant
10-16-1121	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 12 Circuits	ELV and RoHS Compliant
10-16-1131	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 13 Circuits	ELV and RoHS Compliant
10-16-1141	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 14 Circuits	ELV and RoHS Compliant
10-16-1151	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 15 Circuits	ELV and RoHS Compliant
10-16-1201	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 20 Circuits	ELV and RoHS Compliant
10-16-1042	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 4 Circuits	ELV and RoHS Compliant
10-16-1132	5.08mm (.200") Pitch KK® Header, Vertical, with Square Pin, 13 Circuits	ELV and RoHS Compliant
10-63-4027	7.92mm (.312") Pitch SPOX™ Header, Vertical, with Friction Lock, 2 Circuits	ELV and RoHS Compliant
10-63-4037	7.92mm (.312") Pitch SPOX™ Header, Vertical, with Friction Lock, 3 Circuits	ELV and RoHS Compliant
10-63-4067	KK7.92 WAFER ASSY W/LOCK	ELV and RoHS Compliant
26-62-4020	3.96mm (.156") Pitch KK® Solid Header, Vertical, Friction Lock, 2 Circuits, Tin (Sn) Plating, with Circuit 2 Voided	ELV and RoHS Compliant
26-62-4030	3.96mm (.156") Pitch KK® Solid Header, Vertical, Friction Lock, 3 Circuits, Tin (Sn) Plating, with Circuit 2 Voided	ELV and RoHS Compliant
26-62-4040	3.96mm (.156") Pitch KK® Solid Header, Vertical, Friction Lock, 4 Circuits, Tin (Sn) Plating, with Circuit 2 Voided	ELV and RoHS Compliant
26-62-4050	3.96mm (.156") Pitch KK® Solid Header, Vertical, Friction Lock, 5 Circuits, Tin (Sn) Plating, with Circuit 2 Voided	ELV and RoHS Compliant
26-62-4060	KK 156 Hdr Assy FrLk 06 Ckt Tin	ELV and RoHS Compliant
26-62-4070	KK 156 Hdr Assy FrLk 07 Ckt Tin	ELV and RoHS Compliant
26-62-4080	KK 156 Hdr Assy FrLk 08 Ckt Tin	ELV and RoHS Compliant
26-62-4090	KK 156 Hdr Assy FrLk 09 Ckt Tin	ELV and RoHS Compliant
26-62-4120	KK 156 Hdr Assy FrLk 12 Ckt Tin	ELV and RoHS Compliant
26-62-4130	KK 156 Hdr Assy FrLk 13 Ckt Tin	ELV and RoHS Compliant
26-62-4140	KK 156 Hdr Assy FrLk 14 Ckt Tin	ELV and RoHS Compliant
26-62-4160	KK 156 Hdr Assy FrLk 16 Ckt Tin	ELV and RoHS Compliant
26-62-4170	KK 156 Hdr Assy FrLk 17 Ckt Tin	ELV and RoHS Compliant
26-62-4180	KK 156 Hdr Assy FrLk 18 Ckt Tin	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
26-62-4036	KK 156 Hdr Assy FrLk 03 Ckt Tin	ELV and RoHS Compliant
26-62-4046	KK 156 Hdr Assy FrLk 04 Ckt Tin	ELV and RoHS Compliant
26-62-4056	KK 156 Hdr Assy FrLk 05 Ckt Tin	ELV and RoHS Compliant
26-62-4066	KK 156 Hdr Assy FrLk 06 Ckt Tin	ELV and RoHS Compliant
26-62-4076	KK 156 Hdr Assy FrLk 07 Ckt Tin	ELV and RoHS Compliant
26-62-4086	KK 156 Hdr Assy FrLk 08 Ckt Tin	ELV and RoHS Compliant
26-62-4096	KK 156 Hdr Assy FrLk 09 Ckt Tin	ELV and RoHS Compliant
26-62-4116	KK 156 Hdr Assy FrLk 11 Ckt Tin	ELV and RoHS Compliant
26-62-4126	KK 156 Hdr Assy FrLk 12 Ckt Tin	ELV and RoHS Compliant
26-62-4146	KK 156 Hdr Assy FrLk 14 Ckt Tin	ELV and RoHS Compliant
26-62-4041	KK 156 Hdr Assy FrLk 04 Ckt Tin	ELV and RoHS Compliant
26-62-4051	KK 156 Hdr Assy FrLk 05 Ckt Tin	ELV and RoHS Compliant
26-62-4061	KK 156 Hdr Assy FrLk 06 Ckt Tin	ELV and RoHS Compliant
27-62-4049	KK 156 Hdr Assy FrLk 04 Ckt Tin	ELV and RoHS Compliant
27-62-4059	KK 156 Hdr Assy FrLk 05 Ckt Tin	ELV and RoHS Compliant
27-62-4069	KK 156 Hdr Assy FrLk 06 Ckt Tin	ELV and RoHS Compliant
27-62-4079	KK 156 Hdr Assy FrLk 07 Ckt Tin	ELV and RoHS Compliant
27-62-4139	KK 156 Hdr Assy FrLk 13 Ckt Tin	ELV and RoHS Compliant
26-63-4032	KK 156 Hdr Assy FrLk 03 Ckt 20 SGold	ELV and RoHS Compliant
26-63-4052	KK 156 Hdr Assy FrLk 05 Ckt 20 SGold	ELV and RoHS Compliant
26-63-4082	KK 156 Hdr Assy FrLk 08 Ckt 20 SGold	ELV and RoHS Compliant
26-62-4064	KK 156 Hdr Assy FrLk 06 Ckt Tin	ELV and RoHS Compliant
26-62-4134	KK 156 Hdr Assy FrLk 13 Ckt Tin	ELV and RoHS Compliant
26-63-4061	KK 156 Hdr Assy FrLk 06 Ckt 20 SGold	ELV and RoHS Compliant
26-62-4150	KK 156 Hdr Assy FrLk 15 Ckt Tin	ELV and RoHS Compliant
39900-0302	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 2 Circuits	Compliance Status Not Reviewed
39900-0303	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 3 Circuits	Compliance Status Not Reviewed
39900-0304	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 4 Circuits	Compliance Status Not Reviewed
39900-0305	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 5 Circuits	Compliance Status Not Reviewed
39900-0306	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 6 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
39900-0308	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 8 Circuits	Compliance Status Not Reviewed
39900-0309	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 9 Circuits	Compliance Status Not Reviewed
39900-0310	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 10 Circuits	Compliance Status Not Reviewed
39900-0311	3.81mm (.150") Pitch Beau™ Eurostyle™ Vertical Plug, Front Wire Entry, 11 Circuits	Compliance Status Not Reviewed