

RoHS Certificate of Compliance

August 12, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

Substance	Maximum Control Value
Lead	0.1% by weight (1000 ppm) (2)
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) (2)
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE)	0.1% by weight (1000 ppm)
including deca-BDE	

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECOCARE section of www.molex.com

Jay Williamson

World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Molex P/N	Part Description	RoHS Compliance Status
15-44-4132	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 64 Circuits	ELV and RoHS Compliant
15-44-4133	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 66 Circuits	ELV and RoHS Compliant
15-44-4134	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 68 Circuits	ELV and RoHS Compliant
15-44-4135	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 70 Circuits	ELV and RoHS Compliant
15-44-4136	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 72 Circuits	ELV and RoHS Compliant
15-44-4137	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 74 Circuits	ELV and RoHS Compliant
15-44-4138	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 76 Circuits	ELV and RoHS Compliant
15-44-4139	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 78 Circuits	ELV and RoHS Compliant
15-44-4140	2.54mm (.100") Pitch C-Grid® PCB Connector, Low Profile, Dual Row, Vertical, 80 Circuits	ELV and RoHS Compliant
15-44-4402	A-70191-0193	ELV and RoHS Compliant
15-44-4403	A-70191-0194	ELV and RoHS Compliant
15-44-4404	CGrid PCB DR Vert HProf 30"SAu 8Ckt	ELV and RoHS Compliant
15-44-4405	CGrid PCB DR Vert HProf 30"SAu 10Ckt	ELV and RoHS Compliant
15-44-4406	CGrid PCB DR Vert HProf 30"SAu 12Ckt	ELV and RoHS Compliant
15-44-4407	CGrid PCB DR Vert HProf 30"SAu 14Ckt	ELV and RoHS Compliant
15-44-4408	CGrid PCB DR Vert HProf 30"SAu 16Ckt	ELV and RoHS Compliant
15-44-4409	CGrid PCB DR Vert HProf 30"SAu 18Ckt	ELV and RoHS Compliant
15-44-4410	CGrid PCB DR Vert HProf 30"SAu 20Ckt	ELV and RoHS Compliant
15-44-4411	CGrid PCB DR Vert HProf 30"SAu 22Ckt	ELV and RoHS Compliant
15-44-4412	CGrid PCB DR Vert HProf 30"SAu 24Ckt	ELV and RoHS Compliant
15-44-4413	CGrid PCB DR Vert HProf 30"SAu 26Ckt	ELV and RoHS Compliant
15-44-4414	2.54MM C-GRID PCB DROW HP A701910205	Compliance Status Not Reviewed
15-44-4415	CGrid PCB DR Vert HProf 30"SAu 30Ckt	ELV and RoHS Compliant
15-44-4416	A-70191-0207	ELV and RoHS Compliant
15-44-4417	CGrid PCB DR Vert HProf 30"SAu 34Ckt	ELV and RoHS Compliant

Molex P/N	Part Description	RoHS Compliance Status
15-44-4418	CGrid PCB DR Vert HProf 30"SAu 36Ckt	ELV and RoHS Compliant
15-44-4419	A-70191-0210	ELV and RoHS Compliant
15-44-4420	CGrid PCB DR Vert HProf 30"SAu 40Ckt	ELV and RoHS Compliant
15-44-4421	A-70191-0212	ELV and RoHS Compliant
15-44-4422	A-70191-0213	ELV and RoHS Compliant
15-44-4423	A-70191-0214	ELV and RoHS Compliant
15-44-4424	A-70191-0215	ELV and RoHS Compliant
15-44-4425	CGrid PCB DR Vert HProf 30"SAu 50Ckt	ELV and RoHS Compliant
15-44-4426	A-70191-0217	ELV and RoHS Compliant
15-44-4427	CGrid PCB DR Vert HProf 30"SAu 54Ckt	ELV and RoHS Compliant
15-44-4428	CGrid PCB DR Vert HProf 30"SAu 56Ckt	ELV and RoHS Compliant
15-44-4429	A-70191-0220	ELV and RoHS Compliant
15-44-4430	CGrid PCB DR Vert HProf 30"SAu 60Ckt	ELV and RoHS Compliant
15-44-4431	A-70191-0222	ELV and RoHS Compliant
15-44-4432	CGrid PCB DR Vert HProf 30"SAu 64Ckt	ELV and RoHS Compliant
15-44-4433	A-70191-0224	ELV and RoHS Compliant
15-44-4434	CGrid PCB DR Vert HProf 30"SAu 68Ckt	ELV and RoHS Compliant
15-44-4435	A-70191-0226	ELV and RoHS Compliant
15-44-4436	CGrid PCB DR Vert HProf 30"SAu 72Ckt	ELV and RoHS Compliant
15-44-4437	A-70191-0228	ELV and RoHS Compliant
15-44-4438	A-70191-0229	ELV and RoHS Compliant
15-44-4439	A-70191-0230	ELV and RoHS Compliant
15-44-4440	CGrid PCB DR Vert HProf 30"SAu 80Ckt	ELV and RoHS Compliant
15-44-4502	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 4 Circuits	ELV and RoHS Compliant
15-44-4503	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 6 Circuits	ELV and RoHS Compliant
15-44-4504	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 8 Circuits	ELV and RoHS Compliant
15-44-4505	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 10 Circuits	ELV and RoHS Compliant
15-44-4506	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 12 Circuits	ELV and RoHS Compliant

84-1 DA1	Barri Barri d	D. 110 O
Molex P/N	Part Description	RoHS Compliance Status
15-44-4507	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 14 Circuits	ELV and RoHS Compliant
15-44-4508	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 16 Circuits	ELV and RoHS Compliant
15-44-4509	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 18 Circuits	ELV and RoHS Compliant
15-44-4510	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 20 Circuits	ELV and RoHS Compliant
15-44-4511	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 22 Circuits	ELV and RoHS Compliant
15-44-4512	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 24 Circuits	ELV and RoHS Compliant
15-44-4513	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 26 Circuits	ELV and RoHS Compliant
15-44-4514	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 28 Circuits	ELV and RoHS Compliant
15-44-4515	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 30 Circuits	ELV and RoHS Compliant
15-44-4516	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 32 Circuits	ELV and RoHS Compliant
15-44-4517	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 34 Circuits	ELV and RoHS Compliant
15-44-4518	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 36 Circuits	ELV and RoHS Compliant
15-44-4519	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 38 Circuits	ELV and RoHS Compliant
15-44-4520	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 40 Circuits	ELV and RoHS Compliant
15-44-4521	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 42 Circuits	Compliance Status Not Reviewed
15-44-4522	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 44 Circuits	ELV and RoHS Compliant
15-44-4523	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 46 Circuits	ELV and RoHS Compliant
15-44-4524	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 48 Circuits	ELV and RoHS Compliant

Molex P/N	Part Description	RoHS Compliance Status
15-44-4525	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 50 Circuits	ELV and RoHS Compliant
15-44-4526	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 52 Circuits	ELV and RoHS Compliant
15-44-4527	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 54 Circuits	ELV and RoHS Compliant
15-44-4528	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 56 Circuits	ELV and RoHS Compliant
15-44-4529	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 58 Circuits	Compliance Status Not Reviewed
15-44-4530	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 60 Circuits	ELV and RoHS Compliant
15-44-4531	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 62 Circuits	ELV and RoHS Compliant
15-44-4532	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 64 Circuits	ELV and RoHS Compliant
15-44-4533	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 66 Circuits	Compliance Status Not Reviewed
15-44-4534	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 68 Circuits	ELV and RoHS Compliant
15-44-4535	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 70 Circuits	ELV and RoHS Compliant
15-44-4536	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 72 Circuits	ELV and RoHS Compliant
15-44-4537	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 74 Circuits	Compliance Status Not Reviewed
15-44-4538	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 76 Circuits	Compliance Status Not Reviewed
15-44-4539	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 78 Circuits	Compliance Status Not Reviewed
15-44-4540	2.54mm (.100") Pitch C-Grid® PCB Connector, High Profile, Dual Row, Vertical, 80 Circuits	ELV and RoHS Compliant
15-44-5104	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 4 Circuits	ELV and RoHS Compliant
15-44-5106	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 6 Circuits	ELV and RoHS Compliant

Malan BAL	Deat Described	D-110 C
Molex P/N	Part Description	RoHS Compliance Status
15-44-5108	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 8 Circuits	ELV and RoHS Compliant
15-44-5110	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 10 Circuits	ELV and RoHS Compliant
15-44-5112	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 12 Circuits	ELV and RoHS Compliant
15-44-5114	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 14 Circuits	ELV and RoHS Compliant
15-44-5116	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 16 Circuits	ELV and RoHS Compliant
15-44-5118	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 18 Circuits	ELV and RoHS Compliant
15-44-5120	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 20 Circuits	ELV and RoHS Compliant
15-44-5122	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 22 Circuits	ELV and RoHS Compliant
15-44-5124	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 24 Circuits	ELV and RoHS Compliant
15-44-5126	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 26 Circuits	ELV and RoHS Compliant
15-44-5128	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 28 Circuits	ELV and RoHS Compliant
15-44-5130	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 30 Circuits	ELV and RoHS Compliant
15-44-5132	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 32 Circuits	ELV and RoHS Compliant
15-44-5134	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 34 Circuits	ELV and RoHS Compliant
15-44-5136	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 36 Circuits	ELV and RoHS Compliant
15-44-5138	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 38 Circuits	ELV and RoHS Compliant
15-44-5140	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 40 Circuits	ELV and RoHS Compliant
15-44-5142	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 42 Circuits	ELV and RoHS Compliant

Malan D/N	Boot Books and a firm	Dallo Oamarl'ana a Otataa
Molex P/N	Part Description	RoHS Compliance Status
15-44-5144	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 44 Circuits	ELV and RoHS Compliant
15-44-5146	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 46 Circuits	ELV and RoHS Compliant
15-44-5148	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 48 Circuits	ELV and RoHS Compliant
15-44-5150	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 50 Circuits	ELV and RoHS Compliant
15-44-5152	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 52 Circuits	ELV and RoHS Compliant
15-44-5154	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 54 Circuits	ELV and RoHS Compliant
15-44-5156	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 56 Circuits	ELV and RoHS Compliant
15-44-5158	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 58 Circuits	ELV and RoHS Compliant
15-44-5160	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 60 Circuits	ELV and RoHS Compliant
15-44-5162	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 62 Circuits	ELV and RoHS Compliant
15-44-5164	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 64 Circuits	ELV and RoHS Compliant
15-44-5166	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 66 Circuits	ELV and RoHS Compliant
15-44-5168	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 68 Circuits	ELV and RoHS Compliant
15-44-5170	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 70 Circuits	ELV and RoHS Compliant
15-44-5172	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 72 Circuits	ELV and RoHS Compliant
15-44-5174	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 74 Circuits	ELV and RoHS Compliant
15-44-5176	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 76 Circuits	ELV and RoHS Compliant
15-44-5178	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 78 Circuits	ELV and RoHS Compliant

Malau DAL	Dent December the	Delle Committee of Contract
Molex P/N	Part Description	RoHS Compliance Status
15-44-5180	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 80 Circuits	ELV and RoHS Compliant
15-44-5804	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 4 Circuits	ELV and RoHS Compliant
15-44-5806	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 6 Circuits	ELV and RoHS Compliant
15-44-5808	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 8 Circuits	ELV and RoHS Compliant
15-44-5810	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 10 Circuits	ELV and RoHS Compliant
15-44-5812	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 12 Circuits	ELV and RoHS Compliant
15-44-5814	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 14 Circuits	ELV and RoHS Compliant
15-44-5816	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 16 Circuits	ELV and RoHS Compliant
15-44-5818	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 18 Circuits	ELV and RoHS Compliant
15-44-5820	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 20 Circuits	ELV and RoHS Compliant
15-44-5822	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 22 Circuits	ELV and RoHS Compliant
15-44-5824	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 24 Circuits	ELV and RoHS Compliant
15-44-5826	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 26 Circuits	ELV and RoHS Compliant
15-44-5828	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 28 Circuits	ELV and RoHS Compliant
15-44-5830	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 30 Circuits	ELV and RoHS Compliant
15-44-5832	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 32 Circuits	ELV and RoHS Compliant
15-44-5834	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 34 Circuits	ELV and RoHS Compliant
15-44-5836	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 36 Circuits	ELV and RoHS Compliant

	I able A	
Molex P/N	Part Description	RoHS Compliance Status
15-44-5838	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 38 Circuits	ELV and RoHS Compliant
15-44-5840	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 40 Circuits	ELV and RoHS Compliant
15-44-5842	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 42 Circuits	ELV and RoHS Compliant
15-44-5844	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 44 Circuits	ELV and RoHS Compliant
15-44-5846	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 46 Circuits	ELV and RoHS Compliant
15-44-5848	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 48 Circuits	ELV and RoHS Compliant
15-44-5850	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 50 Circuits	ELV and RoHS Compliant
15-44-5852	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 52 Circuits	ELV and RoHS Compliant
15-44-5854	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 54 Circuits	ELV and RoHS Compliant
15-44-5856	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 56 Circuits	ELV and RoHS Compliant
15-44-5858	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 58 Circuits	ELV and RoHS Compliant
15-44-5860	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 60 Circuits	ELV and RoHS Compliant
15-44-5862	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 62 Circuits	ELV and RoHS Compliant
15-44-5864	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 64 Circuits	ELV and RoHS Compliant
15-44-5866	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 66 Circuits	ELV and RoHS Compliant
15-44-5868	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 68 Circuits	ELV and RoHS Compliant
15-44-5870	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 70 Circuits	ELV and RoHS Compliant
15-44-5872	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 72 Circuits	ELV and RoHS Compliant

Malan D/N	Boot Books and a firm	Dallo Oanarl'ana a Otatua
Molex P/N	Part Description	RoHS Compliance Status
15-44-5874	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 74 Circuits	ELV and RoHS Compliant
15-44-5876	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 76 Circuits	ELV and RoHS Compliant
15-44-5878	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 78 Circuits	ELV and RoHS Compliant
15-44-5880	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 80 Circuits	ELV and RoHS Compliant
15-44-6804	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 4 Circuits	ELV and RoHS Compliant
15-44-6806	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 6 Circuits	ELV and RoHS Compliant
15-44-6808	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 8 Circuits	ELV and RoHS Compliant
15-44-6810	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 10 Circuits	ELV and RoHS Compliant
15-44-6812	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 12 Circuits	ELV and RoHS Compliant
15-44-6814	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 14 Circuits	ELV and RoHS Compliant
15-44-6816	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 16 Circuits	ELV and RoHS Compliant
15-44-6818	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 18 Circuits	ELV and RoHS Compliant
15-44-6820	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 20 Circuits	ELV and RoHS Compliant
15-44-6822	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 22 Circuits	ELV and RoHS Compliant
15-44-6824	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 24 Circuits	ELV and RoHS Compliant
15-44-6826	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 26 Circuits	ELV and RoHS Compliant
15-44-6828	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 28 Circuits	ELV and RoHS Compliant
15-44-6830	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 30 Circuits	ELV and RoHS Compliant

Malan BAL	Deat December 1	Dallo Carrellana Or d
Molex P/N	Part Description	RoHS Compliance Status
15-44-6832	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 32 Circuits	ELV and RoHS Compliant
15-44-6834	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 34 Circuits	ELV and RoHS Compliant
15-44-6836	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 36 Circuits	ELV and RoHS Compliant
15-44-6838	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 38 Circuits	ELV and RoHS Compliant
15-44-6840	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 40 Circuits	ELV and RoHS Compliant
15-44-6842	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 42 Circuits	ELV and RoHS Compliant
15-44-6844	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 44 Circuits	ELV and RoHS Compliant
15-44-6846	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 46 Circuits	ELV and RoHS Compliant
15-44-6848	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 48 Circuits	ELV and RoHS Compliant
15-44-6850	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 50 Circuits	ELV and RoHS Compliant
15-44-6852	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 52 Circuits	ELV and RoHS Compliant
15-44-6854	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 54 Circuits	ELV and RoHS Compliant
15-44-6856	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 56 Circuits	ELV and RoHS Compliant
15-44-6858	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 58 Circuits	ELV and RoHS Compliant
15-44-6860	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 60 Circuits	ELV and RoHS Compliant
15-44-6862	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 62 Circuits	ELV and RoHS Compliant
15-44-6864	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 64 Circuits	ELV and RoHS Compliant
15-44-6866	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 66 Circuits	ELV and RoHS Compliant

Molex P/N	Part Description	RoHS Compliance Status
15-44-6868	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 68 Circuits	Compliance Status Not Reviewed
15-44-6870	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 70 Circuits	ELV and RoHS Compliant
15-44-6872	2.54mm (.100") Pitch C-Grid® Receptacle, Through Hole, Dual Row, High Profile, Vertical, High-Temperature, 72 Circuits	ELV and RoHS Compliant