

RoHS Certificate of Compliance

August 12, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-48-1024	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant
09-48-1034	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant
09-48-1044	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
09-48-1054	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
09-48-1064	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant
09-48-1074	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
09-48-1084	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
09-48-1094	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant
09-48-1104	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
09-48-1114	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
09-48-1124	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
09-48-1134	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
09-48-1144	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
09-48-1154	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Polyester Connector, 5.0µm (200µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
09-48-3024	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits	ELV and RoHS Compliant
09-48-4029	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-48-4039	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant
09-48-4049	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
09-48-4059	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
09-48-4069	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant
09-48-4079	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
09-48-4089	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
09-48-4099	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant
09-48-4109	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
09-48-4119	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
09-48-4129	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
09-48-4139	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
09-48-4149	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
09-48-4159	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
09-48-3026	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits	ELV and RoHS Compliant
09-48-4028	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant
09-48-4038	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-48-4048	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
09-48-4058	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
09-48-4068	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant
09-48-4078	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
09-48-4088	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
09-48-4098	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant
09-48-4108	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
09-48-4118	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
09-48-4128	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
09-48-4138	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
09-48-4148	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
09-48-4158	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Polyester Connector, 5.0µm (200µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
09-62-3021	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 2 Circuits	ELV and RoHS Compliant
09-52-1026	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant
09-52-1036	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant
09-52-1046	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
09-52-1056	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
09-52-1066	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-52-1076	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
09-52-1086	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
09-52-1096	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant
09-52-1106	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
09-52-1116	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
09-52-1126	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
09-52-1136	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
09-52-1146	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
09-52-1156	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 5.0µm (200µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
26-11-6031	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 3 Circuits	ELV and RoHS Compliant
26-11-6041	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 4 Circuits	ELV and RoHS Compliant
26-11-6051	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 5 Circuits	ELV and RoHS Compliant
26-11-6061	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 6 Circuits	ELV and RoHS Compliant
26-11-6071	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 7 Circuits	ELV and RoHS Compliant
26-11-6081	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 8 Circuits	ELV and RoHS Compliant
26-11-6091	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 9 Circuits	ELV and RoHS Compliant
26-11-6101	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 10 Circuits	ELV and RoHS Compliant
26-11-6111	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 11 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
26-11-6121	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 12 Circuits	ELV and RoHS Compliant
26-11-6131	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 13 Circuits	ELV and RoHS Compliant
26-11-6141	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 14 Circuits	ELV and RoHS Compliant
26-11-6151	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, Gold (Au) Selective, 15 Circuits	ELV and RoHS Compliant
09-62-3111	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 11 Circuits	ELV and RoHS Compliant
26-11-6114	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 1.0µm (40µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
09-62-3131	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 13 Circuits	ELV and RoHS Compliant
09-62-3141	3.96mm (.156") Pitch KK® PC Board Connector, Right Angle, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 14 Circuits	ELV and RoHS Compliant
09-62-6024	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant
09-62-3022	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 2 Circuits	ELV and RoHS Compliant
09-62-6034	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant
09-62-6044	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
09-62-6054	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
09-62-6064	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant
09-62-6074	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
09-62-6084	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
09-62-6094	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-62-6104	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
09-62-6114	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
09-62-6124	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
09-62-6134	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
09-62-6144	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
09-62-6154	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
26-29-1031	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 3 Circuits	ELV and RoHS Compliant
26-29-1041	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 4 Circuits	ELV and RoHS Compliant
26-29-1051	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 5 Circuits	ELV and RoHS Compliant
26-29-1061	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 6 Circuits	ELV and RoHS Compliant
26-29-1071	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 7 Circuits	ELV and RoHS Compliant
26-29-1081	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 8 Circuits	ELV and RoHS Compliant
26-29-1091	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 9 Circuits	ELV and RoHS Compliant
26-29-1101	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 10 Circuits	ELV and RoHS Compliant
26-29-1111	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 11 Circuits	ELV and RoHS Compliant
26-29-1121	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 12 Circuits	ELV and RoHS Compliant
26-29-1131	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 13 Circuits	ELV and RoHS Compliant
26-29-1141	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 14 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
26-29-1151	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, Gold (Au) Selective, 15 Circuits	ELV and RoHS Compliant
09-62-3112	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 11 Circuits	ELV and RoHS Compliant
09-62-3132	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 13 Circuits	ELV and RoHS Compliant
09-62-3142	3.96mm (.156") Pitch KK® PC Board Connector, Bottom Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 14 Circuits	ELV and RoHS Compliant
09-62-6025	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant
09-62-6035	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant
09-62-6045	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
09-62-6055	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
09-62-6065	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant
09-62-6075	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
09-62-6085	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
09-62-6095	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant
09-62-6105	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
09-62-6115	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
09-62-6125	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
09-62-6135	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
09-62-6145	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-62-6155	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 5.0µm (200µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
26-30-1033	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 3 Circuits	ELV and RoHS Compliant
26-30-1043	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 4 Circuits	ELV and RoHS Compliant
26-30-1053	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 5 Circuits	ELV and RoHS Compliant
26-30-1063	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 6 Circuits	ELV and RoHS Compliant
26-30-1073	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 7 Circuits	ELV and RoHS Compliant
26-30-1083	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 8 Circuits	ELV and RoHS Compliant
26-30-1093	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 9 Circuits	ELV and RoHS Compliant
26-30-1103	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 10 Circuits	ELV and RoHS Compliant
26-30-1113	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 11 Circuits	ELV and RoHS Compliant
26-30-1123	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 12 Circuits	ELV and RoHS Compliant
26-30-1133	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 13 Circuits	ELV and RoHS Compliant
26-30-1143	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 14 Circuits	ELV and RoHS Compliant
26-30-1153	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, Gold (Au) Selective, 15 Circuits	ELV and RoHS Compliant
09-62-3023	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 2 Circuits	ELV and RoHS Compliant
09-62-3113	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 11 Circuits	ELV and RoHS Compliant
26-11-2113	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 1.0µm (40µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-62-3133	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 13 Circuits	ELV and RoHS Compliant
26-11-2133	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 1.0µm (40µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
09-62-3143	3.96mm (.156") Pitch KK® PC Board Connector, Top Entry, Nylon Connector, 0.38µm (15µ") Gold (Au) Selective, 14 Circuits	ELV and RoHS Compliant
23-11-2143	MOLEX P/N NOT RECOGNIZED	
26-01-1116	3.96mm (.156") Pitch Board-to-Board Receptacle, Right Angle, 11 Circuits	ELV and RoHS Compliant
10-18-1031	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals	ELV and RoHS Compliant
10-18-1033	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals	ELV and RoHS Compliant
10-18-1034	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals	ELV and RoHS Compliant
10-18-1035	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals, 1 Female Terminal	ELV and RoHS Compliant
10-18-1036	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 1 Male Terminal	ELV and RoHS Compliant
10-18-1037	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Female Terminals, 1 Male Terminal	ELV and RoHS Compliant
10-18-1038	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Female Terminals	ELV and RoHS Compliant
10-18-1042	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 4 Female Terminals	ELV and RoHS Compliant
10-18-1043	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 3 Male Terminals	ELV and RoHS Compliant
10-18-1044	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 3 Female Terminals, 1 Male Terminals	ELV and RoHS Compliant
10-18-1045	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 2 Male Terminals, 2 Female Terminals	ELV and RoHS Compliant
10-18-1046	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 3 Male Terminals, 1 Female Terminal	ELV and RoHS Compliant
10-18-1047	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 3 Male Terminals	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-18-1048	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 2 Male Terminals, 1 Female Terminal, 1 Male Terminal	ELV and RoHS Compliant
10-18-1049	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 2 Female Terminals, 1 Male Terminal, 1 Female Terminal, 1 Male Terminal, 1 Female Terminal	ELV and RoHS Compliant
10-18-1050	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 2 Female Terminals, 2 Male Terminals	ELV and RoHS Compliant
10-18-1040	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 1 Male Terminal	ELV and RoHS Compliant
10-18-1063	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 6 Circuits, 2 Female Terminals, 4 Male Terminals	ELV and RoHS Compliant
38-00-0589	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 6 Circuits, 2 Female Terminal, 4 Male Terminals	ELV and RoHS Compliant
38-00-0590	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 6 Circuits, 3 Male Terminals, 1 Female Terminal, 2 Male Terminals	ELV and RoHS Compliant
10-18-1064	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 6 Circuits, 1 Female Terminal, 5 Male Terminals	ELV and RoHS Compliant
10-18-1065	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Shrouded, 6 Circuits, 1 Female Terminal, 5 Male Terminals	ELV and RoHS Compliant
09-65-2089	3.96mm (.156") Pitch SPOX™ and KK® Wire-to-Board Header, Vertical, with Friction Lock, with Void, 8 Circuits	ELV and RoHS Compliant
39-29-3226	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 22 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
39-31-0227	MiniFitJrHdr Vt DR O/Pgs 30Au V-2 22Ckt	ELV and RoHS Compliant
39-21-0207	MOLEX P/N NOT RECOGNIZED	
39-28-9188	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, with Drain Holes	ELV and RoHS Compliant
39-28-9208	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, with Drain Holes	ELV and RoHS Compliant
39-28-9248	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, with Drain Holes	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
39-30-2045	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Single Row, Vertical, with Snap-in Plastic Peg PCB Lock, 4 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
39-30-2047	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Single Row, Vertical, with Snap-in Plastic Peg PCB Lock, 4 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, 0.76µm (30µ") Gold (Au) Selective Plating, with Drain Holes	ELV and RoHS Compliant
39-30-1180	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating	ELV and RoHS Compliant
39-30-1220	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 22 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating	ELV and RoHS Compliant
39-30-1240	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating	ELV and RoHS Compliant
39-30-1181	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Plating	ELV and RoHS Compliant
39-30-1221	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 22 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Plating	ELV and RoHS Compliant
39-30-1241	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Dual Row, Right Angle, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Plating	ELV and RoHS Compliant
39-30-3041	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Single Row, Right Angle, with PCB Mounting Flanges, 4 Circuits, PA Polyamide Nylon 6/6, 94V-2, Tin (Sn) Plating	ELV and RoHS Compliant
39-30-3043	4.20mm (.165") Pitch Mini-Fit Jr.™ Header, Single Row, Right Angle, with PCB Mounting Flanges, 4 Circuits, PA Polyamide Nylon 6/6, 94V-2, (30µ") (Au) Plating	ELV and RoHS Compliant
15-24-6066	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
15-28-6066	4.20mm (.165") Pitch Mini-Fit BMI™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6, UL 94V-2, Select Gold (Au) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7046	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 4 Circuits, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
15-97-7066	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 6 Circuits, Gold (Au) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7086	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 8 Circuits, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7106	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 10 Circuits, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7126	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 12 Circuits, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7166	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 16 Circuits, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7048	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 4 Circuits, Tin (Sn) Plating with Drain Holes	ELV and RoHS Compliant
15-97-7068	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 6 Circuits, Tin (Sn) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7088	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant
15-97-7108	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 10 Circuits, Gold (Au) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7128	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 12 Circuits, Gold (Au) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7168	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 16 Circuits, Gold (Au) Plating, with Drain Holes	ELV and RoHS Compliant
15-97-7024	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 2 Circuits, Gold (Au) Plating, without Drain Holes	ELV and RoHS Compliant
15-97-7044	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 4 Circuits, Gold (Au) Plating, without Drain Holes	ELV and RoHS Compliant
15-97-7064	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 6 Circuits, Tin (Sn) Plating, without Drain Holes	ELV and RoHS Compliant
15-97-7084	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 8 Circuits, Gold (Au) Plating, without Drain Holes	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
15-97-7104	4.20mm (.165") Pitch Mini-Fit TPA™ Header, Dual Row, Vertical, with PCB Mounting Flange, 10 Circuits, Gold (Au) Plating, without Drain Holes	ELV and RoHS Compliant