

RoHS Certificate of Compliance

August 12, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-10-1114	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 11 Circuits	ELV and RoHS Compliant
10-10-1121	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
10-10-1124	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 12 Circuits	ELV and RoHS Compliant
10-10-1131	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
10-10-1134	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 13 Circuits	ELV and RoHS Compliant
10-10-1141	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
10-10-1144	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 14 Circuits	ELV and RoHS Compliant
10-10-1151	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
10-10-1154	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 15 Circuits	ELV and RoHS Compliant
10-10-1161	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 16 Circuits	ELV and RoHS Compliant
10-10-1164	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 16 Circuits	ELV and RoHS Compliant
10-10-1171	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 17 Circuits	ELV and RoHS Compliant
10-10-1174	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 17 Circuits	ELV and RoHS Compliant
10-10-1181	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 18 Circuits	ELV and RoHS Compliant
10-10-1184	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 18 Circuits	ELV and RoHS Compliant
10-10-1191	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 19 Circuits	ELV and RoHS Compliant
10-10-1194	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 19 Circuits	ELV and RoHS Compliant
10-10-1201	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 1.0µm (40µ") Tin (Sn), 20 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-10-1204	5.08mm (.200") Pitch KK® PC Board Connector, Right Angle Mount Style A, 0.5µm (20µ") Gold (Au), 20 Circuits	ELV and RoHS Compliant
10-02-1022	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant
10-02-1032	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant
10-02-1042	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
10-02-1052	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
10-02-1062	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant
10-02-1072	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
10-02-1082	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
10-02-1092	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant
10-02-1102	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
10-02-1112	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
10-02-1122	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
10-02-1132	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
10-02-1142	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
10-02-1152	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
10-02-1162	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 16 Circuits	ELV and RoHS Compliant
10-02-1172	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 17 Circuits	ELV and RoHS Compliant
10-02-1182	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 18 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-02-1192	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 19 Circuits	ELV and RoHS Compliant
10-02-1202	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 1.0µm (40µ") Tin (Sn), 20 Circuits	ELV and RoHS Compliant
10-10-1026	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 2 Circuits	ELV and RoHS Compliant
10-10-1036	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 3 Circuits	ELV and RoHS Compliant
10-10-1046	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 4 Circuits	ELV and RoHS Compliant
10-10-1056	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 5 Circuits	ELV and RoHS Compliant
10-10-1066	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 6 Circuits	ELV and RoHS Compliant
10-10-1076	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 7 Circuits	ELV and RoHS Compliant
10-10-1086	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 8 Circuits	ELV and RoHS Compliant
10-10-1096	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 9 Circuits	ELV and RoHS Compliant
10-10-1106	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 10 Circuits	ELV and RoHS Compliant
10-10-1116	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 11 Circuits	ELV and RoHS Compliant
10-10-1126	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 12 Circuits	ELV and RoHS Compliant
10-10-1136	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 13 Circuits	ELV and RoHS Compliant
10-10-1146	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 14 Circuits	ELV and RoHS Compliant
10-10-1156	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 15 Circuits	ELV and RoHS Compliant
10-10-1166	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 16 Circuits	ELV and RoHS Compliant
10-10-1176	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 17 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-10-1186	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 18 Circuits	Compliance Status Not Reviewed
10-10-1196	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 19 Circuits	Compliance Status Not Reviewed
10-10-1206	5.08mm (.200") Pitch KK® PC Board Connector, Bottom Entry Mount Style B, 0.5µm (20µ") Gold (Au), 20 Circuits	Compliance Status Not Reviewed
10-10-1023	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 2 Circuits	ELV and RoHS Compliant
10-10-1028	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 2 Circuits	ELV and RoHS Compliant
10-10-1033	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 3 Circuits	ELV and RoHS Compliant
10-10-1038	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 3 Circuits	ELV and RoHS Compliant
10-10-1043	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 4 Circuits	ELV and RoHS Compliant
10-10-1048	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 4 Circuits	ELV and RoHS Compliant
10-10-1053	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 5 Circuits	ELV and RoHS Compliant
10-10-1058	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 5 Circuits	ELV and RoHS Compliant
10-10-1063	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 6 Circuits	ELV and RoHS Compliant
10-10-1068	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 6 Circuits	ELV and RoHS Compliant
10-10-1073	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 7 Circuits	ELV and RoHS Compliant
10-10-1078	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 7 Circuits	ELV and RoHS Compliant
10-10-1083	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 8 Circuits	ELV and RoHS Compliant
10-10-1088	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 8 Circuits	ELV and RoHS Compliant
10-10-1093	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 9 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-10-1098	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 9 Circuits	ELV and RoHS Compliant
10-10-1103	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 10 Circuits	ELV and RoHS Compliant
10-10-1108	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 10 Circuits	ELV and RoHS Compliant
10-10-1113	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 11 Circuits	ELV and RoHS Compliant
10-10-1118	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 11 Circuits	ELV and RoHS Compliant
10-10-1123	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 12 Circuits	ELV and RoHS Compliant
10-10-1128	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 12 Circuits	ELV and RoHS Compliant
10-10-1133	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 13 Circuits	ELV and RoHS Compliant
10-10-1138	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 13 Circuits	ELV and RoHS Compliant
10-10-1143	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 14 Circuits	ELV and RoHS Compliant
10-10-1148	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 14 Circuits	ELV and RoHS Compliant
10-10-1153	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 15 Circuits	ELV and RoHS Compliant
10-10-1158	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 15 Circuits	ELV and RoHS Compliant
10-10-1163	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 16 Circuits	ELV and RoHS Compliant
10-10-1168	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 16 Circuits	ELV and RoHS Compliant
10-10-1173	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 17 Circuits	ELV and RoHS Compliant
10-10-1178	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 17 Circuits	ELV and RoHS Compliant
10-10-1183	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 18 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-10-1188	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 18 Circuits	ELV and RoHS Compliant
10-10-1193	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 19 Circuits	ELV and RoHS Compliant
10-10-1198	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 19 Circuits	ELV and RoHS Compliant
10-10-1203	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 1.0µm (40µ") Tin (Sn), 20 Circuits	ELV and RoHS Compliant
10-10-1208	5.08mm (.200") Pitch KK® PC Board Connector, Top Entry Mount Style C, 0.38µm (15µ") Gold (Au), 20 Circuits	ELV and RoHS Compliant
10-08-1021	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 2 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1031	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 3 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1041	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 4 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1061	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 6 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1071	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 7 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1081	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 8 Circuits, Tin (Sn) Plating, Pin Length 28.58mm (1.125")	ELV and RoHS Compliant
10-08-1091	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 9 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1101	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 10 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1111	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 11 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1121	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 12 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1131	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 13 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1141	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 14 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1151	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 15 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-45-1021	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 2 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1031	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 3 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1041	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 4 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1051	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 5 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1061	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 6 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1071	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 7 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1081	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 8 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1091	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 9 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1101	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 10 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1111	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 11 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1121	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 12 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1131	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 13 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1141	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 14 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1151	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 15 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-06-1025	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 2 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1035	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 3 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1045	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 4 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1055	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 5 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-06-1065	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 6 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1075	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 7 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1085	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 8 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1095	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 9 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1105	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 10 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1115	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 11 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1125	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 12 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1135	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 13 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1145	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 14 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
10-06-1155	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 15 Circuits, Tin (Sn) Plating	ELV and RoHS Compliant
38-00-2012	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 2 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2013	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 3 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2014	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 4 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2015	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 5 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2016	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 6 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2017	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 7 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2018	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 8 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2019	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 9 Circuits, Gold (Au) Plating	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
38-00-2020	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 10 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2021	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 11 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2022	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 12 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2023	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 13 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2024	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 14 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
38-00-2025	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 15 Circuits, Gold (Au) Plating	ELV and RoHS Compliant
10-33-1022	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 2 Circuits	ELV and RoHS Compliant
10-33-1032	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 3 Circuits	ELV and RoHS Compliant
10-33-1042	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 4 Circuits	ELV and RoHS Compliant
10-33-1052	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 5 Circuits	ELV and RoHS Compliant
10-33-1062	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 6 Circuits	ELV and RoHS Compliant
10-33-1072	5.08mm (.200") Pitch KK® Header, Right Angle, Square Pin, 7 Circuits	ELV and RoHS Compliant
10-84-4021	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 2 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Brick Red	ELV and RoHS Compliant
10-84-4022	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin/Lead (Sn/Pb), White, 2 Circuits	ELV and RoHS Compliant
10-84-4023	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Tin/Lead (Sn/Pb), Brick Red, 2 Circuits	ELV and RoHS Compliant
10-84-4024	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 2 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Selective Plating, White	Compliance Status Not Reviewed
10-84-4025	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 2 Circuits, Polyester 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, Brick Red	Compliance Status Not Reviewed
10-84-4026	084 Dia Assy Hdr Hsg Skt 94V-2 Au 2Ckt	Compliance Status Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-84-4027	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 2 Circuits	Compliance Status Not Reviewed
10-84-4030	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 3 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	ELV and RoHS Compliant
10-84-4031	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 3 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Brick Red	ELV and RoHS Compliant
10-84-4032	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin/Lead (Sn/Pb), White, 3 Circuits	ELV and RoHS Compliant
10-84-4033	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Tin/Lead (Sn/Pb), Brick Red, 3 Circuits	ELV and RoHS Compliant
10-84-4034	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 3 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Selective Plating, White	Compliance Status Not Reviewed
10-84-4035	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 3 Circuits, Polyester 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, Brick Red	Compliance Status Not Reviewed
10-84-4036	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Gold (Au) Selective, White, 3 Circuits	Compliance Status Not Reviewed
10-84-4037	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 3 Circuits	Compliance Status Not Reviewed
10-84-4040	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	ELV and RoHS Compliant
10-84-4041	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Brick Red	ELV and RoHS Compliant
10-84-4042	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin/Lead (Sn/Pb), White, 4 Circuits	ELV and RoHS Compliant
10-84-4043	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Tin/Lead (Sn/Pb), Brick Red, 4 Circuits	ELV and RoHS Compliant
10-84-4044	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Selective Plating, White	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-84-4045	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, Brick Red	Compliance Status Not Reviewed
10-84-4046	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6. Gold (Au) Selective, White, 4 Circuits	Compliance Status Not Reviewed
10-84-4047	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 4 Circuits	Compliance Status Not Reviewed
10-84-4060	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	ELV and RoHS Compliant
10-84-4061	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Brick Red	ELV and RoHS Compliant
10-84-4062	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin/Lead (Sn/Pb), White, 6 Circuits	ELV and RoHS Compliant
10-84-4063	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Tin/Lead (Sn/Pb), Brick Red, 6 Circuits	ELV and RoHS Compliant
10-84-4064	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Selective Plating, White	Compliance Status Not Reviewed
10-84-4065	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 6 Circuits, Polyester 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, Brick Red	Compliance Status Not Reviewed
10-84-4066	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6. Gold (Au) Selective, White, 6 Circuits	Compliance Status Not Reviewed
10-84-4067	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 6 Circuits	Compliance Status Not Reviewed
10-84-4091	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Brick Red	ELV and RoHS Compliant
10-84-4092	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin/Lead (Sn/Pb), White, 9 Circuits	ELV and RoHS Compliant
10-84-4093	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Tin/Lead (Sn/Pb), Brick Red, 9 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-84-4094	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Selective Plating, White	Compliance Status Not Reviewed
10-84-4095	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 9 Circuits, Polyester 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, Brick Red	Compliance Status Not Reviewed
10-84-4096	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6. Gold (Au) Selective, White, 9 Circuits	Compliance Status Not Reviewed
10-84-4097	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 9 Circuits	Compliance Status Not Reviewed
10-84-4121	6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, Brick Red	ELV and RoHS Compliant
10-84-4122	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin/Lead (Sn/Pb), White, 12 Circuits	ELV and RoHS Compliant
10-84-4123	6.35mm (.250) Pitch MLX Power Connector Receptacle, 2.13mm (.084") Contact Diameter, Vertical, PCT Polyester, Tin/Lead (Sn/Pb), Brick Red, 12 Circuits	ELV and RoHS Compliant
10-84-4124	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm (30µ") Gold (Au) Selective Plating, White	Compliance Status Not Reviewed
10-84-4125	2.13mm (.084") Diameter MLX™ Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, 0.76µm (30µ") Gold (Au) Selective Plating, Brick Red	Compliance Status Not Reviewed
10-84-4126	084 Dia Assy Hdr Hsg Skt 94V-2 Au 12Ckt	Compliance Status Not Reviewed