

## RoHS Certificate of Compliance

August 12, 2009

**Table A** provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) <sup>1</sup>.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) <sup>(2)</sup>
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) <sup>(2)</sup>
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of [www.molex.com](http://www.molex.com)



Jay Williamson  
World Wide V.P. of Quality

---

<sup>1</sup> In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
44472-0656	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-0657	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-0652	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-0653	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 6 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-0854	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-0855	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-0850	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-0851	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-0856	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-0857	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-0852	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-0853	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 8 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1054	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
44472-1055	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1050	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1051	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1056	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1057	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1052	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1053	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 10 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1254	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1255	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1250	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1251	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1256	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1257	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
44472-1252	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1253	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 12 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1454	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1455	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1450	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1451	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1456	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1457	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1452	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1453	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 14 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1654	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1655	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1650	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
44472-1651	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1656	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1657	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1652	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1653	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 16 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-1854	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1855	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1850	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-1851	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-1852	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-1853	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 18 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-2054	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-2055	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
44472-2050	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-2051	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-2056	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-2052	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-2053	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 20 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
44472-2254	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 22 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-2255	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 22 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-2256	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 22 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-2454	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-2455	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, without Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant
44472-2450	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-2, without Drain Holes	ELV and RoHS Compliant
44472-2451	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-0, without Drain Holes	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
44472-2452	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-2, with Drain Holes	ELV and RoHS Compliant
44472-2453	4.20mm (.165") Pitch Mini-Fit HCS™ Header, Dual Row, Vertical, with Snap-in Plastic Peg PCB Lock, 24 Circuits, PA Polyamide Nylon 6/6 94V-0, with Drain Holes	ELV and RoHS Compliant
43254-0030	Wr Trap LITE WtB RA Tin 3Ckt	Compliance Status Not Reviewed
43254-0040	Wr Trap LITE WtB RA Tin 4Ckt	Compliance Status Not Reviewed
43254-0050	Wr Trap LITE WtB RA Tin 5Ckt	Compliance Status Not Reviewed
43254-0060	Wr Trap LITE WtB RA Tin 6Ckt	Compliance Status Not Reviewed
43254-0080	Wr Trap LITE WtB RA Tin 8Ckt	Compliance Status Not Reviewed
43254-0100	Wr Trap LITE WtB RA Tin 10Ckt	Compliance Status Not Reviewed
15-31-1026	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Vertical, with Beveled Plastic Peg, 2 Circuits	ELV and RoHS Compliant
15-31-1036	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Vertical, with Beveled Plastic Peg, 3 Circuits	ELV and RoHS Compliant
15-31-1046	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Vertical, with Beveled Plastic Peg, 4 Circuits	ELV and RoHS Compliant
15-31-1096	2.36mm (.093") Diameter Standard .093" Pin and Socket Header, Vertical, with Beveled Plastic Peg, 9 Circuits	ELV and RoHS Compliant
10-05-1033	5.08mm (.200") Pitch PC Board Connector, Right Angle Mount, 3 Circuits	ELV and RoHS Compliant
10-05-1043	5.08mm (.200") Pitch PC Board Connector, Right Angle Mount, 4 Circuits	ELV and RoHS Compliant
10-05-1053	5.08mm (.200") Pitch PC Board Connector, Right Angle Mount, 5 Circuits	ELV and RoHS Compliant
10-05-1063	5.08mm (.200") Pitch PC Board Connector, Right Angle Mount, 6 Circuits	ELV and RoHS Compliant
10-05-1035	KK5.08 SOL. REC. HSG ASSY	ELV and RoHS Compliant
10-05-1045	KK5.08 SOL. REC. HSG ASSY	ELV and RoHS Compliant
10-05-1055	5.08mm (.200") Pitch PC Board Connector, Bottom Entry, 5 Circuits	ELV and RoHS Compliant
10-05-1065	KK5.08 SOL. REC. HSG ASSY	ELV and RoHS Compliant
35354-0710	1.00mm (.039") Diameter Wire-to-Board Header, Right Angle, Single Row, 7 Circuits	Not RoHS Compliant
35356-0810	1.00mm (.039") Diameter Wire-to-Board Header, Right Angle, Dual Row, 8 Circuits	Not RoHS Compliant
35009-2011	1.00mm (.039") Diameter Wire-to-Board Header, Right Angle, Dual Row, 10 Circuits	ELV and RoHS Compliant



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
35358-2210	1.00mm (.039") Diameter Wire-to-Board Header, Right Angle, Dual Row, 22 Circuits	ELV and RoHS Compliant
10-05-1037	5.08mm (.200") Pitch PC Board Connector, Top Entry, 3 Circuits	ELV and RoHS Compliant
10-05-1047	5.08mm (.200") Pitch PC Board Connector, Top Entry, 4 Circuits	ELV and RoHS Compliant
10-05-1057	5.08mm (.200") Pitch PC Board Connector, Top Entry, 5 Circuits	ELV and RoHS Compliant
10-05-1067	5.08mm (.200") Pitch PC Board Connector, Top Entry, 6 Circuits	ELV and RoHS Compliant
10-08-1161	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 16 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1171	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 17 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1181	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 18 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1191	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 19 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-08-1201	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 20 Circuits, Tin (Sn) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1161	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 16 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1171	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 17 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1181	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 18 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1191	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 19 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
10-45-1201	5.08mm (.200") Pitch KK® Header, Vertical, Round Pin, 20 Circuits, Gold (Au) Plating, Pin Length 19.05mm (.750")	ELV and RoHS Compliant
30453-0400	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 4 Circuits	ELV and RoHS Compliant
30453-0500	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 5 Circuits	ELV and RoHS Compliant
30453-0600	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 6 Circuits	ELV and RoHS Compliant
30453-0700	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 7 Circuits	ELV and RoHS Compliant
30453-0800	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 8 Circuits	ELV and RoHS Compliant



**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
30453-0900	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 9 Circuits	ELV and RoHS Compliant
30453-1000	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 10 Circuits	ELV and RoHS Compliant
30453-1100	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 11 Circuits	ELV and RoHS Compliant
30453-1200	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 12 Circuits	ELV and RoHS Compliant
30453-1300	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 13 Circuits	ELV and RoHS Compliant
30453-1400	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 14 Circuits	ELV and RoHS Compliant
30453-1500	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 15 Circuits	ELV and RoHS Compliant
30453-1600	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 16 Circuits	ELV and RoHS Compliant
30453-1700	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 17 Circuits	ELV and RoHS Compliant
30453-1800	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 18 Circuits	ELV and RoHS Compliant
30453-1900	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 19 Circuits	ELV and RoHS Compliant
30453-2000	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 20 Circuits	ELV and RoHS Compliant
30453-2100	2.00mm (.079") Pitch Cable Holder, Vertical, for Ribbon Cable, with Polarization, 21 Circuits	ELV and RoHS Compliant
15-29-1024	2.54mm (.100") Pitch C-Grid® Shunt Terminal Housings, (15μ") Gold (Au), 2 Circuits, with Open End	ELV and RoHS Compliant
15-38-1024	2.54mm (.100") Pitch C-Grid® Shunt Terminal Housings, All Over Tin (Sn), 2 Circuits, with Open End	ELV and RoHS Compliant
15-38-1026	2.54mm (.100") Pitch C-Grid® Shunt Terminal Housings, All Over Tin (Sn), 2 Circuits, with Open End	ELV and RoHS Compliant
87092-3001	2.54mm (.100") Ultra Shunt, Tin Plating, Reel Packaging	Compliance Status Not Reviewed
87092-3002	2.54mm (.100") Ultra Shunt, 0.38mm (15mm") Gold (Au) Plating, Reel Packaging	Compliance Status Not Reviewed
87092-3003	2.54mm (.100") Ultra Shunt, 0.76mm (30mm") Gold (Au) Plating, Reel Pckaging	Compliance Status Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
87092-3004	2.54mm (.100") Ultra Shunt, Gold (Au) Flash, Reel Packaging	Compliance Status Not Reviewed
87092-3011	2.54mm (.100") Ultra Shunt, Tin Plating, Bag Packaging	Compliance Status Not Reviewed
87092-3012	2.54mm (.100") Ultra Shunt, 0.38mm (15mm") Gold (Au) Plating, Bag Packaging	Compliance Status Not Reviewed
87092-3013	2.54mm (.100") Ultra Shunt, 0.76mm (30mm") Gold (Au) Plating, Bag Packaging	Compliance Status Not Reviewed
87092-3014	2.54mm (.100") Ultra Shunt, Gold (Au) Flash, Bag Packaging	Compliance Status Not Reviewed
90059-0007	2.54mm (.100") Pitch C-Grid® Micro Shunt, Low Profile, 200mm" Tin (Sn) Plating	ELV and RoHS Compliant
90059-0009	2.54mm (.100") Pitch C-Grid® Micro Shunt, Low Profile, 15mm" Select Gold (Au) with Gold (Au) Flash Plating	ELV and RoHS Compliant
90059-0012	2.54mm (.100") Pitch C-Grid® Micro Shunt, Low Profile, 30mm" Select Gold (Au) Plating	ELV and RoHS Compliant
90059-0013	2.54mm (.100") Pitch C-Grid® Micro Shunt, Low Profile, 35mm" Pretinned Plating	ELV and RoHS Compliant
90059-0014	2.54mm (.100") Pitch C-Grid® Micro Shunt, Low Profile, 4mm" Gold Plating	ELV and RoHS Compliant
52731-6811	1.27 STR/MNT PCMCIA REC 527316811	Compliance Status Not Reviewed
89074-6801	1.27mm Pitch PC Card Receptacle - Straddle Mount, Offset Tail Versions	ELV and RoHS Compliant
89074-6821	1.27mm Pitch PC Card Receptacle - Straddle Mount, Offset Tail Versions	Compliance Status Not Reviewed
89074-6831	1.27mm Pitch PC Card Receptacle - Straddle Mount, Offset Tail Versions	ELV and RoHS Compliant
89074-6841	1.27mm Pitch PC Card Receptacle - Straddle Mount, Offset Tail Versions	Compliance Status Not Reviewed
71075-0001	PCMCIA Rcpt 1.27mm SMT Pkg Tube 68Ckt	ELV and RoHS Compliant
71075-0041	PCMCIA Rcpt 1.27mm SMT Pkg Tape 68Ckt	ELV and RoHS Compliant
71075-0002	PCMCIA Rcpt 1.27mm SMT Pkg Tube 68Ckt	ELV and RoHS Compliant
71075-0042	PCMCIA Rcpt 1.27mm SMT Pkg Tape 68Ckt	ELV and RoHS Compliant
71075-0003	PCMCIA Rcpt 1.27mm SMT Pkg Tube 68Ckt	ELV and RoHS Compliant
71075-0043	PCMCIA Rcpt 1.27mm SMT Pkg Tape 68Ckt	ELV and RoHS Compliant
71075-0004	PCMCIA Rcpt 1.27mm SMT Pkg Tube 68Ckt	ELV and RoHS Compliant
71075-0044	PCMCIA Rcpt 1.27mm SMT Pkg Tape 68Ckt	ELV and RoHS Compliant
89226-0000	Memory Card Female I/O	Compliance Status Not Reviewed
89256-0001	1.00mm Pitch PC Card I/O Receptacle - 4 Circuits, SMT	Not RoHS Compliant
52716-8811	1MM STAGGERED MEMORY CARD	Compliance Status Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
89074-6851	1.27mm Pitch PC Card Receptacle - Straddle Mount, Offset Tail Versions	ELV and RoHS Compliant
89076-0000	FEMALE TYPE II MEMORY CARD	Not RoHS Compliant
89199-0019	1.27mm Pitch PC Card I/O Receptacle - SMT	Compliance Status Not Reviewed
89208-0010	FEMALE TYPE II MEMORY CARD	Compliance Status Not Reviewed
71089-1000	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1020	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1050	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1080	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1005	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1025	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1055	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1085	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1100	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1120	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1150	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1180	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1105	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1125	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1155	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1185	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-3000	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-3020	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-3050	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-3080	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>
71089-3005	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-3025	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-3055	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-3085	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Top Mount	ELV and RoHS Compliant
71089-1500	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1520	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1550	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1580	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	Compliance Status Not Reviewed
71089-1505	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1525	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1555	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1585	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1600	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1620	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1650	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1680	MOLEX P/N NOT RECOGNIZED	
71089-1605	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1625	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1655	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-1685	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-3500	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-3520	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-3550	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant
71089-3580	1.27mm (.050") Pitch PC Card Header and Ejector Assembly, Single Port, Bottom Mount	ELV and RoHS Compliant