

RoHS Certificate of Compliance

August 13, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status “*ELV and RoHS Compliant*” do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
02-09-8104	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	ELV and RoHS Compliant
02-09-2611	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	ELV and RoHS Compliant
02-09-2612	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Bag	Compliance Status Not Reviewed
02-09-1205	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	ELV and RoHS Compliant
02-09-1206	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag	ELV and RoHS Compliant
02-09-1203	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2151, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-22 AWG, Reel	ELV and RoHS Compliant
02-09-1204	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2151, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-22 AWG, Bag	ELV and RoHS Compliant
02-09-5169	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	ELV and RoHS Compliant
02-09-5170	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Bag	ELV and RoHS Compliant
02-09-1209	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 6310, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 14-20 AWG, Reel	ELV and RoHS Compliant
02-09-1211	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 6310, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 14-20 AWG, Bag	ELV and RoHS Compliant
02-09-1208	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 6271, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-22 AWG, Reel	ELV and RoHS Compliant
02-09-1212	2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 6271, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-22 AWG, Bag	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
02-09-2134	2.36mm (.093") Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/Lead (Sn/Pb) Plated Contact, Without Detent, Bag Packaged	ELV and RoHS Compliant
02-09-5132	2.36mm (.093") Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag	ELV and RoHS Compliant
02-09-8113	2.36mm (.093") Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 2606, Male, with Tin (Sn) Plated Contact, For 3191 Series Housings Only, Bag Packaged	ELV and RoHS Compliant
02-09-1145	2.36mm (.093") Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 2605, Female, with Tin (Sn) Plated Contact, For 3191 Series Housings Only, Bag Packaged	ELV and RoHS Compliant
02-06-2131	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-1131	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-6100	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-6130	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-5130	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38 μ m (15 μ ") Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-6101	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76 μ m (30 μ ") Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged	ELV and RoHS Compliant
02-06-5101	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76 μ m (30 μ ") Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-6138	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-5138	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76 μ m (30 μ ") Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
02-06-6118	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-5108	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-6143	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-5147	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-1104	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-1109	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4559, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 24-30 AWG, Reel Packaged	ELV and RoHS Compliant
02-06-2201	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1786, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel Packaged	ELV and RoHS Compliant
02-06-1201	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1787, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-2231	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 2190, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 24-30 AWG, Reel Packaged	ELV and RoHS Compliant
02-06-1231	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 2189, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 24-30 AWG, Reel	ELV and RoHS Compliant
02-06-5207	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Gold (Au) Plated Phosphor Bronze Contact, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-5211	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4559, Female, with Gold (Au) Plated Phosphor Bronze Contact, 24-30 AWG, Reel Packaged	ELV and RoHS Compliant
02-06-6201	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1786, Male, with Gold (Au) Plated Phosphor Bronze Contact, 18-24 AWG, Reel	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
02-06-5201	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1787, Female, with Gold (Au) Plated Phosphor Bronze Contact, Low Engagement Force, 18-24 AWG, Reel	ELV and RoHS Compliant
02-06-2132	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-1132	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-6103	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-6135	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-5135	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38 μ m (15 μ ") Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-6102	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76 μ m (30 μ ") Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	ELV and RoHS Compliant
02-06-5102	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76 μ m (30 μ ") Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-6139	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-5139	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76 μ m (30 μ ") Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-6119	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-5109	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-6144	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
02-06-5148	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-1105	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-1110	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4559, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 24-30 AWG, Bag Packaged	ELV and RoHS Compliant
02-06-2202	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1786, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-1202	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1787, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-2232	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 2190, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 24-30 AWG, Bag Packaged	ELV and RoHS Compliant
02-06-1232	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 2189, Female, with Tin (Sn) Plated Phosphor Bronze Contact, Low Engagement Force, 24-30 AWG, Bag	ELV and RoHS Compliant
02-06-5208	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Gold (Au) Plated Phosphor Bronze Contact, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-6202	1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1786, Male, with Gold (Au) Plated Phosphor Bronze Contact, 18-24 AWG, Bag	ELV and RoHS Compliant
02-06-8103	1.57mm (.062") Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag	ELV and RoHS Compliant
18-12-2601	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1900, Male, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Reel	ELV and RoHS Compliant
18-12-2221	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 2046, Male, with Tin (Sn) Plated Brass Contact, 16-18 AWG, Reel	ELV and RoHS Compliant
18-12-2405	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 42554, Male, with Tin (Sn) Plated Brass Contact, 16-18 AWG and 18 AWG SPT-3, Reel	ELV and RoHS Compliant
18-12-1607	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 42546, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 10-14 AWG, Reel	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
18-12-1601	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1901, Female, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Reel	ELV and RoHS Compliant
18-12-1221	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 2047, Female with Tin (Sn) Plated Brass Contact, 16-18 AWG, Reel	ELV and RoHS Compliant
18-12-1605	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 42555, Male, with Tin (Sn) Plated Brass Contact, 16-18 AWG and 18 AWG SPT-3, Reel	ELV and RoHS Compliant
18-12-1603	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 42547, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 10-14 AWG, Reel	ELV and RoHS Compliant
18-12-2602	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1900, Male, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Bag	ELV and RoHS Compliant
18-12-1602	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 1901, Female, with Tin (Sn) Plated Brass Contact, 10-14 AWG, Bag	ELV and RoHS Compliant
18-12-1604	3.18mm (.125") Diameter HCS-125 Pin and Socket Crimp Terminal, Series 42547, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 10-14 AWG, Bag	ELV and RoHS Compliant
02-08-2003	MLX Crimp Terminal 42023, 14-20 AWG, Reel Tin (Sn)	ELV and RoHS Compliant
02-08-1001	MLX Crimp Terminal 42024, 14-20 AWG, Reel, Tin (Sn)	ELV and RoHS Compliant
02-08-2004	MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	ELV and RoHS Compliant
02-08-2007	MLX Crimp Terminal 42023, 14-20 AWG, Reel Selective Gold (Au)	ELV and RoHS Compliant
02-08-1005	MLX Crimp Terminal 42024, 14-20 AWG, Reel Selective Gold (Au)	ELV and RoHS Compliant
02-08-2008	MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)	ELV and RoHS Compliant
02-08-1006	MLX Crimp Terminal 42024, 14-20 AWG, Bag Selective Gold (Au)	ELV and RoHS Compliant
02-08-2005	MLX Crimp Terminal 42023, 14-20 AWG, Reel Tin (Sn)	ELV and RoHS Compliant
02-08-1003	MLX Crimp Terminal 42024, 14-20 AWG, Reel Tin (Sn)	ELV and RoHS Compliant
02-08-2006	MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	ELV and RoHS Compliant
02-08-1004	MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	ELV and RoHS Compliant
02-08-2009	MLX Crimp Terminal 42023, 14-20 AWG, Reel Selective Gold (Au)	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
02-08-1007	MLX Crimp Terminal 42024, 14-20 AWG, Reel Selective Gold (Au)	ELV and RoHS Compliant
02-08-2010	MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)	ELV and RoHS Compliant
02-08-1008	MLX Crimp Terminal 42024, 14-20 AWG, Bag Selective Gold (Au)	ELV and RoHS Compliant
50038-8000	2.50mm (.098") Pitch Splash Proof Crimp Terminal, 50038, Reel	ELV and RoHS Compliant
50038-8100	2.50mm (.098") Pitch Splash Proof Crimp Terminal, 50038, Bag	ELV and RoHS Compliant
50039-8000	2.50mm (.098") Pitch Splash Proof Crimp Terminal 50039, Reel	ELV and RoHS Compliant
50039-8100	2.50mm (.098") Pitch Splash Proof Crimp Terminal, Bag, for 52117 Housing	ELV and RoHS Compliant
43030-0001	Micro-Fit 3.0™ Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	ELV and RoHS Compliant
43030-0004	Micro-Fit 3.0™ Crimp Terminal, Female, with Select Tin (Sn) Plated Tin/Brass Alloy Contact, 26-30 AWG, Reel	ELV and RoHS Compliant
43030-0003	Micro-Fit 3.0™ Crimp Terminal, Female, with Select Gold (Au) Plated Tin/Brass Alloy Contact, 20-24 AWG, Reel	ELV and RoHS Compliant
43030-0006	Micro-Fit 3.0™ Crimp Terminal, Female, with Select Gold (Au) Plated Tin/Brass Alloy Contact, 26-30 AWG, Reel	ELV and RoHS Compliant
43031-0001	Micro-Fit 3.0™ Crimp Terminal, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	ELV and RoHS Compliant
43031-0004	Micro-Fit 3.0™ Crimp Terminal, Male, with Tin (Sn) Plated Tin/Brass Alloy Contact, 26-30 AWG, Reel	ELV and RoHS Compliant
43031-0010	Micro-Fit 3.0™ Crimp Terminal, Male, with Tin (Sn) Plated Tin/Brass Alloy Contact, 26-30 AWG, Bag	ELV and RoHS Compliant
43031-0003	Micro-Fit 3.0™ Crimp Terminal, Male, with Select Gold (Au) Plated Tin/Brass Alloy Contact, 20-24 AWG, Reel	ELV and RoHS Compliant
43031-0006	Micro-Fit 3.0™ Crimp Terminal, Male, with Select Gold (Au) Plated Tin/Brass Alloy Contact, 26-30 AWG, Reel	ELV and RoHS Compliant
90119-0110	C-Grid III™ Crimp Terminal, 22-24 AWG, Reel, 0.38µm (15µ") Selective Gold (Au)	ELV and RoHS Compliant
90119-0111	C-Grid III™ Crimp Terminal, 22-24 AWG, Reel, 0.76µm (30µ") Selective Gold (Au)	ELV and RoHS Compliant
90119-0120	C-Grid III™ Crimp Terminal, 26-28 AWG, Reel, Tin/Lead (Sn/Pb)	ELV and RoHS Compliant
90119-0121	C-Grid III™ Crimp Terminal, 26-28 AWG, Reel, 0.38µm (15µ") Selective Gold (Au)	ELV and RoHS Compliant
90119-0122	C-Grid III™ Crimp Terminal, 26-28 AWG, Reel, 0.76µm (30µ") Selective Gold (Au)	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
50394-8051	Milli-Grid™ Crimp Terminal, Reel, 0.38µm (15µ") Select Gold, Lead free	ELV and RoHS Compliant
50394-8052	Milli-Grid™ Crimp Terminal, Reel, 0.76µm (30µ") Select Gold, Lead free	ELV and RoHS Compliant
87421-0000	1.50mm (.059") Pico-SPOX™ Crimp Terminal, Female, Tin(Sn), 24-30 AWG, Reel	ELV and RoHS Compliant
35021-1001	Board-In Right Angle Crimp Terminal 35021, Reel, Brass Tin (Sn)	ELV and RoHS Compliant
35021-1101	Board-In Right Angle Crimp Terminal 35021, Reel, Phosphor Bronze Tin (Sn)	Compliance Status Not Reviewed
35021-1201	Board-In Right Angle Crimp Terminal 35021, Reel, Brass Tin (Sn)	ELV and RoHS Compliant
35021-1301	2.00/2.50mm (.079/.098") Board-In Terminal, Right Angle , Phosphor Bronze, Pre-Plated	ELV and RoHS Compliant
35074-8001	Crimp Terminal 35074, Reel, Tin-Plated Phosphor Bronze Tin (Sn)	ELV and RoHS Compliant
35074-9002	Crimp Terminal 35074, Reel, Tin-Plated Brass Tin (Sn)	ELV and RoHS Compliant
42815-0021	female terminal	Compliance Status Not Reviewed
42815-0031	Mini-Fit Sr.™ Crimp Terminal, Female, 8 AWG, Tin (Sn)	ELV and RoHS Compliant
50217-9001	3.50mm (.138") Pitch Crimp Terminal 50217, 18-24 AWG, Reel, Brass	ELV and RoHS Compliant
50217-8100	3.50mm (.138") Pitch Crimp Terminal 50217, 18-24 AWG, Bag, Phosphor Bronze	ELV and RoHS Compliant
50539-8100	3.96mm (.156") Pitch Crimp Terminal, Phosphor Bronze, Female, for 51144 Housing, Bag	ELV and RoHS Compliant
50539-8000	3.96mm (.156") Pitch Crimp Terminal, Phosphor Bronze, Female, for 51144 Housing, Reel	ELV and RoHS Compliant
35069-9002	Crimp Terminal 35069, Female, 18 AWG, Brass, Tin (Sn) Plating, Reel	Compliance Status Not Reviewed
35069-8001	Crimp Terminal 35069, Female, 18 AWG, Phosphor Bronze, Tin (Sn) Plating, Reel	ELV and RoHS Compliant
42817-0011	Mini-Fit Sr.™ Crimp Terminal, Male, 10 to 12 AWG, Tin (Sn)	ELV and RoHS Compliant
42817-0021	MOLEX P/N NOT RECOGNIZED	
42817-0031	Mini-Fit Sr.™ Crimp Terminal, Male, 8 AWG, Tin (Sn)	ELV and RoHS Compliant
30490-2002	Mini-Fit® Crimp Grounding Terminal, Series 30490, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel	ELV and RoHS Compliant
30490-1002	Mini-Fit® Grounding Pin 30490, 18-24 AWG, Reel, Phosphor Bronze , Tin or Select Gold (Au)	ELV and RoHS Compliant
30490-2012	Mini-Fit® Crimp Grounding Terminal, Series 30490, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Bag	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
30490-1012	Mini-Fit® Grounding Pin 30490, 18-24 AWG, Bag, Phosphor Bronze Select Gold (Au)	ELV and RoHS Compliant
02-08-1234	5.08mm (.200") Pitch, Disk Drive Power Connection System, Male Crimp Terminal, Reel, AWG 14 - 20, 8980-6C, Tin/Lead	Not RoHS Compliant
02-08-1236	5.08mm (.200") Pitch, Disk Drive Power Connection System, Male Crimp Terminal, Reel, AWG 18 - 22, 8980-6C1, Tin/Lead	Not RoHS Compliant
08-50-0277	Crimp Terminal for Industry Standard Power Supply, 18 to 24 AWG, Reel	ELV and RoHS Compliant
08-50-0276	Crimp Terminal for Industry Standard Power Supply, 18 to 24 AWG, Bag	ELV and RoHS Compliant
50420-8000	OBD-II Crimp Terminal, Female, 50420, 4.00mm (.157") Pitch	ELV and RoHS Compliant
43178-1001	Sabre™ Crimp Terminal, Male, UnPlated, Brass Contact, 18 AWG, 3.30mm (.130") Max. Insulation Diameter, Reel Packaged	ELV and RoHS Compliant
43178-1002	Sabre™ Crimp Terminal, Male, with Tin (Sn) Plated Brass Contact, 18 AWG, 3.30mm (.130") Max. Insulation Diameter, Reel Packaged	ELV and RoHS Compliant
43178-2001	Sabre Term WtW M Unplated 14-18	ELV and RoHS Compliant
43375-0001	Sabre™ Crimp Terminal, Series 43375, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Tin (Sn), Brass, 3.30mm (.130") Max. Insulation Diameter, Reel Packaged	ELV and RoHS Compliant
44478-3111	Mini-Fit HCS™ Crimp Terminal, 16 AWG, Reel, Copper (Cu) Alloy, Tin (Sn)	ELV and RoHS Compliant
44478-1111	Mini-Fit HCS™ Crimp Terminal, 18-20 AWG, Reel, Copper (Cu) Alloy, Tin (Sn)	ELV and RoHS Compliant
44478-3112	Mini-Fit HCS™ Crimp Terminal, 16 AWG, Bag, Copper (Cu) Alloy, Tin (Sn)	ELV and RoHS Compliant
44478-1112	Mini-Fit HCS™ Crimp Terminal, 18-20 AWG, Bag, Copper (Cu) Alloy, Tin (Sn)	ELV and RoHS Compliant
44476-3111	Mini-Fit HCS™ Crimp Terminal 44476, 16 AWG, Reel, Copper (Cu) Alloy, Tin (Sn)	ELV and RoHS Compliant
44476-1111	Mini-Fit HCS™ Crimp Terminal 44476, 18-20 AWG, Reel, Copper (Cu) Alloy, Tin (Sn)	ELV and RoHS Compliant
35745-0110	Crimp Terminal 35745, 20-22 AWG	ELV and RoHS Compliant
35745-0210	Crimp Terminal 35745, 16-18 AWG	ELV and RoHS Compliant
35745-0310	Crimp Terminal 35745, 18+18, 20+20 AWG	ELV and RoHS Compliant
35746-0110	Crimp Terminal 35746, 20-22 AWG	ELV and RoHS Compliant
35746-0210	Crimp Terminal 35746, 16-18 AWG	ELV and RoHS Compliant
35746-0310	Crimp Terminal 35746, 18+18, 20+20 AWG	ELV and RoHS Compliant
35747-0110	Crimp Terminal 35747, 20-22 AWG	ELV and RoHS Compliant
35747-0210	Crimp Terminal 35747, 16-18 AWG	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
35747-0310	Crimp Terminal 35747, 18+18, 20+20 AWG	ELV and RoHS Compliant
35748-0110	Crimp Terminal 35748, 20-22 AWG	ELV and RoHS Compliant
35748-0210	Crimp Terminal 35748, 16-18 AWG	ELV and RoHS Compliant
35748-0310	Crimp Terminal 35748, 18+18, 20+20 AWG	ELV and RoHS Compliant
90020-0101	MINI-TERMINAL FEM. BRASS 900200101	Compliance Status Not Reviewed
90020-0102	INS=2-3.3 AUTO TERM BRNZ 900200102	Compliance Status Not Reviewed
90020-0201	FEMALE CONTACT - MINI T 900200201	Compliance Status Not Reviewed
90020-0202	0.32MM PHOSBR TERM MINI-T 900200202	ELV and RoHS Compliant
90020-0301	0.32MM BRASS TERM MINI-T 900200301	Compliance Status Not Reviewed
90020-0302	0.32MM PHOSBR.TERM MINI-T 900200302	Compliance Status Not Reviewed
90020-0401	0.32MM BRASS TERM MINI-T 900200401	Compliance Status Not Reviewed
90020-0402	0.32MM PHOSBR TERM MINI-T 900200402	Compliance Status Not Reviewed
90021-0101	0.32MM BRASS TERM MAXI-T 900210101	ELV and RoHS Compliant
90021-0102	0.32MM PHOSBR.TERM MAXI-T 900210102	ELV and RoHS Compliant
90021-0104	MOLEX P/N NOT RECOGNIZED	
90021-0201	0.32MM BRASS TERM. MAXI-T 900210201	ELV and RoHS Compliant
90021-0202	0.32MM PHOSBR.TERM MAXI-T 900210202	ELV and RoHS Compliant
90021-0204	MOLEX P/N NOT RECOGNIZED	
90021-0301	0.32MM BRASS TERM MAXI-T 900210301	ELV and RoHS Compliant
90021-0302	0.32MM PHOSBR.TERM MAXI-T 900210302	ELV and RoHS Compliant
90021-0304	MOLEX P/N NOT RECOGNIZED	
90021-0401	0.32MM BRASS TERM MAXI-T 900210401	ELV and RoHS Compliant
90021-0402	0.32MM PHOSBR.TERM MAXI T 900210402	ELV and RoHS Compliant
90021-0404	MOLEX P/N NOT RECOGNIZED	
90021-0501	MOLEX P/N NOT RECOGNIZED	
90021-0502	MOLEX P/N NOT RECOGNIZED	
90021-0504	MOLEX P/N NOT RECOGNIZED	
90021-0601	MOLEX P/N NOT RECOGNIZED	
90021-0602	MOLEX P/N NOT RECOGNIZED	
90021-0604	MOLEX P/N NOT RECOGNIZED	
90021-0701	MOLEX P/N NOT RECOGNIZED	ELV and RoHS Compliant