

RoHS Certificate of Compliance

August 11, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
15-47-4023	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 2 Circuits	ELV and RoHS Compliant
15-47-4027	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 2 Circuits	ELV and RoHS Compliant
15-38-8020	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 2 Circuits	ELV and RoHS Compliant
15-47-4033	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 3 Circuits	ELV and RoHS Compliant
15-47-4037	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 3 Circuits	ELV and RoHS Compliant
15-38-8030	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 3 Circuits	ELV and RoHS Compliant
15-47-4043	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 4 Circuits	ELV and RoHS Compliant
15-47-4047	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 4 Circuits	ELV and RoHS Compliant
15-38-8040	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 4 Circuits	ELV and RoHS Compliant
15-47-4053	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 5 Circuits	ELV and RoHS Compliant
15-47-4057	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 5 Circuits	ELV and RoHS Compliant
15-38-8050	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 5 Circuits	ELV and RoHS Compliant
15-47-4063	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 6 Circuits	ELV and RoHS Compliant
15-47-4067	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 6 Circuits	ELV and RoHS Compliant
15-38-8060	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 6 Circuits	ELV and RoHS Compliant
15-47-4073	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 7 Circuits	ELV and RoHS Compliant
15-47-4077	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 7 Circuits	ELV and RoHS Compliant
15-38-8070	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 7 Circuits	ELV and RoHS Compliant
15-47-4083	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 8 Circuits	ELV and RoHS Compliant
15-47-4087	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 8 Circuits	ELV and RoHS Compliant
15-38-8080	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 8 Circuits	ELV and RoHS Compliant
15-47-4093	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 9 Circuits	ELV and RoHS Compliant
15-47-4097	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 9 Circuits	ELV and RoHS Compliant
15-38-8090	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 9 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
15-47-4103	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 10 Circuits	ELV and RoHS Compliant
15-47-4107	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 10 Circuits	ELV and RoHS Compliant
15-38-8100	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 10 Circuits	ELV and RoHS Compliant
15-47-4113	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 11 Circuits	ELV and RoHS Compliant
15-47-4117	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 11 Circuits	ELV and RoHS Compliant
15-38-8110	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 11 Circuits	ELV and RoHS Compliant
15-47-4123	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 12 Circuits	ELV and RoHS Compliant
15-47-4127	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 12 Circuits	ELV and RoHS Compliant
15-38-8120	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 12 Circuits	ELV and RoHS Compliant
15-47-4133	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 13 Circuits	ELV and RoHS Compliant
15-47-4137	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 13 Circuits	ELV and RoHS Compliant
15-38-8130	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 13 Circuits	ELV and RoHS Compliant
15-47-4143	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 14 Circuits	ELV and RoHS Compliant
15-47-4147	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 14 Circuits	ELV and RoHS Compliant
15-38-8140	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 14 Circuits	ELV and RoHS Compliant
15-47-4153	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 15 Circuits	ELV and RoHS Compliant
15-47-4157	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 15 Circuits	ELV and RoHS Compliant
15-38-8150	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 15 Circuits	ELV and RoHS Compliant
15-47-4163	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 16 Circuits	ELV and RoHS Compliant
15-47-4167	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 16 Circuits	ELV and RoHS Compliant
15-38-8160	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 16 Circuits	ELV and RoHS Compliant
15-47-4173	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 17 Circuits	ELV and RoHS Compliant
15-47-4177	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 17 Circuits	ELV and RoHS Compliant
15-38-8170	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 17 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
15-47-4183	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 18 Circuits	ELV and RoHS Compliant
15-47-4187	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 18 Circuits	ELV and RoHS Compliant
15-38-8180	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 18 Circuits	ELV and RoHS Compliant
15-47-4193	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 19 Circuits	ELV and RoHS Compliant
15-47-4197	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 19 Circuits	ELV and RoHS Compliant
15-38-8190	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 19 Circuits	ELV and RoHS Compliant
15-47-4203	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 20 Circuits	ELV and RoHS Compliant
15-47-4207	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 20 Circuits	ELV and RoHS Compliant
15-38-8200	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 20 Circuits	ELV and RoHS Compliant
15-47-4213	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 21 Circuits	ELV and RoHS Compliant
15-47-4217	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 21 Circuits	ELV and RoHS Compliant
15-38-8210	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 21 Circuits	ELV and RoHS Compliant
15-47-4223	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 22 Circuits	ELV and RoHS Compliant
15-47-4227	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 22 Circuits	ELV and RoHS Compliant
15-38-8220	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 22 Circuits	ELV and RoHS Compliant
15-47-4233	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 23 Circuits	ELV and RoHS Compliant
15-47-4237	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 23 Circuits	ELV and RoHS Compliant
15-38-8230	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 23 Circuits	ELV and RoHS Compliant
15-47-4243	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 24 Circuits	ELV and RoHS Compliant
15-47-4247	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 24 Circuits	ELV and RoHS Compliant
15-38-8240	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 24 Circuits	ELV and RoHS Compliant
15-47-4253	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 25 Circuits	ELV and RoHS Compliant
15-47-4257	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 25 Circuits	ELV and RoHS Compliant
15-38-8250	2.54mm (.100") C-Grid SL™ Single Row, Female, Version G Receptacle, 25 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-41-9043	100 KK IDT Hsg Tin 4Ckt	ELV and RoHS Compliant
22-41-9053	100 KK IDT Hsg Tin 5Ckt	ELV and RoHS Compliant
22-41-9063	100 KK IDT Hsg Tin 6Ckt	ELV and RoHS Compliant
22-41-9073	100 KK IDT Hsg Tin 7Ckt	ELV and RoHS Compliant
22-41-9083	100 KK IDT Hsg Tin 8Ckt	ELV and RoHS Compliant
22-41-9093	100 KK IDT Hsg Tin 9Ckt	ELV and RoHS Compliant
22-41-9103	100 KK IDT Hsg Tin 10Ckt	ELV and RoHS Compliant
22-41-9113	100 KK IDT Hsg Tin 11Ckt	ELV and RoHS Compliant
22-41-9123	100 KK IDT Hsg Tin 12Ckt	ELV and RoHS Compliant
22-41-9133	100 KK IDT Hsg Tin 13Ckt	ELV and RoHS Compliant
22-41-9143	100 KK IDT Hsg Tin 14Ckt	ELV and RoHS Compliant
22-41-9153	100 KK IDT Hsg Tin 15Ckt	ELV and RoHS Compliant
22-41-9163	100 KK IDT Hsg Tin 16Ckt	ELV and RoHS Compliant
22-41-9173	100 KK IDT Hsg Tin 17Ckt	ELV and RoHS Compliant
22-41-9183	100 KK IDT Hsg Tin 18Ckt	ELV and RoHS Compliant
22-41-9193	100 KK IDT Hsg Tin 19Ckt	ELV and RoHS Compliant
22-41-9203	100 KK IDT Hsg Tin 20Ckt	ELV and RoHS Compliant
22-41-9213	100 KK IDT Hsg Tin 21Ckt	ELV and RoHS Compliant
22-41-9223	100 KK IDT Hsg Tin 22Ckt	ELV and RoHS Compliant
22-41-9233	100 KK IDT Hsg Tin 23Ckt	ELV and RoHS Compliant
22-41-9243	100 KK IDT Hsg Tin 24Ckt	ELV and RoHS Compliant
22-41-9253	100 KK IDT Hsg Tin 25Ckt	ELV and RoHS Compliant
22-51-9043	100 KK IDT Hsg 15"SAu 4Ckt	ELV and RoHS Compliant
22-51-9053	100 KK IDT Hsg 15"SAu 5Ckt	ELV and RoHS Compliant
22-51-9063	100 KK IDT Hsg 15"SAu 6Ckt	ELV and RoHS Compliant
22-51-9073	100 KK IDT Hsg 15"SAu 7Ckt	ELV and RoHS Compliant
22-51-9083	100 KK IDT Hsg 15"SAu 8Ckt	ELV and RoHS Compliant
22-51-9093	100 KK IDT Hsg 15"SAu 9Ckt	ELV and RoHS Compliant
22-51-9103	100 KK IDT Hsg 15"SAu 10Ckt	ELV and RoHS Compliant
22-51-9113	100 KK IDT Hsg 15"SAu 11Ckt	ELV and RoHS Compliant
22-51-9123	100 KK IDT Hsg 15"SAu 12Ckt	ELV and RoHS Compliant
22-51-9133	100 KK IDT Hsg 15"SAu 13Ckt	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-51-9143	100 KK IDT Hsg 15"SAu 14Ckt	ELV and RoHS Compliant
22-51-9153	100 KK IDT Hsg 15"SAu 15Ckt	ELV and RoHS Compliant
22-51-9163	100 KK IDT Hsg 15"SAu 16Ckt	ELV and RoHS Compliant
22-51-9173	100 KK IDT Hsg 15"SAu 17Ckt	ELV and RoHS Compliant
22-51-9183	100 KK IDT Hsg 15"SAu 18Ckt	ELV and RoHS Compliant
22-51-9193	100 KK IDT Hsg 15"SAu 19Ckt	ELV and RoHS Compliant
22-51-9203	100 KK IDT Hsg 15"SAu 20Ckt	ELV and RoHS Compliant
22-51-9213	A-40556-2221 FFC CONN571	Compliance Status Not Reviewed
22-51-9223	100 KK IDT Hsg 15"SAu 22Ckt	ELV and RoHS Compliant
22-51-9233	A-40556-2223 FFC CONN571	Compliance Status Not Reviewed
22-51-9243	A-40556-2224 FFC CONN571	Compliance Status Not Reviewed
22-51-9253	A-40556-2225 FFC CONN571	Compliance Status Not Reviewed
22-26-7021	2.54mm (.100") KK® IDT Double Cantilever Contact, 2 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7022	2.54mm (.100") KK® IDT Double Cantilever Contact, 2 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7031	2.54mm (.100") KK® IDT Double Cantilever Contact, 3 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7032	2.54mm (.100") KK® IDT Double Cantilever Contact, 3 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7041	2.54mm (.100") KK® IDT Double Cantilever Contact, 4 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7042	2.54mm (.100") KK® IDT Double Cantilever Contact, 4 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7051	2.54mm (.100") KK® IDT Double Cantilever Contact, 5 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7052	2.54mm (.100") KK® IDT Double Cantilever Contact, 5 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7061	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-26-7062	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7071	2.54mm (.100") KK® IDT Double Cantilever Contact, 7 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7072	2.54mm (.100") KK® IDT Double Cantilever Contact, 7 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7081	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7082	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7091	2.54mm (.100") KK® IDT Double Cantilever Contact, 9 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7092	2.54mm (.100") KK® IDT Double Cantilever Contact, 9 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7101	2.54mm (.100") KK® IDT Double Cantilever Contact, 10 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7102	2.54mm (.100") KK® IDT Double Cantilever Contact, 10 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7111	2.54mm (.100") KK® IDT Double Cantilever Contact, 11 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7112	2.54mm (.100") KK® IDT Double Cantilever Contact, 11 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7121	2.54mm (.100") KK® IDT Double Cantilever Contact, 12 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7122	2.54mm (.100") KK® IDT Double Cantilever Contact, 12 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7131	2.54mm (.100") KK® IDT Double Cantilever Contact, 13 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-26-7132	2.54mm (.100") KK® IDT Double Cantilever Contact, 13 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7141	2.54mm (.100") KK® IDT Double Cantilever Contact, 14 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7142	2.54mm (.100") KK® IDT Double Cantilever Contact, 14 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7151	2.54mm (.100") KK® IDT Double Cantilever Contact, 15 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7152	2.54mm (.100") KK® IDT Double Cantilever Contact, 15 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7161	2.54mm (.100") KK® IDT Double Cantilever Contact, 16 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7162	2.54mm (.100") KK® IDT Double Cantilever Contact, 16 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7171	2.54mm (.100") KK® IDT Double Cantilever Contact, 17 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7172	2.54mm (.100") KK® IDT Double Cantilever Contact, 17 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7181	2.54mm (.100") KK® IDT Double Cantilever Contact, 18 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7182	2.54mm (.100") KK® IDT Double Cantilever Contact, 18 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7191	2.54mm (.100") KK® IDT Double Cantilever Contact, 19 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7192	2.54mm (.100") KK® IDT Double Cantilever Contact, 19 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7201	2.54mm (.100") KK® IDT Double Cantilever Contact, 20 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-26-7202	2.54mm (.100") KK® IDT Double Cantilever Contact, 20 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7211	2.54mm (.100") KK® IDT Double Cantilever Contact, 21 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7212	2.54mm (.100") KK® IDT Double Cantilever Contact, 21 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7221	2.54mm (.100") KK® IDT Double Cantilever Contact, 22 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7222	2.54mm (.100") KK® IDT Double Cantilever Contact, 22 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	Compliance Status Not Reviewed
22-26-7231	2.54mm (.100") KK® IDT Double Cantilever Contact, 23 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7232	2.54mm (.100") KK® IDT Double Cantilever Contact, 23 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7241	2.54mm (.100") KK® IDT Double Cantilever Contact, 24 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7242	2.54mm (.100") KK® IDT Double Cantilever Contact, 24 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7251	2.54mm (.100") KK® IDT Double Cantilever Contact, 25 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7252	2.54mm (.100") KK® IDT Double Cantilever Contact, 25 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7261	2.54mm (.100") KK® IDT Double Cantilever Contact, 26 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7262	2.54mm (.100") KK® IDT Double Cantilever Contact, 26 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	Compliance Status Not Reviewed
22-26-7271	2.54mm (.100") KK® IDT Double Cantilever Contact, 27 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	Compliance Status Not Reviewed

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-26-7272	2.54mm (.100") KK® IDT Double Cantilever Contact, 27 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-7281	2.54mm (.100") KK® IDT Double Cantilever Contact, 28 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-7282	2.54mm (.100") KK® IDT Double Cantilever Contact, 28 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8021	2.54mm (.100") KK® IDT Double Cantilever Contact, 2 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8022	2.54mm (.100") KK® IDT Double Cantilever Contact, 2 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8031	2.54mm (.100") KK® IDT Double Cantilever Contact, 3 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8032	2.54mm (.100") KK® IDT Double Cantilever Contact, 3 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8041	2.54mm (.100") KK® IDT Double Cantilever Contact, 4 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8042	2.54mm (.100") KK® IDT Double Cantilever Contact, 4 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8051	2.54mm (.100") KK® IDT Double Cantilever Contact, 5 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8052	2.54mm (.100") KK® IDT Double Cantilever Contact, 5 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8061	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8062	2.54mm (.100") KK® IDT Double Cantilever Contact, 6 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8071	2.54mm (.100") KK® IDT Double Cantilever Contact, 7 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-26-8072	2.54mm (.100") KK® IDT Double Cantilever Contact, 7 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8081	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8082	2.54mm (.100") KK® IDT Double Cantilever Contact, 8 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8091	2.54mm (.100") KK® IDT Double Cantilever Contact, 9 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8092	2.54mm (.100") KK® IDT Double Cantilever Contact, 9 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8101	2.54mm (.100") KK® IDT Double Cantilever Contact, 10 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8102	2.54mm (.100") KK® IDT Double Cantilever Contact, 10 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8111	2.54mm (.100") KK® IDT Double Cantilever Contact, 11 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8112	2.54mm (.100") KK® IDT Double Cantilever Contact, 11 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8121	2.54mm (.100") KK® IDT Double Cantilever Contact, 12 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8122	2.54mm (.100") KK® IDT Double Cantilever Contact, 12 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8131	2.54mm (.100") KK® IDT Double Cantilever Contact, 13 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8132	2.54mm (.100") KK® IDT Double Cantilever Contact, 13 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8141	2.54mm (.100") KK® IDT Double Cantilever Contact, 14 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
22-26-8142	2.54mm (.100") KK® IDT Double Cantilever Contact, 14 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8151	2.54mm (.100") KK® IDT Double Cantilever Contact, 15 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8152	2.54mm (.100") KK® IDT Double Cantilever Contact, 15 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant
22-26-8161	2.54mm (.100") KK® IDT Double Cantilever Contact, 16 Circuits, Tin (Sn), Feed-Through, 26 Stranded or Solid, and 28 Solid, Stranded, or Fused, Brown ID Strip	ELV and RoHS Compliant
22-26-8162	2.54mm (.100") KK® IDT Double Cantilever Contact, 16 Circuits, Tin (Sn), Feed-Through, 24 Stranded, Solid, Fused, Topcoat, and 26 Fused and Topcoat, Green ID Strip	ELV and RoHS Compliant