

RoHS Certificate of Compliance

August 11, 2009

Table A provides the RoHS compliance status for the identified part numbers manufactured by Molex, contained in original Molex packaging and labeled with an inventory control date on or after the date of this certificate. Molex part numbers with the RoHS compliance status "*ELV and RoHS Compliant*" do not contain the substances listed in the table below in concentrations exceeding the Maximum Control Value (MCV) ¹.

<u>Substance</u>	<u>Maximum Control Value</u>
Lead	0.1% by weight (1000 ppm) ⁽²⁾
Mercury	0.1% by weight (1000 ppm)
Cadmium	0.01% by weight (100 ppm) ⁽²⁾
Hexavalent Chromium	0.1% by weight (1000 ppm)
Polybrominated Biphenyls (PBB)	0.1% by weight (1000 ppm)
Polybrominated Diphenyl Ethers (PBDE) including deca-BDE	0.1% by weight (1000 ppm)

(2) The MCV does not apply to applications for which exemptions have been granted to the RoHS Directive

Products containing the substances listed in the table above, in concentrations below the MCV, are understood to be in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS Directive) in accordance with the definitions set forth in the directives.

Molex's sole liability for incorrectly certifying a product as having the substances listed in the table above, in concentrations below the MCV, shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives, please visit the ECO CARE section of www.molex.com



Jay Williamson
World Wide V.P. of Quality

¹ In order to validate compliance, Molex is evaluating its products to the homogeneous material level. A homogeneous material is defined as either a raw material or a material applied during the construction of the product. For example, in terminals plated with both a nickel and a tin layer, the base metal (copper alloy) and both layers are considered homogeneous materials and therefore must be considered separately. In another example, a cable is constructed of wire, insulation, jacketing and may be marked with ink. All these are considered individual homogeneous materials.

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-07-3137	3.96mm (.156") KK® IDT Double Cantilever Contact, 13 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3147	3.96mm (.156") KK® IDT Double Cantilever Contact, 14 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3157	3.96mm (.156") KK® IDT Double Cantilever Contact, 15 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3167	3.96mm (.156") KK® IDT Double Cantilever Contact, 16 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3177	3.96mm (.156") KK® IDT Double Cantilever Contact, 17 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3187	3.96mm (.156") KK® IDT Double Cantilever Contact, 18 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	ELV and RoHS Compliant
09-07-3197	3.96mm (.156") KK® IDT Double Cantilever Contact, 19 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3207	3.96mm (.156") KK® IDT Double Cantilever Contact, 20 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	ELV and RoHS Compliant
09-07-3217	3.96mm (.156") KK® IDT Double Cantilever Contact, 21 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3227	3.96mm (.156") KK® IDT Double Cantilever Contact, 22 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3237	3.96mm (.156") KK® IDT Double Cantilever Contact, 23 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-3247	3.96mm (.156") KK® IDT Double Cantilever Contact, 24 Circuits, Tin (Sn), Feed-Through, 26 and 27 Stranded, Fused Stranded, and 24 Stranded, Green	Compliance Status Not Reviewed
09-07-5027	3.96mm (.156") KK® IDT Double Cantilever Contact, 2 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant
09-07-5037	3.96mm (.156") KK® IDT Double Cantilever Contact, 3 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-07-5047	3.96mm (.156") KK® IDT Double Cantilever Contact, 4 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant
09-07-5057	3.96mm (.156") KK® IDT Double Cantilever Contact, 5 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant
09-07-5067	3.96mm (.156") KK® IDT Double Cantilever Contact, 6 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant
09-07-5077	3.96mm (.156") KK® IDT Double Cantilever Contact, 7 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant
09-07-5087	3.96mm (.156") KK® IDT Double Cantilever Contact, 8 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant
09-07-5097	3.96mm (.156") KK® IDT Double Cantilever Contact, 9 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black ID	ELV and RoHS Compliant
09-07-5107	3.96mm (.156") KK® IDT Double Cantilever Contact, 10 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5117	3.96mm (.156") KK® IDT Double Cantilever Contact, 11 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5127	3.96mm (.156") KK® IDT Double Cantilever Contact, 12 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5137	3.96mm (.156") KK® IDT Double Cantilever Contact, 13 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5147	3.96mm (.156") KK® IDT Double Cantilever Contact, 14 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5157	3.96mm (.156") KK® IDT Double Cantilever Contact, 15 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5167	3.96mm (.156") KK® IDT Double Cantilever Contact, 16 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5177	3.96mm (.156") KK® IDT Double Cantilever Contact, 17 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
09-07-5187	3.96mm (.156") KK® IDT Double Cantilever Contact, 18 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5197	3.96mm (.156") KK® IDT Double Cantilever Contact, 19 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5207	3.96mm (.156") KK® IDT Double Cantilever Contact, 20 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5217	3.96mm (.156") KK® IDT Double Cantilever Contact, 21 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5227	3.96mm (.156") KK® IDT Double Cantilever Contact, 22 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5237	3.96mm (.156") KK® IDT Double Cantilever Contact, 23 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
09-07-5247	3.96mm (.156") KK® IDT Double Cantilever Contact, 24 Circuits, Tin (Sn), Feed-Through, 24 and 22 Solid or Fused Stranded, and 22 Stranded, Black I	ELV and RoHS Compliant
39-01-4037	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Single Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 3 Circuits	ELV and RoHS Compliant
39-01-4041	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Single Row, PA Polyamide Nylon 6/6, UL 94V-0, 4 Circuits	ELV and RoHS Compliant
39-01-4053	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Single Row, with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 5 Circuits	ELV and RoHS Compliant
39-01-4056	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Single Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 5 Circuits	ELV and RoHS Compliant
39-01-4057	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Single Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 5 Circuits	ELV and RoHS Compliant
39-01-2021	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-2, Panel Mount, 2 Circuits	ELV and RoHS Compliant
39-01-2026	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 2 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
39-01-3023	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 2 Circuits	ELV and RoHS Compliant
39-01-2046	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 4 Circuits	ELV and RoHS Compliant
39-01-2045	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-0, 4 Circuits	ELV and RoHS Compliant
39-01-3043	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits	ELV and RoHS Compliant
39-01-3049	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 4 Circuits	ELV and RoHS Compliant
39-01-2066	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 6 Circuits	ELV and RoHS Compliant
39-01-2065	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-0, 6 Circuits	ELV and RoHS Compliant
39-01-3063	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 6 Circuits	ELV and RoHS Compliant
39-01-3069	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 6 Circuits	ELV and RoHS Compliant
39-01-2081	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-2, Panel Mount, 8 Circuits	ELV and RoHS Compliant
39-01-2086	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 8 Circuits	ELV and RoHS Compliant
39-01-3083	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 8 Circuits	ELV and RoHS Compliant
39-01-3089	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 8 Circuits	ELV and RoHS Compliant
39-01-2100	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-2, 10 Circuits	ELV and RoHS Compliant
39-01-2101	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-2, Panel Mount, 10 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
39-01-2106	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 10 Circuits	ELV and RoHS Compliant
39-01-3103	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 10 Circuits	ELV and RoHS Compliant
39-01-3109	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 10 Circuits	ELV and RoHS Compliant
39-01-2120	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-2, 12 Circuits	ELV and RoHS Compliant
39-01-2121	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-2, Panel Mount, 12 Circuits	ELV and RoHS Compliant
39-01-2126	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 12 Circuits	ELV and RoHS Compliant
39-01-3123	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 12 Circuits	ELV and RoHS Compliant
39-01-3129	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 12 Circuits	ELV and RoHS Compliant
39-01-2146	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 14 Circuits	ELV and RoHS Compliant
39-01-3143	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 14 Circuits	ELV and RoHS Compliant
39-01-3149	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 14 Circuits	ELV and RoHS Compliant
39-01-2165	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-0, 16 Circuits	ELV and RoHS Compliant
39-01-2161	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-2, Panel Mount, 16 Circuits	ELV and RoHS Compliant
39-01-2166	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-0, Panel Mount, 16 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
39-01-3163	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 16 Circuits	ELV and RoHS Compliant
39-01-3169	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, without Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 16 Circuits	ELV and RoHS Compliant
39-01-2185	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-0, 18 Circuits	ELV and RoHS Compliant
39-01-2181	4.20mm (.165") Pitch Mini-Fit Jr.™ Plug Housing, Dual Row, with and without Panel Mount Ears, UL 94V-2, Panel Mount, 18 Circuits	ELV and RoHS Compliant
39-01-2200	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-2, 20 Circuits	ELV and RoHS Compliant
39-01-2205	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-0, 20 Circuits	ELV and RoHS Compliant
39-01-2220	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-2, 22 Circuits	ELV and RoHS Compliant
39-01-2225	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-0, 22 Circuits	ELV and RoHS Compliant
39-01-2240	4.20mm (.165") Pitch Mini-Fit Jr.™ Receptacle Housing, Dual Row, UL 94V-2, 24 Circuits	ELV and RoHS Compliant
15-06-0040	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits	ELV and RoHS Compliant
15-06-0041	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 4 Circuits	ELV and RoHS Compliant
15-06-0045	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits	ELV and RoHS Compliant
15-06-0046	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 4 Circuits	ELV and RoHS Compliant
15-06-0060	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 6 Circuits	ELV and RoHS Compliant
15-06-0061	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 6 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
15-06-0105	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 10 Circuits	ELV and RoHS Compliant
15-06-0106	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 10 Circuits	ELV and RoHS Compliant
15-06-0140	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 14 Circuits	ELV and RoHS Compliant
15-06-0141	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 14 Circuits	ELV and RoHS Compliant
15-06-0145	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 14 Circuits	ELV and RoHS Compliant
15-06-0146	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 14 Circuits	ELV and RoHS Compliant
15-06-0180	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 18 Circuits	ELV and RoHS Compliant
15-06-0185	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 18 Circuits	ELV and RoHS Compliant
15-06-0186	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 18 Circuits	ELV and RoHS Compliant
15-06-0240	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 24 Circuits	ELV and RoHS Compliant
15-06-0241	4.20mm (.165") Pitch Mini-Fit BMI™ Receptacle Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-0, 24 Circuits	ELV and RoHS Compliant
15-06-0245	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row with Panel Mount Ears, PA Polyamide Nylon 6/6, UL 94V-2, 24 Circuits	ELV and RoHS Compliant
15-06-0246	4.20mm (.165") Pitch Mini-Fit BMI™ Plug Housing, Dual Row With Panel Mount Ears, White, UL 94V-0, 24 Circuits	ELV and RoHS Compliant
15-97-5021	4.20mm (.165") Pitch Mini-Fit TPA™ Receptacle Housing, Dual Row Without Side Tabs, 2 Circuits	ELV and RoHS Compliant
15-97-5041	4.20mm (.165") Pitch Mini-Fit TPA™ Receptacle Housing, Dual Row With Secondary Terminal Retention, 4 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
15-97-5061	4.20mm (.165") Pitch Mini-Fit TPA™ Receptacle Housing, Dual Row With Secondary Terminal Retention, 6 Circuits	ELV and RoHS Compliant
15-97-5081	4.20mm (.165") Pitch Mini-Fit TPA™ Receptacle Housing, Dual Row With Secondary Terminal Retention, 8 Circuits	ELV and RoHS Compliant
15-97-5101	4.20mm (.165") Pitch Mini-Fit TPA™ Receptacle Housing, Dual Row With Secondary Terminal Retention, 10 Circuits	ELV and RoHS Compliant
15-97-5121	4.20mm (.165") Pitch Mini-Fit TPA™ Receptacle Housing, Dual Row With Secondary Terminal Retention, 12 Circuits	ELV and RoHS Compliant
15-97-5161	4.20mm (.165") Pitch Mini-Fit TPA™ Receptacle Housing, Dual Row With Secondary Terminal Retention, 16 Circuits	ELV and RoHS Compliant
15-97-6021	4.20mm (.165") Pitch Mini-Fit TPA™ Plug Housing, Dual Row With Secondary Terminal Retention, 2 Circuits	ELV and RoHS Compliant
15-97-6041	4.20mm (.165") Pitch Mini-Fit TPA™ Plug Housing, Dual Row With Secondary Terminal Retention, 4 Circuits	ELV and RoHS Compliant
15-97-6061	4.20mm (.165") Pitch Mini-Fit TPA™ Plug Housing, Dual Row With Secondary Terminal Retention, 6 Circuits	ELV and RoHS Compliant
15-97-6081	4.20mm (.165") Pitch Mini-Fit TPA™ Plug Housing, Dual Row With Secondary Terminal Retention, 8 Circuits	ELV and RoHS Compliant
15-97-6101	4.20mm (.165") Pitch Mini-Fit TPA™ Plug Housing, Dual Row With Secondary Terminal Retention, 10 Circuits	ELV and RoHS Compliant
15-97-6121	4.20mm (.165") Pitch Mini-Fit TPA™ Plug Housing, Dual Row With Secondary Terminal Retention, 12 Circuits	ELV and RoHS Compliant
15-97-6161	4.20mm (.165") Pitch Mini-Fit TPA™ Plug Housing, Dual Row With Secondary Terminal Retention, 16 Circuits	ELV and RoHS Compliant
10-01-1014	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 1 Circuits	ELV and RoHS Compliant
10-01-1024	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 2 Circuits	ELV and RoHS Compliant
10-01-1034	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 3 Circuits	ELV and RoHS Compliant
10-01-1044	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 4 Circuits	ELV and RoHS Compliant
10-01-1054	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 5 Circuits	ELV and RoHS Compliant
10-01-1064	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 6 Circuits	ELV and RoHS Compliant
10-01-1074	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 7 Circuits	ELV and RoHS Compliant
10-01-1084	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 8 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-01-1094	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 9 Circuits	ELV and RoHS Compliant
10-01-1104	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 10 Circuits	ELV and RoHS Compliant
10-01-1114	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 11 Circuits	ELV and RoHS Compliant
10-01-1124	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 12 Circuits	ELV and RoHS Compliant
10-01-1134	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 13 Circuits	ELV and RoHS Compliant
10-01-1144	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 14 Circuits	ELV and RoHS Compliant
10-01-1154	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 15 Circuits	ELV and RoHS Compliant
10-01-1164	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 16 Circuits	ELV and RoHS Compliant
10-01-1174	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 17 Circuits	ELV and RoHS Compliant
10-01-1184	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 18 Circuits	ELV and RoHS Compliant
10-01-1194	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 19 Circuits	ELV and RoHS Compliant
10-01-1204	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 20 Circuits	ELV and RoHS Compliant
10-13-1024	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 2 Circuits	ELV and RoHS Compliant
10-13-1034	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 3 Circuits	ELV and RoHS Compliant
10-13-1044	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 4 Circuits	ELV and RoHS Compliant
10-13-1055	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 5 Circuits	ELV and RoHS Compliant
10-13-1064	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 6 Circuits	ELV and RoHS Compliant
10-13-1075	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 7 Circuits	ELV and RoHS Compliant
10-13-1085	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 8 Circuits	ELV and RoHS Compliant
10-13-1094	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 9 Circuits	ELV and RoHS Compliant
10-13-1106	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 10 Circuits	ELV and RoHS Compliant
10-13-1114	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 11 Circuits	ELV and RoHS Compliant
10-13-1125	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 12 Circuits	ELV and RoHS Compliant
10-13-1134	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 13 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
10-13-1144	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 14 Circuits	ELV and RoHS Compliant
10-13-1154	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 15 Circuits	ELV and RoHS Compliant
10-13-1164	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 16 Circuits	ELV and RoHS Compliant
10-13-1174	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 17 Circuits	Compliance Status Not Reviewed
10-13-1184	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 18 Circuits	Compliance Status Not Reviewed
10-13-1194	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 19 Circuits	Compliance Status Not Reviewed
10-13-1204	5.08mm (.200") Pitch KK® Crimp Terminal Housing, 20 Circuits	Compliance Status Not Reviewed
50-84-1010	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, Nylon 6/6, 94 V-2, 1 Circuit	ELV and RoHS Compliant
50-84-1030	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, 3 Circuits	ELV and RoHS Compliant
50-84-1060	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, 6 Circuits	ELV and RoHS Compliant
50-84-1021	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, 2 Circuits	ELV and RoHS Compliant
50-84-1031	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, 3 Circuits	ELV and RoHS Compliant
50-84-1041	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, 4 Circuits	ELV and RoHS Compliant
50-84-1061	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, 6 Circuits	ELV and RoHS Compliant
50-84-1091	2.13mm (.084") Diameter MLX™ Power Crimp Housing Plug, 9 Circuits	ELV and RoHS Compliant
50-84-2010	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 1 Circuit	ELV and RoHS Compliant
50-84-2020	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 2 Circuits	ELV and RoHS Compliant
50-84-2030	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 3 Circuits	ELV and RoHS Compliant
50-84-2040	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 4 Circuits	ELV and RoHS Compliant
50-84-2060	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 6 Circuits	ELV and RoHS Compliant
50-84-2090	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 9 Circuits	ELV and RoHS Compliant
50-84-2021	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 2 Circuits	ELV and RoHS Compliant
50-84-2031	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 3 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
50-84-2041	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 4 Circuits	ELV and RoHS Compliant
50-84-2061	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 6 Circuits	ELV and RoHS Compliant
50-84-2091	2.13mm (.084") Diameter MLX™ Pin and Socket Receptacle, 9 Circuits	Compliance Status Not Reviewed
19-09-1019	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-2, 1 Circuit	ELV and RoHS Compliant
19-09-1016	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-0, 1 Circuit	ELV and RoHS Compliant
19-09-1029	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 92V-0, 2 Circuits	ELV and RoHS Compliant
19-09-1026	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-0, 2 Circuits	ELV and RoHS Compliant
19-09-1039	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, 3 Circuits	ELV and RoHS Compliant
19-09-1036	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, 3 Circuits	ELV and RoHS Compliant
19-09-1049	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-2, 4 Circuits	ELV and RoHS Compliant
19-09-1046	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-0, 4 Circuits	ELV and RoHS Compliant
19-09-1069	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-2, 6 Circuits	ELV and RoHS Compliant
19-09-1066	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-2, 6 Circuits	ELV and RoHS Compliant
19-09-1099	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-2, 9 Circuits	ELV and RoHS Compliant
19-09-1096	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-0, 9 Circuits	ELV and RoHS Compliant
19-09-1129	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-2, 12 Circuits	ELV and RoHS Compliant
19-09-1159	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-0, 15 Circuits	ELV and RoHS Compliant
19-09-1156	2.36mm (.093") Diameter Standard .093" Pin and Socket Receptacle Housing With Positive Latch, UL 94V-0, 15 Circuits	ELV and RoHS Compliant

Table A

Molex P/N	Part Description	RoHS Compliance Status
19-09-2018	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-2, Panel Mount, 1 Circuit	ELV and RoHS Compliant
19-09-2017	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, Panel Mount, 1 Circuit	ELV and RoHS Compliant
19-09-2028	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-2, Panel Mount, 2 Circuits	ELV and RoHS Compliant
19-09-2027	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, Panel Mount, 2 Circuits	ELV and RoHS Compliant
19-09-2038	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-2, Panel Mount, 3 Circuits	ELV and RoHS Compliant
19-09-2037	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, Panel Mount, 3 Circuits	ELV and RoHS Compliant
19-09-2048	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-2, Panel Mount, 4 Circuits	ELV and RoHS Compliant
19-09-2047	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, Panel Mount, 4 Circuits	ELV and RoHS Compliant
19-09-2068	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-2, Panel Mount, 6 Circuits	ELV and RoHS Compliant
19-09-2067	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, Panel Mount, 6 Circuits	ELV and RoHS Compliant
19-09-2098	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-2, Panel Mount, 9 Circuits	ELV and RoHS Compliant
19-09-2097	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, Panel Mount, 9 Circuits	ELV and RoHS Compliant
19-09-2128	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-2, Panel Mount, 12 Circuits	ELV and RoHS Compliant
19-09-2127	2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, Panel Mount, 12 Circuits	ELV and RoHS Compliant