

## Product Compliance Statement

December 26, 2013

Molex is committed to managing the use of chemical substances in accordance with governmental regulations, industry standards, and customer-specific requirements in order to protect the environment. For each part listed, this document provides:


- **EU RoHS Compliance Status.** EU RoHS status is declared per Directive 2011/65/EU and its subsequent amendments. Homogeneous materials of parts that are compliant to this legislation have less than 0.1% by weight each of lead, mercury, hexavalent chromium, PBB, and PBDE, and 0.01% by weight of cadmium. In situations where an exemption applies, the preceding limits, corresponding to the exempted substance(s), may be higher.

- **EU REACH SVHC Content.** Substances of Very High Concerns (SVHCs) are declared if above 0.1% of the article per Regulation (EC) No. 1907/2006 and its subsequent amendments. The Candidate List of SVHCs is continually updated at [http://echa.europa.eu/chem\\_data/authorisation\\_process/candidate\\_list\\_table\\_en.asp](http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp). The current revision was used in this declaration.

- **Low-Halogen Status.** Homogeneous materials of parts that are considered Low-Halogen have less than 0.09% by weight each of bromine and chlorine, and less than 0.15% by weight of the sum of bromine and chlorine.

Molex's sole liability for incorrectly certifying a product shall be either replacement of the Molex product or, alternatively and in the sole discretion of Molex, return of the purchase price paid for the relevant Molex product.

For additional information regarding Molex's environmental initiatives and further explanation of this information, please visit [www.molex.com](http://www.molex.com)



Joel F. Eurich  
Director, Global Environmental, Health & Safety (EH&S)

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
55560-0161		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0201		ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
55560-0221		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0301		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0401		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0501		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0241		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0341		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0601		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0801		Compliance Status Not Reviewed	Contains SVHC: No	Low-Halogen
55560-0247	0.50mm Pitch SlimStack™ Plug, Surface Mount, Dual Row, Vertical, 1.50mm Stack Height, 24 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
87568-2644	2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
87568-2693	2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
70107-0037	SL™ Wire-to-Wire Panel Mount Crimp Housing, Single Row, Version B, with Mounting Ears, 3 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
73180-0020	Mini BNC Jack, Vertical, 75 Ohms, EWR-4256	RoHS Compliant RF Product	-	-
73105-5003	BNC 50 Ohm, Plug, Crimp, RG-59 and RG-62 Cable, Non-Captive Center Contact	RoHS Compliant RF Product	-	-
501331-0307	1.00mm Pitch Pico-Clasp™ Wire-to-Board Header, Surface Mount, Single Row, Vertical, with Friction Lock, 3 Circuits, with Cover Tape, Lead-Free	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
85056-0048	2.54mm Pitch DIN 41612/IEC 603-2 Mixed Layout Connector, Female Style M Inverse, 60 Circuits, Lead-Free	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
85056-0103	2.54mm Pitch DIN 41612/IEC 603-2 Mixed Layout Connector, Female Style M Inverse, 78 Circuits, Lead-Free	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
85056-0232	2.54mm Pitch DIN 41612/IEC 603-2 Mixed Layout Connector, Female Style M Inverse, 42 Circuits, Lead-Free	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
85042-0385	2.54mm Pitch DIN 41612 Receptacle, Style C, 96 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
170672-2294		ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
170672-2278	EdgeLine® 12.5 Gbps Edge Card Connector, 278 Circuits,	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
170672-1200	EdgeLine® 12.5 Gbps Edge Card Connector, 200 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
170672-1170	EdgeLine® 12.5 Gbps Edge Card Connector, 170 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
85505-5113	Modular Jack, Right Angle, Low Profile, Fully Shielded, 8/8, Cat 5e, Version, A, Through Hole, Gold (Au), Tin (Sn) over Nickel (Ni)	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
73171-0322	50 Ohms, BNC Jack to BNC Jack In-line Adapter, EWR-2605, Bulk	RoHS Compliant RF Product	-	-
70982-1003	LFHT™ and TDP® Panel Mount Hex Screw Kit	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
71781-0001	MicroCross™ Panel Mount Hex Screw	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
19016-0009	Krimptite™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
19420-0010	MX150L™ Female Terminal for 18-22 AWG Wire, Tin Plated	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
50802-8000	2.50mm Pitch Crimp Terminal, Female, Phosphor Bronze, Reel	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
50837-8100	2.50mm Pitch Mini-Lock™ Crimp Terminal, Bag	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
70928-0092	1.27mm Pitch LFH™ Matrix 50 Receptacle, Shielded, Vertical, 2.34mm PC Tail Length, Screw Hole M3 Thread, Gold Plating, 60 Circuits	ELV and RoHS Compliant	-	-
83611-9016	1.27mm Pitch Commercial Micro-D, PCB Mount, Right Angle Plug, without Jackposts, 9 Circuits	RoHS Compliant by Exemption	Contains SVHC: No	Low-Halogen
83612-9022	1.27mm Pitch Commercial Micro-D, PCB Mount, Right Angle Plug, without Jackposts, 15 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Not Reviewed
83614-9014	1.27mm Pitch Commercial Micro-D, PCB Mount, Right Angle Plug, without Jackposts, 25 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Not Reviewed

**Table A**

<b>Molex P/N</b>	<b>Part Description</b>	<b>RoHS Compliance Status</b>	<b>REACH SVHC</b>	<b>Low-Halogen Status</b>
51146-1000	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 10 Circuits	ELV and RoHS Compliant	Not Reviewed	Not Low-Halogen
51146-1100	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 11 Circuits	ELV and RoHS Compliant	Not Reviewed	Not Reviewed
51146-1200	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 12 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
51146-1300	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 13 Circuits	ELV and RoHS Compliant	Not Reviewed	Not Reviewed
51146-1500	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 15 Circuits	ELV and RoHS Compliant	Not Reviewed	Not Low-Halogen
51146-1600	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 16 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Not Low-Halogen
51146-1700	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 17 Circuits	ELV and RoHS Compliant	Not Reviewed	Not Reviewed
51146-1800	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 18 Circuits	ELV and RoHS Compliant	Not Reviewed	Not Low-Halogen
51146-1900	1.25mm Pitch PanelMate™ Wire-to-Board Receptacle Housing, Ultra Low Profile, 19 Circuits	ELV and RoHS Compliant	Not Reviewed	Not Reviewed
501189-2010	1.00mm Pitch Pico-Clasp™ Wire-to-Board Receptacle Housing, Dual Row, 20 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
501189-4010	1.00mm Pitch Pico-Clasp™ Wire-to-Board Receptacle Housing, Dual Row, 40 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen
501330-0600	1.00mm Pitch Pico-Clasp™ Wire-to-Board Female Housing, Single Row, with Positive Lock, 6 Circuits	ELV and RoHS Compliant	Contains SVHC: No	Low-Halogen