Molex.com

English 타호령 Register | Login ごって 简体中文 My Parts (0 items) Search site:Search: Enter Part No. or K Go **Product Name** Cross-Ref Catalog Literature Industries Standards

Switch Language

Contact Us About Us Investors Careers

English

Need Assistance?

Contact Us Find a Distributor **Order Samples Tech Library** Ecocare Electrical Models

Printer-friendly page

Email this page

Home Crimp Housings Datasheet

Part Number:

0009910200

Status:

Planned for Obsolescence

Overview:

KK®

Description:

3.96mm (.156") Pitch KK® Crimp Terminal Housing, Friction Ramp, 2 Circuits

Documents: Note - Please disable browser pop-up blockers for documents on www.molex.com Drawing (PDF) Product Specification PS-99020-0087 3D (PDF)

Series image - Reference only

EU RoHS ELV and RoHS Compliant

REACH SVHC Not Reviewed

Halogen-Free

China RoHS

Halogen-Free Status

Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

3069Series

Mates With

2220, 3190, 3192, 3243, 3246, A4042, 41661, 41662, 41671, 41672, 41681, 41682, 41701, 41711, 41721, 41741, 41761, 41771, 41772, 41791, 41792, 42441, 42461, 42471, 42491, 42492

Use With

2478 Crimp Terminals for 18-24 AWG, 2578 Crimp Terminals for 22-26 AWG

<u>Model</u> <u>Datash</u>

Order Products:

Part Detail: (show all)

GeneralPhysicalAgency CertificationMaterial InfoReference - Drawing Numbers

General

| Product Family | Crimp Housings |
|----------------|----------------|
| Series | <u>3069</u> |
| Overview | KK® |
| Product Name | KK® |

| Physical | |
|-------------------------------|----------|
| Circuits (maximum) | 2 |
| Color - Resin | Natural |
| Flammability | 94V-2 |
| Gender | Female |
| Glow-Wire Compliant | No |
| Lock to Mating Part | Yes |
| Material - Resin | Nylon |
| Number of Rows | 1 |
| Packaging Type | Bag |
| Panel Mount | No |
| Pitch - Mating Interface (in) | 0.156 In |

3.96 mm

Agency Certification

Pitch - Mating Interface (mm)

UL E29179

Temperature Range - Operating 0°C to +75°C

Material Info

Old Part Number 306902

Reference - Drawing Numbers

Product Specification PS-99020-0087
Sales Drawing SD-3069-N***

Feedback Privacy Legal Site Map Help

