

Molex.com

English
日本語
한국어
简体中文

Register | Login
My Parts (0 items)

Product Name

Cross-Ref

Catalog

Literature

Industries

Standards

Contact Us

About Us

Investors

Careers

Search site:Search: [Go](#)

Connectors

Sockets

I/O Connectors

Cable Assemblies

Fiber Optics

Printed Circuit Products

Industrial Products

Lighting Products

Switch Language

English

[Home](#)
[Splices](#)
[Datasheet](#)

Need Assistance?

Contact Us
Find a Distributor
Order Samples
Tech Library
Ecocare
Electrical Models

Printer-friendly page


Email this page

Part Number:
0191600039

Status:
Active

Description:
Twist Lock Splice for 14-22 AWG Wire

Documents: *Note - Please disable browser pop-up blockers for documents on www.molex.com*
[Drawing \(PDF\)](#) [Datasheet \(PDF\)](#)



EU RoHS
ELV and RoHS
Compliant

REACH SVHC
Not Reviewed

Halogen-Free
Status
Not Reviewed



Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[19160](#)Series

[RoHS Certificate of Compliance \(PDF\)](#)

Order Products:

Part Detail: [\(show all\)](#)

[General](#)[Physical](#)[Electrical](#)[Agency Certification](#)[Material Info](#)[Reference - Drawing Numbers](#)

General

Product Family	Splices
Series	19160
Mil-Spec	N/A
Product Name	Closed-End Twist Lock

Physical

Barrel Type	Closed
Flammability	94V-2
Insulation	Nylon (PA)
Packaging Type	Bag
Temperature Range - Operating	105°C
Wire Insulation Diameter	6.6mm (.26") max
Wire Size AWG	14, 16, 18, 20, 22
Wire Size mm²	2.00 - 3.50

Electrical(Please review the Product Specification for specific details.)

Voltage - Maximum	300V
-------------------	------

Agency Certification

CSA	LR700095
UL	E32244

Material Info

Old Part Number	TL-G
-----------------	------

Reference - Drawing Numbers

Sales Drawing	SD-19160-005
---------------	--------------