

12	11		0	9	8	7		6	5	
LOOSE PIECE		TAPE MOUNTED		SPECIFICATIONS						
MATERIAL E NUMBER	NGINEERING NUMBER	MATERIAL NUMBER	ENGINEERING NUMBER	STUD SIZE	"S" ±.005 [0.13]	"W" ±.010 [0.25]	"C" MIN.	"L" MAX	<u>′</u> "Н"	
192030077	BB-U-123-06			6	.146 [3.71]	.250 [6.35]	.209 [5.31]	.560 [14	4.22]	
192030079	BB-U-125-14			14	.265 [6.73]	.467 [11.86]	.388 [9.86]	.837 [21.26]	1 261	
192030274	BB-U-125-56			56	.328 [8.33]				1.20]	
192030150	BB-U-137-06	192030082	BB-U-137-06T	6	.146 [3.71]		.285 [7.24]	.645 [16.38]		
192030083	BB-U-137-08	192030084	BB-U-137-08T	8	.173 [4.39]	.312 [7.92]			5.38] 1.155 [29	.34]
 192030085	BB-U-137-10	192030086	BB-U-137-10T	10	.198 [5.03]					





PARTS ON TAPE

2

1

NOTES:

1. MATERIAL: PURE NICKEL (STOCK THICKNESS .031±.001[0.79])

PLATING: NONE

- 2. SEAM OPENING
- 3. WIRE SIZE: 16 14 AWG

1.0 - 2.5 MM²

- 4. "UL" LISTING #E32244
- "CSA" LISTING #18689

5. ALL DIMENSIONS IN INCHES/[MM].

- 6. PARTS ARE ROHS COMPLIANT.
- 7. DIMS. SHOWN ARE FOR REFERENCE ONLY.

SYMBOLS THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION CURRENT REV DESC: MIGRATION TO = 0 molex INCH/MM NTS ECTR/NX **₹** = 0 GENERAL TOLERANCES (UNLESS SPECIFIED) **▼** = 0 MM INCH EC NO: 620820 RING TONGUE TERMINAL DRWN: ABENJAMINLW 2019/07/10 KRIMPTITE 100-SERIES 4 PLACES CHK'D: GROJAS01 2019/07/17 3 PLACES 2 PLACES ± APPR: JMACNEIL 2019/08/06 0.13 ± .01 PRODUCT CUSTOMER DRAWING **₹** = 0 1 PLACE 0.25 **INITIAL REVISION:** DOCUMENT NUMBER DRWN: EMF 0 PLACES ± 1987/02/03 **⋈** = 0 --- ± ---192030077 | PSD | 000 | APPR: JMACNEIL 2019/08/06 ANGULAR TOL ± 0.5 ° DRAWING MATERIAL NUMBER CUSTOMER SHEET NUMBER DRAFT WHERE APPLICABLE THIRD ANGLE PROJECTION SERIES MUST REMAIN C-SIZE 19203 SEE TABLE **GENERAL MARKET** 1 OF 1 WITHIN DIMENSIONS

| DOCUMENT STATUS | P1 | RELEASE DATE | 2019/08/06 14:51:05

10